
## REVIEW OF APPLIED MYCOLOGY

COMPILED FROM WORLD LITERATURE ON PLANT PATHOLOGY AND APPLIED MYCOLOGY





## GENERAL INDEX

This is basically a host-pathogen index. Under the host the entries are analysed, under the pathogen the abstract numbers only are given.

New records are indicated by an asterisk\*

A 40 nabam, use of, against tomato brown root rot, 244.

Aamerko and Aaventa, inhibition of Nectria galligena by, 3250.

Abies, Armillaria mellea on, in Czechoslovakia, antagonism of Trichoderma viride to, 849.

, Echinodontium tinctorium on, in Canada, 1750f.

- -, Fomes annosus on, in Czechoslovakia, 849. -, Odontia bicolor on, in Canada, 1750f.
- -, Stereum sanguinolentum on, in Canada,
- amabilis, Caliciopsis pseudotsugae on, 3338. balsamea blight in Canada, Crumenula

associated with, 1750b.

canker and dieback in Canada, Dermea balsamea, Thyronectria balsamea, and Valsa abietis associated with, 1750a.

-, Corticium on, 1166

- diseases in Canada, 1750b. Fusicoccum abietinum on, in Canada,
- 3327b. - heartwood extracts, inhibition of some fungi by, 1225x.

- mortality in Canada, 1750c.

, Phacidium abietis on, in Canada, causing 'spring scorch', 1750b.

Pucciniastrum epilobii and Sarcotrochila balsamea on, in Canada, 3327c, d.

-, Stereum chailletii, S. purpureum, and S. sanguinolentum on, 1166.

fraseri, Phytophthora cinnamomi on, in U.S.A., 596.

grandis, Armillaria mellea on, associated with butt rot in U.S.A., 2091.

-—, Caliciopsis pseudotsugae on, 3338. — decay in U.S.A., study on, 2091.

Echinodontium tinctorium on, causing trunk rot, in U.S.A., 2091.

-lasiocarpa, Echinodontium tinctorium and

Odontia bicolor on, in Canada, 1750f.
—, Scleroderris abieticola on, in Canada, 3327g.

Stereum sanguinolentum on, in Canada, 1750f.

- sibirica, fungi on, causing trunk rot in U.S.S.R., 2092.

Absidia on mouldy hay, 1539.

Abutilon infectious variegation Abutilon striatus var. thompsonii, defoliation in relation to, 3169.

-mosaic [infectious variegation] virus on cotton, 467.

Acacia anthracnose fungi in Japan, 2075. , Glomerella acaciae on, G. angulata synonym of, 2075.

catechu extracts, effect of, on germination of Glomerella cingulata spores, 3141.

- mearnsii dieback in E. Africa, boron deficiency in relation to, 841.

Acalymma vittata transmitting pumpkin mosaic virus, 856g.

Acer, (?) Centrospora acerina on, 2185c.

-, Coryneum negundinis on, in Canada, 3327b. - rubrum, Fusarium solani on, in Canada and U.S.A., 2415f.

, Gloeosporium apocryptum on, in Canada, causing leaf browning and defoliation, 3327b.

saccharinum, fungi imperfecti on, in U.S.A.,

saccharum, Cephalosporium and Cytospora

on, in U.S.A., 245.

decline in U.S.A., similarity of, to A. saccharum blight, 245.

Fusarium solani on, in Canada and U.S.A., 2415f.

, Gloeosporium apocryptum on, in Canada, causing leaf browning and defoliation,

-, Pyrenochaeta on, in U.S.A., 245.

Aceria tulipae, non-transmission of Agropyron repens mosaic virus by, 428.

transmitting wheat streak mosaic virus,

Acetaldehyde, effect of, on rhizomorph production by Armillaria mellea, 1544.

Acetic acid, use of, against Tilletia foetida on wheat, 1294.

Acetobacter xylinum, decomposition of, by Trichoderma viride, 1645.

Achatina fulica transmitting black pepper foot rot, 2696.

Achromycin inhibiting germination of Protomyces macrosporum chlamydospores, 2693. Acricid, use of, against Podosphaera leucotricha on apple, 128.

Acrocylindrium oryzae on rice, 1911.

Acrolein phenylhydrazone, use of, against Puccinia recondita on wheat, 68.

Acrostalagmus vilmorinii on aster, 1037.

Acrostaphylus, association of, with Fomes igniarius on timber, 613.

Acrylic ester resin, use of, on apple, 2318. Actidione, effect of, on Botrytis all Sclerotinia sclerotiorum, 1247, 2213.

inhibition of Cronartium fusiforme 1424; of Marasmius oreades by, 1253; of Polystictus versicolor, Poria vaporaria, and Serpula lacrimans on timber by, 1767u.

- injury to apple, 1823; plum, 512.

-, use of, against Cronartium comptoniae on pine, 2430; C. ribicola on pine, 3041; Erysiphe graminis on cereals, 1823; Fabraea maculata on Crataegus, 2188d; Fusarium on pine, 1823; Podosphaera leucotricha, 1823; Rhabdocline pseudotsugae on Pseudotsuga, 1444; as seed treatment for wheat, 1823.

- in combination, toxicity of, to rose, 104.

, use of, against Diplocarpon rosae, 104; Scirrhia acicola on pine, 3040.

[Actidione] BR injury to pecan, 2798a.

— , use of, against Cronartium ribicola on pine, 2798c; Fusicladium effusum on pecan, 2798a.

Actinomucor repens, rimocidin and, 3132.

Actinomyces aureoverticilliatus, effect of, on Agrobacterium tumefaciens on tomato, 21.

— ahygroscopicus, effect of, on turnip mosaic virus, 1183.

— levoris in soil, 33.

— tumemacerans, effect of, on Agrobacterium tumefaciens on tomato, 21.

Actinomycete No. 3, effect of, on *Cochliobolus* sativus, 1535m; on *Macrophomina phaseoli* on tomato, 1535m.

Actinomycetes, activity of, from rhizosphere and non-rhizosphere soils of maize and soybean, 2536.

—, antibiotics from, use of, against *Sphaero-theca pannosa* on rose, 1535p.

—, effect of, on basidiomycetes, 374; on damping-off of cabbage and tomato, 1835l.

— in mouldy hay, 1539.

— in soil, see Soil.

—, production of antibiotics from, in Japan, 900, 1535a.

Actinomycin injury to symbiotic associations of basidiomycetes, 374.

D, effect of, on bean pod mottle virus, 2559.
 Acyrthosiphon pisum transmitting sugarcane mosaic virus, 218.

Adhesin, use of, on carnation, 1043. *Aecidium mori* on mulberry, 3329.

Aegerita webberi associated with insects and mites on citrus, 357.

Aegilops cylindrica, Puccinia graminis on, in Yugoslavia, 704.

 umbellulata, Puccinia graminis on, resistance to, 707.

——, — recondita on, resistance to, 2183f.

Aeonium arborea inhibitor, effect of, on transmission of potato virus Y by Myzus persicae, 61.

Aerial photography, use of, for detecting *Phytophthora infestans* on potato, 359f, 881g; plant diseases, 1217.

Aerobacter cloacae on tomato, 3022.

Aerosols injury to rice, 3211.

—, use of, against *Pyricularia oryzae*, 3211. *Aesculus hippocastanum*, see Horse Chestnut. *Afzelia bella*, ectotrophic mycorrhiza of, in the

Congo, classification of, 1758. Agallol inhibiting germination of *Protomyces* 

Agailof inhibiting germination of *Protomyces* macrosporus chlamydospores, 2693.

—, use of, against *Corticium solani* on potato,

3000; potato storage disorders, 3000.

Agapanthus umbellatus, (?)tobacco mosaic

virus on, in Denmark, 1514.

Agaricaceae of Czechoslovakia, 1264.

Agaricus, see Mushroom.

Agathis australis, mycorrhiza of, in N.Z., 1448. Agave sisalana, see Sisal.

Aglaonema, Xanthomonas dieffenbachiae on, in U.S.A., var. reaction to, 349.

Agricultural chemicals, annual booklet of list of approved products, 1531.

 plant breeding Station, Bavarian, review of development, 1221.

Research Council, handbook on, 1229.
Institutions in Europe, Index of, 2194.

Agriculture and land use in Ghana, book on,

Agrimycin, use of, as seed treatment for potato, 1224.

— 17, use of, against *Erwinia amylovora* on pear, 147.

Agrisan 35, use of, against *Plasmopara viticola*, 340.

Agristrep, use of, against Erwinia atroseptica on potato, 348.

Agrobacterium radiobacter, Rhizobium meliloti serologically related to, 1488.

rhizogenes on rose, 487, 2639.
on tobacco and tomato, 487.

\*— rubi on raspberry, 2566.

-- tumefaciens, effect of monocotyledon extracts on, 2199.

——, inhibition of growth of, by chlorothion, 20.

——in soil, 391.

—— on cacao, 2571.

— — on Datura stramonium, 22.

— on flower and fruit hosts, revised leaflet on, 2198.

\*--- on Gladiolus, 2566.

— on rose, 904, \*1810, 2639. — on sunflower, 3119.

— on sunnower, 3119. — on Tagetes erecta, 404.

— on tomato, 21, 904, 1535d, 2413.

— on vine, 873, 3093.

——, review of work on, 667.

——, *Rhizobium meliloti* serologically related to, 1488.

——, technique for preserving, 19.

Agrochim, use of, against Septoria helianthi on sunflower, 2014.

Agromycin, use of, against Xanthomonas pruni

on plum, 1063.
Agronal, use of, as seed treatment for forest

trees, 1435; soybean, 3360.

Agropyron x wheat, mycotrophism in, 73.

— ciliare, Rhynchosporium secalis on, in Japan, 722.

cristatum, effect of, on Cochliobolus sativus in soil, 1874.
Fusarium and F. culmorum on, 1874.

— and A. desertorum, Podosporiella verticillata on, in U.S.A., 2646. — glaucum, mycorrhizal fungus in develop-

— glaucum, mycorrhizal fungus in development of, 73.
— intermedium, Podosporiella verticillata on, in

U.S.A., 2646.

— repens mosaic virus a mild strain of wheat

streak mosaic virus, a mild strain of wheat

— —, Ophiobolus graminis on, control, 1555.

——, Puccinia graminis on, in Canada, overwintering of, 2267.

—, Typhula incarnata on, in Scotland, 1673.
 — scabrum, Puccinia graminis on, oversummering of, 1228.

- semicostatum, Rhynchosporium secalis f.sp. agropyri on, in Japan, 722.

— trachycaulum, Podosporiella verticillata on, in U.S.A., 2646.

Agrosan, use of, against *Cercospora ricinella* on *Ricinus communis*, 809; virus diseases of potato, 3291.

— GN, use of, against *Ustilago hordei* on oats, 1899; *U. scitaminea* on sugarcane, 219; as seed treatment for wheat, 1242a.

— W5, effect of, on yield of cotton, 746.

Agrostis, Corticium fuciforme on, 111.

- solani on, 111, 658a.

, Fusarium roseum on, in U.S.A., symptoms of, 2946.

-, Griphosphaeria nivalis on, 111. -, Marasmius oreades on, 658a.

-, Pythium aphanidermatum on, 111.

Sclerotinia homoeocarpa on, 111; in U.S.A., 2644.

-alba, Mastigosporium rubricosum on, in

Germany, 771.
- palustris, Cochliobolus sativus on, stimulation of infection by, 1674.

-, Olpidium brassicae on, 1675. \*— —, Puccinia graminis on, 1675.

- tenuis, Griphosphaeria nivalis on, in Scotland, 1673.

Agroxone-40, use of, against Amomum subulatum 'foorkey' virus, 3280.

\*Ailanthus excelsa, Cercospora glandulosa on, in India, symptoms of, 2417.

Air, Alternaria in the, in U.S.A., 12.

—, ascospores in the, 3109.

-, Aspergillus in the, in U.S.A., 12.

, basidiospores in the, 3109.
, Cladosporium in the, 3109; in U.S.A., 12.

-, Curvularia in the, 3109.

-, Erysiphe graminis in the, in England, 2264. fungi in the, 886, 1617; in England, 1232; India, 1322.

-, Fusarium in the, 3109; in U.S.A., 12.

Ganoderma applanatum in the, in England 13.

-, Penicillium in the, in U.S.A., 12.

— pollution in relation to pine tipburn, 2104. -, Pseudopeziza ribis in the, in Poland, 158. Aircraft spraying versus hand and motorized, 2024.

use of, for spraying, 339, 359b, 360, 2024, 2062, 3096; for surveying Phymatotrichum omnivorum on cotton, 884e.

Albamycin, use of, against Corynebacterium

sepedonicum on potato, 2034.

\*Albizzia amara, Cephaleuros parasiticus on, in India, 1737b.

-falcata, Corticium salmonicolor on, in India, 1155, 1737a.

—, — solani on, in India, 1155, 1737a.

\*- gummifera, Cephaleuros parasiticus on, in India, 1737b.

- julibrissin, Fusarium oxysporum f.sp. perniciosum on, in U.S.A., 2418.

- lebbek, Ravenelia sessilis on, in India, 3329. \*---, Zopfia albiziae, on, in U.S.A., 2541.

Albugo in Norway, 2834.

- bliti on Amaranthaceae, 3236.

- candida, biological races of, hosts of, 1185.

— — on Brussels sprouts, 616.

— on radish, 1186, 2759, 2760.

- — on rape, 878.

- ipomoea-panduratae on Ipomoea, 912.

— occidentalis on spinach, 324. - tragopogonis on salsify, 62.

\*\_ \_ on sunflower, 2797. Alcoholic thymol, use of, against micro-organisms on old books and manuscripts, 2510.

Alder (Alnus), Melampsoridium hiratsukanum on, in Japan, 2732.

, Ophiostoma valachium and Verticillium kubanicum on, resistance to, 3025.

Aldrin, use of, against vectors of Xanthomonas albilineans, 222; as seed treatment for ginger,

Aleurites, Mycosphaerella aleuritidis on, 658v;

in Nyasaland, 877.

-fordii, Mycosphaerella aleuritidis on, in U.S.A., 246; technique for studying dispersal of spores of, 246.

Aleurobolus barodensis transmitting Xantho-

monas, 1736.

Aleurodiscus, the genus, in N. America, taxonomy of, 2235.

Alfalfa, see Lucerne.

Aliomycin, production of, from actinomycetes in Japan, 900.

Alkylamines, use of, against *Podosphaera* leucotricha, 1067.

Alkyl tolyl methyl-trimethyl ammonium chloride, see Septigard.

\*Allamanda, Glomerella cingulata Mauritius, 2187.

Allantophoma nematospora on Pseudotsuga menziesii, 3343.

Alliaria officinalis, cabbage black ring spot virus and turnip mosaic virus on, in Yugoslavia, 857; transmission of, to Nicotiana glutinosa and tobacco, 857.

Allisan, toxicity of, to bean and lettuce, 1773. , use of, against Botrytis cinerea on lettuce, 3083; Sclerotinia sclerotiorum on bean, 1773; on lettuce, 1773, 3083; as seed treatment for onion,1; as soil fumigant, 1.

Allium, Botrytis on, taxonomy of, 1512p.

- ascalonicum, see Shallot.

- cepa, see Onion.

-fistulosum, Botrytis allii on, in Denmark, 1512p.

odorum, Uromyces ambiguus on, in Hong Kong, 345.

- porrum, see Leek.

- sativum, see Garlic.

- schoenoprasum, see Chives.

- ursinum, Sclerotinia globosa on, in Belgium, apothecia of, 1512p.

Almond (Prunus amygdalus) apoplexy in Greece, 783.

calico virus + peach mule's ear virus [almond bud failure virus] on peach in U.S.A., 2969.

-, Ceratocystis fimbriata on, symptoms of, compared with other canker diseases, 1704. -, Fusicoccum amygdali on, viability of, 510. Podosphaera leucotricha on, in U.S.A.,

2544.

-, Taphrina deformans on, in Lebanon, 1578. , Tranzschelia pruni-spinosae var. discolor on, in W. Australia, control, 507.

Alnus, see Alder.

Aloe leaf sap, effect of, on tobacco mosaic virus on Nicotiana glutinosa, 55.

Alsike, see Clover.

Alternaria, taxonomic paper on, 505.

- brassicae, hosts of, 3353.

—— on Cruciferae, 280, 1225b. —— on radish and rape, 1225b. —— on turnip rape, 2377, 2378.

— var. *microspora*, taxonomy of, 1843. - brassicicola, hosts of, 3353.

\*— — on Brassica and turnip, 2496 - burnsii, taxonomy of, 1843.

- chartarum, taxonomy of, 1843. (?)—circinans on cauliflower, 1516.

- citri on orange, 2616. — —, taxonomy of, 1843. [Alternaria] cucumerina on Cyamopsis psoraloides and melon, 658p.

- dauci, effect of mechanical injuries on, 681. - on carrot, 1771, 2491m, 2791e.

- dianthi, effect of mechanical injuries on, 681.

on carnation, 479, 1516.

- dianthicola on carnation, 479, 757, \*877.

on plantain, 668.

- humicola on timber, 1456. ---, taxonomy of, 1843.

- lini on flax, 402

——, taxonomy of, 1843.

- linicola on flax, 402.

- longipes on tobacco, 223, 834, 2497.

- macrospora on cotton, 1656. — mali on apple, 1976, 2667

- palendui, taxonomy of, 1843. — passiflorae on Passiflora, 1519.

- poonensis on coriander, 2374.

- porri on Datura metel and D. tatula, 2831b. on onion, 1771, 2146.

- raphani on cabbage and cauliflower, 1225b. on Cruciferae, 280.

on \*rape, and Sinapis arvensis, 1225b.

\*— (?)ricini on Ricinus communis, 1372.
— solani in soil, 1749.
——, inhibition of, by Streptomyces str. antibiotic, 3133; of spore germination in, 917.

- on eggplant, 2071.

— on potato, see Potato. - on tomato, see Tomato.

--, photo-inhibition of sporulation in, 383. -tenuis, factors affecting spore discharge in, 2801.

-, hosts of, 3353.

inhibition of growth of Saccharomyces carlsbergensis by, 77.

— on apple, 3253.

on areca palm, 2381. — on cotton, 2918.

\*-- on lobelia, 875 - on Passiflora, 1519.

 on pine, 2428. — on potato, 3019.

- on rape, 1225b.

— on tomato, 1145, 2730, 3019.

sporulation of, under near-UV light, 2841.

— —, taxonomy of, 1843.

- tenuissima, effect of mechanical injuries on, 681.

——, hosts of, 3353.

— — on Pittosporum tobira, 2637.

- tomato on passion fruit, 2823a, b. \*-- triticina on wheat, 1298.

- vitis on vine, 3092.

(?)— zinniae on rape, 1225b.

Aluminium foil method versus oil-indicator cards for determining oil-spray deposits on banana leaves, 524.

toxicity in cotton, 472.

- slag, use of, against Plasmodiophora brassicae on cabbage, 3381.

Alyssum saxatile, Peronospora and P. galligena on, in Switzerland, 1343.

Amanita and A. humboldtii on oak forming ectotrophic mycorrhiza, 2517.

Amaranthaceae, Albugo bliti on, in India, 3236. -, cucumber mosaic virus can infect, 2164.

Amaranthus retroflexus, Rhizoctonia and Verticillium alboatrum on, in U.S.A., 204; (?) reservoir of infection for potato,

viridis, Plasmopara madrasensis on, in India,

Amarex P, use of, against Glomerella cingulata on cherry, 2954.

Amaryllis, cucumber mosaic virus strs. on, in U.S.A., 349; serology of, 2622; transmission of, to tobacco, 2622

denticulata, Gymnosporangium Amelanchier gracile on, in Mexico and U.S.A., 1845. N-2'-amidinoethyl-3-amino-cyclopentane-car-

boxamide, see amidinomycin.

Amidinomycin, inhibition of Aspergillus niger, Candida albicans, and Pyricularia oryzae by,

produced from Streptomyces, 1248. Amine stearate, use of, on vine, 359c. Aminobutane injury to Gladiolus, 2798c.

, use of, against Sclerotinia draytonii on Gladiolus, 2798c.

DL-β-aminobutyric aspartic acid, use of, against Aphanomyces euteiches on pea, 3063. 8-amino-1-naphthol-3,6-disulfonic acid, neutra-

lization of phytotoxicity of blasticidin S to rice by, 733.

Aminotriazole, see atsaplant.

Aminotrichlorophenylacetic acid (HRS-399), use of, against Ceratocystis ulmi on elm, 88li.

Ammonium bifluoride, use of, as timber preservative, 2441.

ethylenebis (dithiocarbamate) sulphate, use of, against Phytophthora infestans on potato, 348.
- nitrate, effect of, on Ceratocystis ulmi, 249.

, use of, against Pyrenophora graminea on

barley, 447

-polysulphide, use of, against Synchytrium endobioticum, 548.

Amomum subulatum 'foorkey' Amomum, virus can infect, 3280.

- aromaticum, Cardamom 'chirke' virus can infect, 1222.

subulatum 'foorkey' virus, transmission of, by vectors, 3280; to Amomum and Elettaria cardamomum, 3280.

\*Amphinema byssoides on pine forming mycorrhiza, 1761.

Amphorophora rubi, raspberry immunity to, 518.

transmitting raspberry mosaic virus, 160. 518.

sonchi transmitting sugarcane mosaic virus, 218.

Anaerobic treatment against Ustilago nuda on wheat, 3189.

Ananas comosus, see Pineapple.

Andropogon halepensis, sugarcane grassy shoot virus on, in India, symptomless carrier of,

\*— virginicus, sugarcane mosaic virus can infect, 2717.

Anemone necrosis virus in Anemone, properties of, and sap inoculation of, 1218b.

, Peronospora anemones on, in France, 2623. Anethum graveolens, see Dill.

Angiopsora zeae, see Physopella zeae.

Anguillulina tritici associated with Dilophospora alopecuri on wheat, 2256.

Anguina tritici in relation to wheat tundu disease, 1299.

\*Annona squamosa, Pestalotia on, in India,

Anthonotha macrophylla, ectotrophic mycorrhiza of, in Congo, classification of, 1758. Anthracol, use of, against Mycosphaerella

musicola on banana, 1512y.

Anthurium, Septoria minimum on, inhibition of

spore germination of, 3096j.

Antibiotic, production of, from Streptomyces in maize rhizosphere, 396; from S. str., 3133. Antibiotics, activity of some, against Xanthomonas spp., 3131. -, fungicidal activity of, 374, 894, 1512x,

1549b.

- in seeds and seedling plants, 371c; in soil, 2491e.

-, production of, from microscopic fungi, textbook on, 1536.

-, systemic, effects of, 371d. -, toxicity of, to pine, 2430.

-, use of, in plant pathology, 371, 1241j, k, 1338, 1823, 2053, 2354.

- 205-2A and 205-2B, production of, from streptomycetes, and use of, against tobacco mosaic virus on bean and Trichometasphaeria turcica on maize, 905.

Antiblastin in Japan, 900.

Antifungal compounds in plants, 893c.

Antimucin, use of, against Hypoxylon serpens on tea, 558.

Antimycin A, use of, against Pyricularia oryzae, 893f.

\*Antirrhinum, Cercospora antirrhini on, in U.S.A., 2541.

Phyllosticta antirrhini on, in N. Rhodesia, 1516.

, Pseudomonas (?)antirrhini on, in New S. Wales, 1868.

Puccinia antirrhini on, in U.S.A., 2624; U.S.S.R., 696, 1942; earwigs in relation to, 2624.

Anuraphis helichrysi transmitting beet ring mottle virus, 1468.

Aphanomyces euteiches, asexual reproduction in, 856c.

- - on pea, 3063.

-, use of fluorescent stains in the localization of DNA in oospores of, 881j.

Aphelenchoides parietinus in relation to soil micro-organisms, 2232.

Aphelenchus avenae, effect of, on reduction of infection of Corticium solani on bean, 2769. Aphids, availability of Physalis floridana viruses

in different parts of leaves to, 957.

-, diurnal fluctuations in relation to transmission of virus diseases, 3351; effect of temperature on transmission of, 3352.

\*-, Entomophthora aphidis on, in Romania, 2204.

on bean, role of Entomophthora aphidis in reduction of, 1529.

on pea, (?) Empusa planchoniana on, in U.S.S.R., role of Entomophthora aphidis in reduction of, 1529.

on Phytolacca americana, 2162.

\*\_\_, Schizosaccharomyces aphidis on, in Romania, 2204.

-transmitting beet mild yellows and beet yellows viruses, 1464; (?)celery virus disease, 2793; cucumber mosaic virus, 2164; groundnut chlorosis virus, 1223; Heracleum spondens virus disease, 2793; parsnip virus disease, 2793; (?)poplar mosaic virus, 2082; potato leaf roll virus, 1731; virus diseases of flowers and ornamentals, 1939.

\*[Aphids], Verticillium aphidis on, in Romania,

2204.

Aphis craccivora transmitting banana viruses, leaf cage for studying, 2553; cucumber mosaic virus, 1799; groundnut rosette virus, 312, 2458; Phaseolus virus 2 [bean yellow mosaic virus str.] on lupin, 492.

fabae, control, 1463.

not transmitting beet mild yellows virus, 1465.

transmitting beet mild yellowing virus, 3355a; beet mosaic virus, 417, 1463; beet ring mottle virus, 1468; beet yellows virus, 287c, 1463, 1467, 1777, 2762, 3355a; pea mosaic virus, factors affecting, 417.

frangulae transmitting potato viruses, 1725,

2388a.

glycine transmitting soybean stunt virus, 1202.

gossypii transmitting banana viruses, leaf cage for studying, 2553; Capsicum mosaic virus, 1210; citrus seedling yellows virus, 1920; cotton anthocyanosis virus, 467; cotton virus diseases (new), 2280; cucumber mosaic virus, 60, 2162, 2163; melon mosaic virus, 2165; strawberry mottle virus, 162.

helianthi transmitting beet ring mottle

virus, 1468.

nasturtii transmitting cucumber mosaic virus, 1799; Phaseolus virus 2 [bean yellow mosaic virus str.] on lupin, 492; potato viruses, 2388a.

pomi transmitting beet ring mottle virus, 1468.

rhamni transmitting potato viruses, 1725. Apiognomonia errabunda perfect state of Discula platani, 941

Apium graveolens, see Celery.

Aplanobacterium populi on poplar, 2421.

Appelia schwartzii transmitting pea mosaic virus, 1192.

Apparatus [see also Technique] for applying artificial rain to potato leaflets, 2790n; for assessing droplet spectra of spraying equipassessing droplet spectra of spraying equipment, 896; leaf wetness, 3159; collecting cereal rust uredospores, 1595; Neurospora crassa ascospores, 1851; inoculating, 405, 1849, 2779, 2843; isolating spores, 1502b, 1848; measuring activity of Agrobacterium tumefaciens chlorogenic acid oxidase, 404; of Corticium solani polygalacturonase, 1850; fungi 2434; Pseudomonas solangagarum 2434; Pseudomonas solanacearum fungi, cellulase, 1850; spraying, see spraying apparatus; studying sporulation, 947, 2188a; trapping spores, 2264, 2844.

Apple (Malus pumila), Alternaria on, taxo-

nomic paper on, 505.

- mali on, in Japan, 2667a; host penetration of, 2667b; overwintering of, 2667a; strs. of, 1976; varietal reaction to, 2667a.

, — tenuis on, 2381; in U.S.S.R., 3253; Eriosoma lanigerum in relation to, 3253.

anthracnose in Japan, 2075; Yugoslavia, Cytosporella, Diaporthe perniciosa, Physalospora obtusa associated with, 2311. - apoplexy in Greece, 783.

[Apple], Aspergillus terreus on, in India, causing rotting, study on, 2818; production of

pectolytic enzymes by, 38.

bitter pit, 2964b; in New S. Wales, 657; N.Z., 1063, 1699; anatomical study of, 2323; causes of, 2324; control, 657, 2324; effect of diphenylamine wraps on, 789; of gypsum and lime on, 1699; of hand thinning of fruit in relation to incidence of, 2962; forecasting of in transit to England, 1063; symptoms of, 2324; var. reaction to, 1967.

-, boron deficiency, differentiation of, from green crinkle [apple false sting] virus, 2957.

-, Botryosphaeria ribis on, transmission of, to Rhododendron, 2296.

chat fruit virus on apple in Denmark, 1514;

\*Italy 124.

- chlorotic leaf spot virus on apple in Switzerland, 3099; control, 2661; electron microscopy of, 2184f; identification of, 779h; spread of, 2313.

on Chenopodium, 2184f.

- — — on quince, 2313.

- —, Cladosporium herbarum on, in U.S.S.R., Eriosoma lanigerum in relation to, 3253.
- \*-, Coniothyrium pirinum on, in India, 1223. — core flush, factors affecting, 2964c.
- —, Corticium salmonicolor on, in U.S.A., 1562. - solani on, antagonism of Mortierella to, 1698.
- dapple apple virus on apple in Canada, transmission of, by vectors and (?) seed,

\*— disease in New S. Wales, resemblance of symptoms of to apple russet ring virus, 1868.

, effect of boron on distribution of endogenous carbohydrates in, 144; of hand thinning of fruit in relation to incidence of storage disorders of, 2962; of plant protectives on germination of pollen of, 1978, 2966.

Erwinia amylovora on, in N.Z., 146; control, 146, 1979; copper gradients in relation to, 3257; detection of, by phage typing, 1073; epiphytotic development and susceptibility to, 2327.

- false sting virus on apple in Norway, 123.

- flat apple disease in U.S.A., (?) virus causing,

fruit rots in N. Ireland, 2793.

- -, Gonatobotrys flava on, in U.S.S.R., 3253; Eriosoma lanigerum injury in relation to, 3253.
- green crinkle virus on apple in Norway, 123; differentiation of, from boron deficiency, 2957.
- Helminthosporium papulosum on, in U.S.A., 1697.
- 'horse-shoe wound' disease in Denmark, transmission of, by budding and grafting,
- internal bark necrosis in U.S.A., apple 'rough bark disease' similar to, 1688.

spot in U.S.A., 143.

— Jonathan spot, control, 2963.

latent virus on apple in Canada, 1225r; Denmark, 1514; \*Germany, 2309; S. Africa, 125; Switzerland, 3099; determination of, 1971; hosts of, 1971; technique for indexing, 125; transmission of, mechanically, 1971.

— leaf pattern viruses in Canada, 1225r.

[Apple leaf] pucker virus on apple in Canada, 7791; (?) Denmark, 1514; Norway, 123; transsion of, by vectors and (?)seed, 7991.

-, mercury residues in, 2959; recommended

methods for analysis of, 3122

- mosaic virus on apple, 779b; in Canada, 502; China, identical with apple mosaic virus in America and Europe, 784; India, 1241h; U.S.A., 126, 503; apple vein clearing associated with, 779a; control, 1241h; distribution of, in host tissue, 1065; fruit deformity caused by, 126; properties of, 503; transmission of, by grafting, 1065; to Rosaceae, 779h; Tulare str. of, 503, 884k.

-, see also plum line pattern virus. - severe str. in Bulgaria resembling

guince yellow mosaic virus in India, 1349. , mycorrhiza of, in Germany; frequency,

intensity and morphological features of, 145. \*—, Mycosphaerella sentina on, in India, 1223.
—, Nectria galligena on, in Denmark, 3250; control, 2318; inhibition of ascospore discharge, 3250.

, Penicillium expansum on, in Poland, 136, 138; factors affecting formation of patulin and phenolic compound by, 2322.

-, Pezicula on, in Italy, 787; control, 3124.

- alba on, in Netherlands, 128, 2185c; comparison of extra-cellular enzymes and rotting of, by P. malicorticis and, 3255; factors affecting, 1977.

malicorticis on, in Netherlands, 128; Poland, 136, 137; comparison of extracellular enzymes and rotting by P. alba and, 3255; effect of hand thinning of fruit in relation to incidence of, 2962; factors affecting, 136, 1977; var. reaction to, 137.
, Phialophora atra, P. lagerbergii, and P.

obscura on, morphology of, 2546.

-, Phoma pomorum on, in Portugal, 2831b. -, Physalospora obtusa on, in Cyprus, 3380; U.S.S.R., Eriosoma lanigerum in relation to, 3253.

Phytophthora cactorum on, in Austria, 788; Denmark, 3250; England, 1353, 2184j; New S. Wales, 657; antagonism of Spicaria violacea to, 1698; bulletin on, 2184j; control, 2184j, 3250; differentiation between syringae and, 788; var. reaction to, 657.

syringae on, in Denmark, 3250; England, 1353, 2184j, 2319; Germany, 788; bulletin on, 2184j; control, 2184j, 2319, 3250; differentiation of, from P. cactorum, 788, 2319;

study on, 1353.

-, Podosphaera leucotricha on, 365; in Bulgaria, 140, 1693; Denmark, 1066, 3250; England, 1067, 1068, 2184c, 2664; \*Irish Republic, 2794; Lebanon, 1578; Netherlands, 128; Norway, 2961; Poland, 139; Romania, 1064; Switzerland, 1694, 2954; Tasmania, 2665; U.S.S.R., 3126; Yugoslavia, 2316; control, 128, 140, 785, 1066, 1067, 1068, 1069, 1512g, 1534, 1694, 1823, 1973, 2316, 2317, 2490a, 2665, 2954, 2960, 3124, 3126, 3250; effect of, on yield, 2954; of zineb on, 362; factors affecting, 2954; paper on evaluation of chemicals against, 1512c; (?)residues of morestan on, 2490a; russeting caused by, 1694; source of infec-

tion of, 139; study on, 1066; var. reaction to, 439, 1064, 1693, 2316, 2960; winter survival of, 3250.

[Apple] proliferation [witches' broom] virus. use of root fragments for testing for, 2310.

prune dwarf and Prunus necrotic ring spot [peach ring spot] viruses on, extraction of virus from petals of, 1969.

ring spots in Denmark, similar to apple ring spot virus in N.Z., 1514.

-, Rosellinia necatrix on, in Lebanon, 1578.
- 'rough bark disease', studies on, in Japan, 1688, 2669; similarity of, to internal bark necrosis in U.S.A., 1688.

- rough skin virus on apple in Norway, 123; (?)apple mosaic virus causing, 779a; trans-

mission experiments on, 779f.

rubbery wood virus on apple, 779b; in Canada, 1225r; \*Germany, 2309; N.Z., 1063; anatomy and chemistry of, 1689; chemical tests for, 1063; identification of, 770b, indicates for 1063; identification of, 170b, identification of 779h; indicator for, 2309; transmission of, to Rosaceae, 779g.

on pear, 779m.

\*— russet ring virus on apple in Canada, 7791; England, 234; New S. Wales, 2797; N. America, 2314; Norway, 123; symptoms of, 2314; var. reaction to, 2314.

- scald in N.Z., 141, 1074; control, 141, 790, 1074, 2964a, 3256; DPA residues in relation to control of, 2325; factors affecting, 789, 3256; induction of, by anaerobiosis, 1354.

-, Sclerotinia fructigena on, control, 2320; course of infection of, 2320; factors affecting

resistance to, 1974.

,—mali on, in U.S.S.R., 2321; control 1695, 1975, 2321; effect of, on, 2321; symptoms of, 2321.

- self-incompatibility, antibiotic compounds in soil in relation to, 2491e.

- senescent breakdown, effect of hand thinning of fruit in relation to incidence of, 2962.

- skin browning, control, 2963.

- star crack virus on apple in Norway, 123; effect of, on growth, 779n; transmission experiments on, 779f; transmission of, by grafting, 2184f; var. reaction to, 2184f.

(Stayman) blotch virus on apple in Canada, 7791; transmission of, by vectors and (?) seed, 7791.

- stem-pitting virus on apple in Canada, 7791, 1225r; Switzerland, 3099; control, 2661; identification of, 779h; transmission of, by vectors and (?)seed, 7791.

storage disorders, 2326a,b; effect of hand

thinning of fruit on, 2962.

superficial scald in Tasmania, 2668; control 793, 2668; effect of carbon dioxide and oxygen concentrations on, 1700; inhibitors and promotors of, 2965; submicroscopic cytology of, 142; var. reaction to, 793.

-, thujaplicin injury to, 791.

- -, tomato ring spot virus str. on, transmission of, to herbaceous hosts, 779j.
- , toxicity of timber from Thuja plicata boxes to, 791.

Trichothecium roseum on, in India, 1223; Poland, 136.

- vein clearing, association of, with apple mosaic virus, 779a. Venturia inaequalis on, in Canada, 3, 1070; England, 2184b; Irish Republic, Lebanon, 1578; Netherlands, 128, 129, 130;

New S. Wales, 1813; N.Z., 1074; N. Ireland, 2793; Poland, 134, 135, 1352; Romania, 1064, 1075; Switzerland, 2954; U.S.S.R., 362, 2494h; Victoria, 2662; amino acids in relation to pathogenicity of, 506; ascospore discharge of, 1075, 1352; conidial viability of, 1075; control, 128, 129, 131, 133, 135, 342, 362, 785, 1067, 1070, 1071, 1074, 1661 342, 362, 785, 1067, 1070, 1071, 1074, 1691, 1813, 2184b, 2315a, b, 2662, 2954, 2959, 3124; effect of β-glycosidase and phenoloxidase on resistance to, 1972; griseofulvin analogues on, 2509; leachates from leaf surfaces on germination of, 3; phloridzin on resistance to, 132; respiration inhibitors on inhibition of sporulation, 133; root stocks on, 1692; of temperature on, 786; epidemiology of, 134, 2190; factors affecting, 129, 786, 2954; foliage infection in relation to wet and dry periods, 3251; forecasting outbreaks of, 342, 1352, 2494h, 2663, 3159; microexploration and mapping of infections of, 1351; overwintering of, 342; radio warning service for, 130; research on, 129, 3252; var. reaction to, 1064, 1072

[Apple], Verticillium on, in U.S.S.R., 3254.

virus diseases, 123, 2308d; in Canada, 7791; Czechoslovakia, 1061; England, 1350; Germany, 781; N.Z., 1063; control, 1061; determination and diagnosis of, 780d; methods of detecting masked, 1063; rootstocks in relation to, 2491d; symptoms of, 781; transmission of, mechanically, to herbaceous plants, 779j, k; by vectors, 779l.

(sap transmissible), affinities of, with beet yellows and with other fruit viruses, 53. (unidentified), extraction of, from apple

petals, 1969.

virus-like disorders in England, 1350.

witches' broom virus on apple in France, 779c; effect of, on yield, 779e; localization of, 779d; see also apple proliferation virus.

York spot in U.S.A., 143.

Apricot (Prunus armeniaca) apoplexy Austria, Czechoslovakia, France, and Germany, 509; Greece, 783; Hungary, Romania, and Yugoslavia, 509; symposium on, in France, 509.

bacterial spots in Bulgaria, 508.

- canker, Stereum hirsutum associated with, 795.
- -, Ceratocystis fimbriata on, symptoms of, compared with other canker diseases, 1704.
- -, cherry twisted leaf virus can infect, 2970. diseases in France, Germany, Morocco, Spain, and Tunisia, 509.
- , distortion, gumming and pitting in, symptoms of, 797.
- Fusicladium carpophilum on, in Switzerland, 3099.
- Gloeosporium armeniacum on, renamed Dothiorella armeniaca, 941.
- gummosis, resemblance of symptoms of Eutypa armeniacae on Ceanothus thyrsiflorus to, 2338.
- 'mapping' in N.Z., Oidium causing, 1063.
- , oak leaf pattern virus on, in India, similar to plum line pattern virus [apple mosaic virus], 1349.
- Oidium on, in N.Z., causing 'mapping', 1063.
- -, (?)peach ring spot virus on, in India, 1349.

[Apricot], plum pox virus on, transmission of, to peach, 2334.

-, Podosphaera tridactyla on, in Switzerland, 3099.

- premature wilting in Romania, etiology of, 1357.

-, Rhizopus stolonifer on, control, 2673.

\*- ring pox virus on apricot in New S. Wales, 2797; associated with cherry twisted leaf virus, 2970.

on Rosaceae, 779x.

-, Sclerotinia fructicola on, in New S. Wales, spread of, 657.

-, Stigmina carpophila on, in Hungary, symptoms of, 1705.

, Tranzschelia pruni-spinosae var. discolor on,

in W. Australia, 507.

—, Verticillium alboatrum on, 2675; in S. Australia, causing blackheart, study on, 2676; inactivation of, 884l.

- dahliae on, 2675.

- [virus] gummosis on Rosaceae, 779x.

-, Xanthomonas pruni str. on, in N.Z., 1063. Arabis mosaic virus, antigenic relationships between vine viruses and, 1505h.

———, hosts of, 692. ——— on bean, 2448.

--- on Chenopodium amaranticolor, 2556.

--- on C. murale and cucumber, 2956.

——— on *Narcissus*, 1218b. — — on raspberry, 1219a.

——— on strawberry, 1089, 1219a, 2355. ——— on vine, 1215, 2556.

———, sweet cherry virus related to, 779s. - - + prune dwarf viruses on cherry, 2184f.

- - str. on cherry, 2344.

Arachis hypogaea, see Groundnut. Araliaceae, fungi on, in the Pacific coastal

region, 2691.

Arasan, use of, against Lophodermium needle cast disease of pine, 2188e; as seed treatment for ginger, 1519.

- 75, use of, as seed treatment for groundnut, 3382f.

Araucaria cunninghamii, Fomes noxius on, in Papua and New Guinea, 3103.

Arborol, use of, against fungus diseases of walnut, 595; Microstroma juglandis on walnut, 595.

Arbutin-hydroquinone complex in relation to Erwinia amylovora on pear, 3258.

Areca palm (Areca catechu), Alternaria tenuis on, 2381.

, Ganoderma lucidum on, in India, antagonism of Bacillus coagulans and Streptomyces to, 2382.

yellow virus in India, transmission of, 1109.

Arenarin in relation to plant cultivation, manual on, 1825.

Aretan, inhibiting germination of Protomyces macrosporus chlamydospores, 2693.

, use of, against Ceratocystis paradoxa on sugarcane, 1129.

Aristolochia, cucumber mosaic virus in, in Denmark, 1514.

Armillaria mellea (?) association of, with Polyporus schweinitzii on Coniferae, 3023. - —, control, 2095.

— —, effect of ethanol and related compounds on rhizomorph production by, 1544.

— in Europe and U.S.A., 2095.

[Armillaria mellea], inhibition of, by culture media exposed to light, 909.

- - on Abies, 849, 2091.

— — on Coniferae, 1164, 3327d. — on Crotalaria agatifolia, 558.

— — on forest trees, 839, 2416, 3327d.

— on fruits, 2855.

— on Grevillea robusta, 558.

--- on Hevea rubber, 3003, \*3172.

— on nuts, 2855. — — on oak, 845, 1755.

— — on oil palm, 2981 — on pine, 2095, 3327f.

— — on poplar, 3033.

- — on Pseudotsuga menziesii, 1443.

\*— on Rhododendron, 2792.

— — on spruce, 2433.

— — on tea, 558. — on vine, 1512v, 1535m, 2855. Armoracia rusticana, see Horse-radish.

Aromatic compounds, halogenated and nitrated, fungicidal activity of, 894.

Arrhenatherum elatius, oat sterile dwarf virus can infect, 2857.

Arrowroot (Maranta arundinacea) mosaic virus, relationship of, with viruses from Canna indica and Musa textilis, 1854.

-, Xanthomonas on, X. marantae proposed as

name for, 2979.

Arsenic acid, use of, as timber preservative,

Arsenite, effect of, on Venturia inaequalis, 133. Artichoke (Cynara scolymus), Botrytis cinerea and Bremia lactucae on, relationships between development and storage conditions of, 3104.

-, Corticium solani on, in Sardinia, 336.

-, Leveillula taurica on, study on, 2839. -, Sclerotinia sclerotiorum and Sclerotium rolfsii on, in Sardinia, 336.

Artocarpus communis, see Breadfruit.

Arundo donax, sugarcane chlorotic streak virus on, 553.

Arylethyl ketones, use of, as fungicides, 893i. Aschersonia aleyrodis and A. goldiana associated with insects and mites on citrus, 357.

Asclepias syriaca, cucumber mosaic virus on, in Canada, transmission of, by vectors, 2162.

\*Ascochyta ampelina on vine, 2542. - arida on tobacco, 223.

- clematidina on clematis, 2490d.

- fabae, a toxic metabolite from, having antibiotic activity, 902.

— on broad bean, 2446.

— gossypii on cotton, 1027.

- imperfecta, see Phoma herbarum var. medica-

- linicola on flax, 402, 1225a.

- majalis, Mycosphaerella convallaria perfect state of, study on, 2935.

- oryzae on rice, 1635, 1911.

\*— phaseolorum on Canavalia ensiformis, 877.

— piniperda on spruce, 3344.

— pinodella on pea, 2765, 2795.

pinodes, see Mycosphaerella pinodes.

— pisi on pea, 1781, 1829, 2795, 3098. - rabiei on Cicer arietinum, 631.

\*— tarda on coffee, 744.

- trifolii on clover, 2493f.

Ascocybe grovesii, control, growth requirements of, 1174b.

Ascomycetes, book on, 1557.

, carotenoid pigments as a character in the taxonomy of some, 3377d.

- in soil in France, 338.

of Georgia, revision on, 937. - on cultivated and wild plants, 687.

-, register of cultures of, 684.

Ascotricha, monograph on, 690.

Ash (Fraxinus), Cytophoma pruinosa on, factors affecting, 2415g.

\*--, Erysiphe cichoracearum on, in U.S.A.,

2544.

-, Fusicoccum on, 2415g.

- Ophiostoma valachium on, resistance to, 3025.
- -, Pseudomonas savastanoi on, morphological study on, 2806.

-- var. fraxini on, study on, 2806.

-, Puccinia sparganioides on, in Canada, 878. Verticillium kubanicum on, resistance to, 3025.

Asparagus foot rot, control, 3096b.

-, Fusarium on, in Belgium, 1512w.

 oxysporum on, in Belgium, 1512w; New S. Wales, 1813.

f.sp. asparagi on, in U.S.A., 2188f;

specific reaction to, 2465.

-, Gibberella fujikuroi and G. fujikuroi var. subglutinans on, in New S. Wales, 1813.

- latent virus on Asparagus officinalis, bean, Gomphrena globosa, and Tetragonia expansa, 3079.

-, Puccinia asparagi on, 3080.

- stunt virus on Asparagus officinalis, Chenopodium amaranticolor, C. quinoa, and cucum-

-virus in Denmark, 1514; Germany, asparagus latent virus in Denmark (?)identical with, 3079; transmission of, to tobacco,

- 1 and 2 in Germany, transmission of, 2491k.

- officinalis, asparagus latent and stunt viruses on, in Denmark, 3079.

- plumosus, Stemonitis herbatica on, in Italy,

control, 322. Aspen (Populus spp.), see also Poplar.

\*—, Ceratocystis fimbriata on, in U.S.A., 2740. -, Daldinia concentrica on, effect of, on weight, 2113.

- drought damage in Canada, 3327e.

-, Fomes igniarius f.sp. tremulae on, in U.S.S.R., 2085.

-, Glomerella cingulata on, in U.S.A., 1430. -, Hypoxylon atropunctatum and H. mediter-

- raneum on, effect of, on weight, 2113. - pruinatum on, in Canada, 1225w; U.S.A., 257, 2084; effect of, on weight, 2113; factors affecting, 2415b; inhibition of, by Aspergillus, pyrocatechol, and Trichoderma, 1161; inoculation of, 257; morphology of, 2084; review of development of, on bark of, 2415c.
- -, punctulatum on, effect of, on weight, 2113.
- -, Ophiostoma valachium on, resistance to, 3025.

-, Pollaccia radiosa and Macrophoma tumefaciens on, in Canada, 1750c, d.

-, Septogloeum rhopaloideum on, in Canada, imperfect state of Guignardia populi, 3327b. [Aspen], Valsa nivea on, in (?)U.S.A., 1432; V. leucostoma on Prunus indistinguishable morphologically and pathogenically from, 1432.

-, Venturia populina on, in Poland, ascospore germination in, Pollaccia elegans conidia!

state of, 1756.

-, Verticillium kubanicum on, resistance to, 3025.

- × poplar, Glomerella cingulata on, in U.S.A., 1430.

Aspergillus, antagonism of, to Corticium solani in culture, 94.

- in the air, 12

- clavatus, inhibition and lysis of cereal rusts by, 977.
- flavipes, degradation of simazine by, 931.

- flavus on groundnut, stored, 2461.

- on rice, 3215.

on Schistocerca gregaria, 2205.

foetidus on pomegranate, 1864.

- fumigatus, degradation of simazine by, 931. , factors affecting inhibition of, 1836; inhibition of germination of, by soil, 1836.

— — in mouldy hay, 1539. — glaucus in mouldy hay, 1539.

on prunes, 513.

— malignus in soil, 166.

— — on canned strawberry, 166.

- mangini on plum in storage, 3104. — nidulans on banana, 1223.

— niger, action of coumarin on, 901.

— —, association of, with sisal bole rot, 2288. - --, effect of volatile and non-volatile components of garlic and horse-radish juice on, 2508.

- — in rhizosphere of sorghum, 1014.

inhibition of, by amidinomycin, 1248; by Streptomyces str. antibiotic, 3133. -, inhibitory effects of griseofulvin ana-

logues on, 2509.

— — on chive and garlic, 316. — — on groundnut, 1788, 2460, 2461, 3382f.

— — on onion, 316, 2146.

— on prune, 513. — on shallot, 316.

– on sisal, 754.

-, use of, as test organism, 2211.

ochraceus on insects, 3120.

- repens on rice, 3215.

— restrictus on maize, 658c.

— — on rice, 3215.

- tamarii, inhibition of Phytophthora palmivora on cacao by, 1585.

— on groundnut, stored, 2461. — terreus on apple, 38, 2818.

- ustus, degradation of simazine by, 931. Aspor, effect of, on tobacco, 833, 1139.

use of, against Peronospora tabacina, 833, 1139, 1412, 2064; *Polystigma rubrum* on plum, 2341.

in combination, use of, against Peronospora destructor on onion, 2462; P. tabacina, 2064.

versus Bordeaux mixture, 1412.

Aster (Callistephus chinensis), Acrostalagmus vilmorinii on, in Germany, 1037.

Fusarium on, in U.S.S.R., 1942; control, 1038.

—, — culmorum strs. not pathogenic to, 1038. -, — oxysporum f.sp. callistephi on, in Czecho-slovakia, 1039; Germany, 1037, 1038; Yugoslavia, 2625; effect of source of isolate on severity of disease, 96; factors affecting, 1038; var. reaction to, 96, 1039.

[Aster, Fusarium oxysporum] strs. not pathogenic to, 1038.

 potato parastolbur virus on, in Czechoslovakia, 1277.

— ringspot virus [tobacco ring spot virus str.], electron microscopy of, 349.

-, Stemphylium floridanum on, control, 100.

 , strawberry green petal virus can infect, 2184g.

—, Verticillium alboatrum on, in Germany, 1037, 1038.

— (?)virus in England, causing bud necrosis and phyllody, 1218b; transmission of, by grafting, 1218.

 yellows virus on aster in Canada; transmission of, by vectors, 1812a.

— — on carrot, 862, 1812a.

\*— — on celery, 3077. — — on flax, 2285.

— — on lettuce, 1812a.

——— on potato, 1377.

?\*———, western, on Gladiolus, 1048.

Asteromella brassicae imperfect state of Mycosphaerella brassicicola, 2120.

Asterostroma cervicolor on insulating material and hardboard in soil burial tests, 2114.

Astragalus sinicus, Sclerotinia trifoliorum on, 1965.

Athiram, use of, against Colletotrichum lindemuthianum on bean, 2138.

Atlox, in combination, use of, against *Cladosporium fulvum*, 2073.

Atrazin, use of, against virus diseases of potato, 3291.

Atropa belladonna, fungi on, 3282.

Atropellis piniphila on pine, 1168, 1750e.

Atsaplant and atsaplant-kombi, use of, against virus diseases of potato, 3291.

Aulacorthum circumflexum transmitting beet mild yellowing and beet yellows viruses, 2183d.

 solani, control of, with systemic insecticides, 2020.

— transmitting beet yellows virus, 2762. Aureobasidium pullulans, confusion of, with Sclerophoma pityophila, 1457.

—, effect of light and media on growth and melanin formation in, 1545.

— — on timber, 1456.

Aureomycin, inhibition of *Alternaria* and *Fusarium* by, 1512x.

Avena, see Oats.

\*Averrhoa carambola, Trichothecium roseum on, symptoms of, 2362.

Avocado pear (*Persea americana*), *Cercospora purpurea* on, in Brazil, losses caused by, 1363; U.S.A., 882e.

— —, Corticium solani on, 2363.

——, effect of methyl bromide fumigation on, 805.

——, Glomerella cingulata on, in U.S.A., 882e.

——, *Phytophthora cinnamomi* on, control, 1364; distribution of mating types in, 2364; saprophytism and persistence in soil by, 883j.

----, Sphaceloma perseae on, in U.S.A., 882e.

Axonopus compressus, maize stripe virus [maize mosaic virus] on, 1903.

 scoparius, Xanthomonas axonoperis on, in Colombia, effect of, on yield, transmission of, 2799c.

Azanza garckeana, Phakopsora gossypii on, in N. Rhodesia, 1516.

Azobenzene derivatives, use of, as seed treatment for pea and wheat, 364.

Azotobacter chroococcum, effect of, on potato diseases, 1535k.

B-995, use of, against *Xanthomonas vesicatoria* on *Capsicum*, 3087.

B5078, toxicity of, to tobacco, 3317b.

—, use of, against *Peronospora tabacina* on tobacco, 3317b.

BAC(2-butyl amine carbonate), use of, against Botrytis gladiolorum on Gladiolus, 349.

Bacillomycin B and C, production of, from bacteria in Japan, 900.

Bacillus, inhibition of, by cauliflower seed extract, 617.

— cereus, effect of, on growth of tomato, 1535g.

— in relation to insect control, 27.

— circulans-polymyxa group, antagonistic properties of, 1535n.

— coagulans, antagonism of, to Ganoderma lucidum on areca palm, 2382.

megaterium, effect of, on growth of tomato,
1535g.
mesentericus on cherry and peach, 2337.

- mycoides, inhibition of Cochliobolus miyabeanus by, 1241k.

 pumilus, inhibition and lysis of cereal rusts by, 977.

— subtilis, use of, as test organism, 2134.
——-mesentericus group, antagonistic pro-

perties of, 1535n.

— thuringiensis in relation to insect control, 27.

— vitreus, effect of, on potato diseases, 1535k. Bacitracin, 3131.

Bacteria, book on, 3rd edition of, 18.

-, marine, phages of, 3107a.

—, phytopathogenic, on apricot and cherry, 508; *Litchi chinensis*, 172; peach and plum, 508; tree cuttings, 3330; technique for labelling with radio-active isotypes, 3115.
—, survival of, symposium on, 1238.

—, use of, against *Fusarium* on potato, 1535o. Bacteriophages of plant pathogens, review of,

1233r.

Balsamia platyspora on Tilia tomentosa forming mycorrhiza, 1760b.

Banana (Musa spp.), Armillaria mellea on, in New S. Wales, causing corm rot, 2003.
—, Aspergillus nidulans on, in India, 1223.

—, Botryodiplodia theobromae on, control, 2975.

— bunchy top virus on banana, 1999; in Hong Kong, 345.

—, Cercospora on, in Fiji, causing 'black leaf streak', 2974.

Cladosporium on, in Ivory Coast, 2686.
 Corm rot, Armillaria mellea causing, in New S. Wales, 2003.

--, cucumber mosaic virus on, 1999; in Brazil, 2357; in S. Africa, 167.

— cultivation, French textbook on, 1999; S. African bulletin on, 167.

[Banana], Deightoniella torulosa on, in Costa Rica and Honduras, 2004; Jamaica, 168; Panama, 2004.

Didymella on, in Honduras, ascospore dis-

charge in, 1093.

diseases in S. Africa, 167.

Dothiorella gregaria on, in Australia and Palestine, tip rot in Jamaica similar to, 1716. -, Drechslera gigantea on, in Honduras, 2004.

-, effects of oil on leaves of, 1097.

Frwinia carotovora on, 1999.
 fine speckle', fungi causing in Costa Rica and Honduras, 2004.

Fusarium oxysporum f.sp. cubense on, in C. America, 169; India, 2818; New S. Wales, 2003; S. Africa, 167; control, 1999; inhibition of, 2358; nitrogen compounds in relation to, 2358; soil mineralogy in relation to, 169; survey of, 804; var. reaction to, 167, 1967, 2003.

Gibberella fujikuroi on, 2975; in Israel,

2005.

Gloeosporium musarum on, in Colombia, 803; India, 1241g; appressoria of, 1714; control, 1241g, 2975; physiological study on,

-, Haplobasidium musae on, in Brunei, 2496. , Helminthosporium gibberosporium on, in

India, 2496.

-, ?Hendersonula toruloidea on, in Jamaica,

causing tip rot, 1716.

— leaf blight in N. Rhodesia, 1516.

-, Leptosphaeria and Micronectriella stoveri on, in Honduras, ascospore discharge of, 1093.

, Mycosphaerella minima on, in Honduras,

- ascospore discharge of, 1093.

  -, musicola on, 350i, 3102; in Colombia, 1512y; Ecuador, 2360; France, 359e; Guinea, 2685, 2799d; Hawaii, 3272; Honduras, 1093; Ivory Coast, 2685; Jamaica, 2684a; New S. Wales, 1813; Queensland, 1228; \*Somalia, 2000; Vava'u Is., 3102; anatomical ctudy of leaves of in relation to growth of study of leaves of, in relation to growth of fungus, 658r; ascospore discharge of, 1093, 2685; breeding against, 2001, 2002; control, 359e, 1999, 1228, 1512y, 2359, 2684a, 2799d; factors affecting, 2360; affecting ascospore production by, 658s; greenhouse studies on, 1098; heterothallism and sexuality in, 1094; importance of spraying in relation to rainfall periods, 2359; inhibition of, by water extracts of leaves, 1096; variable resistance to,
- -, Pestalotia leprogena on, in Jamaica, resemblance of lesions of, to Cordana musae, 1717. -, Phaeoseptoria on, in India, symptoms of,

var. reaction to, 1718.

Phyllachora musae on, geographical distribution of, 3103.

physiological spots' in Costa Rica and

Honduras, 2004. -, Pseudomonas solanacearum on, 488, 1999; control, 2975; ethylene production by, 2202; legislation against, in Surinam, 7.

-, Pyricularia grisea on, in Costa Rica, 1715; Honduras, 171; germination and penetra-

tion of, 1715.

—, Rhizopus oryzae on, in India, 1223. - sheath watery rot in N. Rhodesia, 1516.

- 'split corm' in New S. Wales, 2003. -, Verticillium theobromae on, in S. Africa, 167.

[Banana] virus diseases, leaf cage for studying transmission of, by vectors, 2553.

Barathra brassicae transmitting tobacco mosaic

virus, 1859.

Barberry (Berberis), Puccinia graminis on, 2582; genetics of, 1289; physiologic races of, 1289.

Bark mulches, fortified, use of, against *Phyto*phthora fragariae on strawberry, 164.

Barley (Hordeum), Alternaria on, in U.S.A., 76.

antifungal compound in, 893e. -, Aspergillus on, in U.S.A., 76.

, Cercosporella herpotrichoides on, in the Irish Republic, 343; U.S.S.R., 699; control, 2262; factors affecting, 343; leaflet on (English), 2262; no effect on quality of malted grain, 343.

Cochliobolus sativus on, 30, 398, 1874; in Philippines, 1895; effect of Gliocladium roseum and Trichoderma viride on, 2886; of y irradiation on, 2523; factors affecting, 398; nature of resistance to, 1003; nonelimination of, 2886.

-, Corticium solani can infect, 1219b, 2182a; in Irish Republic, 343; Norway, 426.

Dactylis glomerata mottle virus can infect, 2790.

- diseases in Argentina, 1867; England, 2183a;

India, 65; genetics of, 2880.

-, effect of sap of, on galls of Agrobacterium tumefaciens on sunflower, 3119; of streptomycin on epiphytic and root microflora of, 2231a.

, enzymatic changes in infected detached leaves and tissues of, 3139.

, Erysiphe graminis on, in Bulgaria, 700; Denmark, 2884; England, 2183b; Germany, 2795; Lebanon, 1578; Poland, 1592; control, 365, 1823, 1893, 3124; effect of, on leaf metabolism, 997; on respiratory energy, metabolism, 997; on respiratory, 700, 1301; on yield, 1837; factors affecting, 700, 2000, 996, 1893, 2859, 3124; genetics of, 721, 3193; inhibitory effects of griseofulvin analogues on, 2509; mutagenic effect of colchicine on, 1618; physiologic races of, 1894, 2183f, 3193, 3194; resistance of, to, 1676; term of 1892. 1676; strs. of, 1592; terminal oxidases in, 2885; testing of resistance to, 446; var. reaction to, 1893, 1894, 2183b, f, 3193, 3194, fungi on, in U.S.A., 77, 1002; development

of, on roots, 1553; effect of, on yeasts, 77. , Fusarium on, in Canada, 3; Netherlands,

3098; Poland, 1593, 1889; U.S.A., 76; auxin content of, 3; inhibition of, by Rhizophagus mycorrhiza, 3.

- anguioides, F. culmorum, F. equiseti, F. scirpi, and Gibberella zeae on, in Poland, 1593.

- -, Griphosphaeria nivalis on, in England, 698. Helminthosporium on, in Netherlands, 3098; U.S.A., 76; technique for detecting, 2862, 3098.
- -, manganese deficiency in, similarity of symptoms of, to Rhynchosporium secalis, 2491u.
- Ophiobolus graminis on, in Irish Republic, 343; Norway, 454; control, 1555.
- Podosporiella verticillata on, in U.S.A., 2646.
- -, *Puccinia graminis* on, in India, 1222, 1223; Pakistan, 3182; U.S.S.R., 3195; Yugoslavia, 704; control, 3195; genetics of, 1615, 2882;

physiologic races of, 704, 978, 1222, 1223, 3182; var. reaction to, 978, 2882.

[Barley, Puccinia] hordei on, in Denmark, 2884; England, 2183f; var. reaction to, 2183f.

-, — recondita on, physiologic races of, 978;

var. reaction to, 978.

-, - striiformis on, in Denmark, 2884; England, 2183f; India, 1222, 1223; Netherlands, 1; breeding against, 2183f; effect of sabithane on, 2490f; physiologic races of, 978, 1222, 1223; var. reaction to, 1, 978, 1222, 2183f, 2883.

-, Pyrenophora graminea on, 1896; in U.S.S.R.

447; taxonomy of, 398.

, - teres on, in U.S.S.R., 3195; detection of, 3098; effect of temperature on secondary infection, 1302b; factors affecting, 1897, 3195; nature of resistance to, 1003; taxonomy

of, 398.

of, 730.

of, Rhynchosporium secalis on, in Canada, 1225k; England, 1303, 2183f; Portugal, 2831b; breeding against 1304; factors affecting, 1225k; genetics of, 1225k, 1304; inoculation of, 2183f; losses caused by, 1225k; proculation of 2185k; proculation of 2185k; proculation of 2185k; proculation of 2185k 1225k; physiologic races of, 722, 1303, 1305; var. reaction to, 1304, 1305.

-, rice hoja blanca virus on, 2900.

- seed treatment, 1225g.

-, Septoria passerinii on, genetics of, 723; nature of resistance to, 1003; var. reaction to, 723.

- stripe mosaic virus on barley, serological relationship of, to Lychnis divaricata ring spot virus, 75.

— — on maize, 1009.

\*—, sugarcane mosaic virus can infect, 2717. —, Ustilago bullata × U. hordei on, 1000.

,—hordei on, in U.S.S.R., 3195; control, 3195; genetics of, 999; spore viability of, in relation to control, 2265; variation in size of sporidia of, 1616.

 $--\times U$ . bullata on, 1000. -, - nigra, genetics of, 999.

-, — mgra, genetics of, 999.
-, — nuda on, in Canada, 1225g; Czechoslovakia, 443; England, 3378; Germany, 1221d; Poland, 1889; breeding against, 445; control, 443, 1225g, 1300, 2491r, t, 2886; effect of temperature on viability of spores, 1614; factors affecting, 1889, 3378; field inspection, results of, 1221d; genetics of, 445, 999, 1615, 2882; physiologic races of, 445. 999, 1615, 2882; physiologic races of, 445; relationship between kernel location and size and incidence of, 443; seedling inoculation of, 1001; toxicity of barley quinones to, 74; var. reaction to, 1615, 2882.

, wheat striate mosaic virus on, in U.S.S.R.,

697; var. reaction to, 429.

-, world catalogue of genetic stocks of, 2879.

-, yeasts on, in U.S.A., 77.

- yellow dwarf virus on barley in\* India, 1890; N.Z., 441; U.S.A., 442; assessment of resistance to, 2881; bioassays of extracts containing, 881c; carrot red leaf virus resembling, 1790; control, 441; effect of, on yield, 441; genetics of, 442, 2263; interaction between isolates of, 1004; sources of resistance to, 720; transmission of, by vectors, 441, 881c, 1891, 1892; var. reaction to, 442, 2183b.

-- on cereals, 1590. --- on Lolium perenne, 1588, 2945. [Barley yellow dwarf virus] on oats, 64, 450, 658w, 1004, 1588, 1617.

on wheat, 441, \*1890.

Basidiomycete on maize causing root rot, 1010.

-, low temperature, production of hydrogen cyanide by cultures of, 1225q, 2822.

-, --, stimulation of growth of, due to heat sterilization, 2220.

Basidiomycetes, effect of actinomycetes and antibiotics on, 374.

- in Poland, 1265; in soil in U.S.S.R., 924b,

1263. -, monocaryotization of cultures of, by

chemical agents, 1178. — on pine, 1750e; isolation of, 3138. — on timber, 1767e,v, 3051.

-, register of cultures of, 684.

, spore trap for studying spore release from, 2188a.

Bauhinia purpurea, Polyporus zonalis on, differentiation of, from Fomes lignosus, formerly ascribed to F. lignosus, 1154.

Bayer 4268T, see Methyl arsine sulphide. 5078, use of, against Peronospora tabacina,

2406.

- 5114, use of, against Botrytis and Sphaerotheca macularis on strawberry, 2498h, i. \*Bdellovibrio bacteriovorus, activity of, against

bacteria, 1240.

Bean, broad (Vicia faba), Ascochyta fabae on, in U.S.S.R., 2446. -, beet western yellows virus on, in U.S.A., overwintering reservoir of, 3057.

-, Botrytis cinerea on, 2498a; U.S.S.R., 2446; control, 2446; effect of liquid from, on germination of *B. fabae* and, 1783; growth rate of, 1783.

- fabae on, 2498a; in U.S.S.R., 1784, 2446; control, 1784, 2446, 2504; effect of liquid from, on germination of B. cinerea and, 1783; factors affecting, 1784; growth rate of, 1783; var. reaction to, 2446.
-, —, Glomerella cingulata on, phytoalexins

from, 1829.

, mottle virus on bean, 1513b; properties of infectious ribonucleic acid from, 2135; var. reaction to, 1196. -, —, mycorrhiza of, in U.S.S.R., 2771.

-, —, Papulospora on, 753. -, —, pea mosaic virus on, factors affecting transmission of, by aphids, 417.

- streak virus on, in U.S.A., new str. of, 658i.

-, -, Peronospora viciae on, in England, 616.

-, -, Sclerotinia minor can infect, 619. -, true mosaic virus on bean, in Europe,

1513b; properties of, 2447; study on, 2447. , Uromyces viciae-fabae on, in U.S.S.R., 2446.

-, Verticillium alboatrum and V. dahliae can infect, 1681.

, -, virus in Spain, formation of microcrystals in purified, 2565.

(?)—, —, zinc deficiency in, control, 301. Bean, French and runner (*Phaseolus* spp.),

Arabis mosaic virus on, effect of gibberellic acid on, 2448.

-, Asparagus latent virus on, 3079.

-, beet curly top virus on, in U.S.A., transmission of, by vectors, 2768.

[Bean], broad bean mottle virus and broad bean | [Bean] pod mottle virus on bean, 2454. true mosaic on, in Europe, 1513b.

-, — — virus can infect, 2565.

'brown stem' in U.S.A., Corynebacterium causing, transmission of, by seed, 2770.

—, citrus Satsuma dwarf virus on, 1918, 3219. -, — variegation virus [str. of citrus psorosis

virus] can infect, 2798a.

-, Colletotrichum lindemuthianum on, in Brazil, 3065; U.S.S.R., 2138; action of calcium cyanamide on, 3129; control, 1198, 2137, 2138; factors affecting, 3065; production of phytoalexins by, 2522; var. reaction to, 3065.

common mosaic virus on bean in Germany, 2795; U.S.S.R., 1785; W. Europe, 1196; breeding against, 1513c; control, 2137; deviant strs. of, 1513c; effect of, on, 620; factors affecting, 1785; flour from infected seed as source of inoculum, 2449; transmission of, by seed, 1471; var. reaction to, 1196, 1785.

———— on Phaseolus mungo, 2144. -, Corticium solani on, 2450; effect of Aphelenchus avenae on reduction of infection, 2769; of gibberellic acid on development of hypocotyl lesions caused by, 297; of seed exudation on, 3067; 'macerating enzyme' of, 1201.

-, Corynebacterium on, in U.S.A., causing brown stem', 2770.

-, - flaccumfaciens on, in Hungary, method of detecting, 2140.

-, cucumber mosaic virus on, 3071.

-, effect of ether extracts from culture filtrates of phytopathogenic fungi on, 1830; stockalite on transpiration of, 2790o.

-, Erysiphe cichoracearum on, effect of carborundum, heating, and Uromyces appendicu-

latus on reaction to, 883g.

-, - graminis on, no effect of carborundum and heat on reaction to, 883g.
-, — polygoni on, in Brazil, 3065; control,

1532. -, fungi on, 1553, 3358; effect of phytostrept

on, 2142; factors affecting, 2777a.

-, Fusarium on, colonizing roots of, 3358. -, — oxysporum f.sp. phaseoli on, in U.S.A., 1472.

-f.sp. tracheiphilum can infect, 1472. -, - solani f.sp. phaseoli on, effect of exudates on, 298; lysis of, in laminarin-amended soil, 3149.

-, Gliocladium roseum on, colonizing roots of, 3358.

-, groundnut leaf mottling virus can infect, 3382g.

-, lemon latent virus can infect, 884d.

—, lucerne mosaic virus can infect, 775. -, lupin mosaic virus can infect, 1683.

, Macrophomina phaseoli on, in Brazil, 3065; S. Africa, 2497.

-, mercury residues in, 1772.

-, micro-organisms in rhizospheres of, antagonism of, to some fungi, 1474, factors affecting 1474.

\*-, Mycosphaerella pinodes on, in Laos, 2496. -, Penicillium janthinellum on, colonizing

roots of, 3358.

-, persistence of fungicides on, 2502. -, Phyllosticta phaseolina on, in U.S.A., factors affecting, 1473.

- — on soybean, 1476, 2454, 2559.

-, Pseudomonas aeruginosa on, development of, 3118.

—, — phaseolicola on, in Germany, 2795; control, 2137, 2142; development of resistance or susceptibility to, 2452; effect of, on protein content of leaves, 3068; factors in epidemiology of, 2141; multiplication of, 3118; physiological differences between leaves resistant and susceptible to, 300; var. reaction to, 3068.

-, — syringae on, in U.S.A., 2543; effect of, on, 3118; occurrence and symptoms of,

2453.

, Pythium on, effect of seed exudation on, 3067.

\*--, Rhizoctonia microsclerotia on, in Mexico, 1475.

\*—, Sclerotinia minor on, in Italy, 619. —, — sclerotiorum on, in W. Australia, 1773, 2756; survival of, in soil, 2756.

severe mosaic virus on bean in Mexico, 2136; bean southern mosaic virus and its cowpea strain in relation to, 2136.

southern mosaic virus on bean, effect of Capsicum annuum extracts on, 2848; of detergents on, 1861; on enzyme activity, 2767; some monovalent and divalent cations on, 408; in relation to bean severe mosaic virus, 2136; to tobacco ring spot virus, 3167; technique for showing progressive distribution of, 1197.

on cowpea, 302, 303, 482, 3071; in relation to bean severe mosaic virus, 2136.

- stems, use of, to detect soil fungi, 349. , Stemphylium botryosum on, in the Netherlands, 3098.

-, Synchytrium on, in Turkey, 2139.

tobacco mosaic virus on, activation of latent infection of, by heat, 411; control, 905; effect of Capsicum annuum extracts on, 2848; of silver nitrate on, 1571; genetics of, 621; resistance to, 621; use of, for plant viral assays, 1570.

-- strs. U1, U2, U8, and VM on, effect of on, var. reaction to, 1137.

- leguminous str. on, effect of, on enzyme activity of, 2767.

- (sweet potato str.) on, translocated wound stimuli affecting, 412.

- necrosis virus on, in Europe, 1513b; effect of captan on root infection by, 563; of gibberellic acid on, 2448; var. reaction to, 1196.

-, - rattle virus on, in Europe, 1513b. -, — ringspot virus on, 629, in Europe, 1513b;

var. reaction to, 1196. -, tomato black ring virus on, 1513b; var.

reaction to, 1196.

-, Trichoderma koningii on, colonizing roots of, 3358.

-, Uromyces appendiculatus on, in E. Africa, 656; Hong Kong, 345; Kenya, 656; Tanganyika, 656, 3101; U.S.A., 299, 2816; comparison of E. African and Mexican classification of races of, 3101; control, 882c, 1532, 2816; effect of arylethyl ketones on, 893i; of, on, 1199; on reaction to Erysiphe cichoracearum, 883g; heat therapy for, 1200; isolation of acid phosphatases from healthy

and rust infected leaves of, 3066; overwintering of, 299; photosynthesis, and, 2820; physiologic races of, 656, 3101; resistance to, 656; thermophylaxis in, 3359; urediospore concentration and race determination in, 883b; var. reaction to, 345.

[Bean] viruses in Kenya, 3101; serial testing for

presence of, 1858.

Volutella ciliata on, colonizing roots of, 3358.

-, white clover mosaic virus on, in Europe, 1513b; var. reaction to, 1196.

-, Xanthomonas campestris var. armoraciae

can infect, 1179. - fuscans in rhizosphere of, production of substance by, inhibiting germination and

growth of, 1549d. -, — juglandis and effect of, on, 3118 and X. malvacearum on,

- phaseoli on, in Brazil, 3065; Hungary, 2140; control, 1535e; factors affecting, 3065; method of detecting, 2140; multiplication of, 3118; var. reaction to, 3065.

, — var. fuscans on, in Canada, 1226c; Hungary, 2140; S. Africa, 2497; method of detecting, 2140; multiplication of, 3118.

vignicola can infect, 1237.

- yellow mosaic virus on bean in Europe, 1196, 1513b; Germany, 2795; Japan, 1202.

— — on Cassia tora, 3071. \*— — — on clover, 2950. — — — on cowpea, 3071.

— — on Medicago lupulina, 2950.

--- - str. on lupin, 3249.

—, velvet, see Mucuna deeringiana. Beauveria bassiana on Cleonus punctiventris,

287b; Eurygaster integriceps, 355.

- — on insects, 27, 3120.

— on Parthenolecanium rufulum, and Phyllobius calcaratus, 2204.

- tenella, identification of mushroom strs. NRRL 2334, 2335, and 2336 as, 1502g.

- on Camponotus herculeanus ligniperda, 2204.

Beckmannia, Tilletia contraversa on, 2948.

Beech (Fagus) bark necrosis in Germany, Polyporus associated with, 3332.

Fomes fomentarius on, in U.S.S.R., 842,

— forest soils, fungi of, in Denmark, 2228.

Ganoderma applanatum on, in Caucasus, 842.

-, Hypoxylon coccineum on, in U.S.S.R., 842. -, mycorrhiza on, 374; changes in size of orthophosphate pools in, 2515; factors affecting, 2514; incorporation of carbon dioxide into, in relation to ammonia, 2516; interaction of cations on absorption by, 374; uptake of phosphate by excised, 377.

-, Nectria on, in Canada and U.S.A., Xylococcus betulae in relation to, 2115e.

-coccinea var. faginata on, in Canada and U.S.A., Cryptococcus fagi, Gonatorrhodiella highlei and Hypoxylon associated with, 2415e.

—, Pholiota adiposa on, in U.S.S.R., 842, 2076. -, Polyporus zonatus on, in U.S.S.R., 2076.

-, Schizophyllum commune on, in U.S.S.R., 842.

, Stereum hirsutum on, in U.S.S.R., 842. .Trametes gibbosa on, in U.S.S.R., 2076. Beeswax in combination, use of, as leather preservative, 2510.

Beet (Beta vulgaris), Arabis mosaic virus on,

premunity relationships, in, 692. black leg in U.S.S.R., 287d; control, 287e, f; factors affecting, 287d.

'bolting' in England, var. reaction to, 2183d. , Botrytis cinerea on, in U.S.S.R., 287d; breeding against, 287h; factors affecting, 287d; investigations on resistance to, 1191. - breeding, research on, in Hungary, 1515.

-, Cercospora on, in Turkey, 1189.

- beticola on, in Austria, 290; Bulgaria, , — beticola on, in Austria, 250, Burgaria, 292, 1775; France, 2132a; Israel, 3127; Italy, 2133; U.S.S.R., 287a, 3126; breeding against, 288; control, 287e, 288, 292, 1775, 1778, 2132, 2133, 2763, 3126, 3127; factors affecting, 287d, 290, 1775, 3058; isolation of, by chloramin T, 1190; pathogenicity and probability of 3058; production of GF subvariability of, 3058; production of GF substance by, 3059; root forking in relation to var. resistance, 288; var. reaction to, 287a, 288, 1775.

Corticium solani on, phytotoxic metabolites

of, 921.

curly top virus on bean, 2768. on beet, 860.

on cantaloupe, 2782.

-, Erysiphe betae on, in Lebanon, 293, 1578.

-, — polygoni on, in Israel, control, 3127.

fungi in U.S.S.R., colonization by, during growth period, 287j.

Helicobasidium purpureum on, in U.S.S.R., 287g; effect of, on growth, 2132a.

- leaf curl virus on beet in Germany, 2795. extracts inhibiting Crotalaria mosaic virus, 1223.

-, Microsphaera betae on, 1842.

mild yellowing (yellows) virus on beet in England, 1464, 1465, 1466, 2183d, 3355b; breeding against, 2183d, 2761a, 3355a; effect of, on yield, 3355b; non-transmission of, by vectors, 3357; strs. of, 3355b; transmission of, by vectors, 2183d, 1464, 1465; var. reaction to, 2183d, 2761a, 3355a.
- mosaic virus on beet in Bulgaria, 1775;

Chile, 286; Germany, 2795; U.S.S.R., 1462, 1463; beet ring mottle virus distinct from, 1468; control, 3056; effect of, on breeding, 1462; on yield, 1462; of phenol on infectivity of RNA of, 1188; inhibition of, by substance in beet seed pericarp, 1776; preservation of, in infected leaf tissue in deep freeze, 1853; transmission of, by vectors, 417, 1463.

— on Nicotiana quadrivalvis, 2130. – — on Stellaria media, 1188.

- + beet yellows virus on beet, effect of 2-thiouracil on, 3054.

of 2-thiouracti oft, 3034.

-, Peronospora farinosa on, in England, 1469, 2183d, 2790p; France, 2132a, b; Irish Republic, 343; Netherlands, 3097; U.S.S.R., 287d, 3126; breeding against, 343; control, 287d, e, 1469, 2132b, 3097, 3126; effect of, on yield, 2790p; factors affecting, 287d; infection by, 3097; var. reaction to, 2183d.

, Pleospora betae on, in France, 2132a; Irish Republic, 343; Netherlands, 3098; control, 343, 2132a; detection of, 653.

purple leaf in India caused by a str. of tobacco mosaic virus, 1222.

-, Pythium (?)acanthicum can infect, 399. irregulare on, in Germany, 618; causing

yellowing, 1470.

[Beet, Pythium] ultimum on, in France, control, 21326.

- 'rhizomania' in Italy, 1780.

- ring mottle virus on beet and spinach in U.S.A., 1468.
- rot, tyrosinase and resistance to, 294.
- -, Sclerotium rolfsii on, in Morocco, 3060.

- seed, virus inhibitor in, 1776. — stem breaking in Germany, 618.

- storage rots in U.S.S.R., 287h, k; breeding against, 287h; control, 287.

-, tobacco mosaic virus str. on, in India,

causing purple leaf, 1222

- \*--, -- rattle virus [str. of potato stem mottle virus] on, in Denmark, 1514; England, 2790g.
- -, tomato black ring virus on, in England, 2790.

-, Uromyces betae on, in U.S.S.R., 287e.

- virus diseases in Romania, 1274; U.S.S.R. 2550; breeding against, 2761; review of serological methods of diagnosing, 3356.

- western yellows virus on beet in U.S.A., 860; control, 3056; effect of, on yield, 860; hosts of, 3057; transmission of, by vectors, 860, 1860; use of, as indicator for strs. of, 3057.

- virus + beet yellows virus on beet in U.S.A., 860.

- yellow wilt virus on beet in Chile, 286. - yellows virus on beet in Bulgaria, 1775; Chile, 286; England, 1464, 1465, 1466, 2183d, 3355b; Hungary, 1467, 1777; Lebanon, 1578; U.S.A., 860; U.S.S.R., 287c; breeding against, 289, 2183d, 2761a, 3355a; control, 287c, 1463, 1464, 1465, 2761b. control, 287c, 1463, 1464, 1465, 2761b, 3055, 3056; effect of, on lipids, 2130; on root yield and seed yield, 287c; on sugar content, 287c, 1467; on yield, 860, 1465, 1467, 3355b; factors affecting, 1465; properties of, 2131; relationship between seasonal sowing of and infection by, 1777; strs. of, 2183d, 3355b; transmission of, by vectors, 287c, 860, 1463, 1464, 1465, 1467, 1513f, 1777, 1860, 2183d, 2762, 3357; var. reaction to, 1467, 1777, 2183d, 2761a, 3355a; virus content and expectability to, 290 tent and susceptibility to, 290.

- — — on spinach, 2129.

- — on Tetragonia expansa, 3053; effect of,

on lipids, 2130.

-, resemblance of apple virus to, 53; carrot red leaf virus to, 1790; cherry, pear, plum, and *Prunus pissardii* viruses to, 53.

+beet mosaic virus on beet, effect

of 2-thiouracil on, 3054.

+ - western yellows virus on beet

in U.S.A., 860.

Begonia, effect of fungicides in propagation medium on flower colour, growth and root development of, 1942.

-, Nectria radicicola on, 2932.

-, Oidium begoniae on, in Portugal, 2234.

-, Xanthomonas begoniae on, in N.Z., 1040. Bellflower, Chinese, see Platycodon grandiflorum.

Belonolaimus longicaudatus in relation to Fusarium oxysporum f.sp. vasinfectum on cotton, 470.

Bemisia tabaci transmitting cotton leaf curl virus, 1650; tomato yellow mosaic virus, 1866, 2728; virus diseases, 406b.

Benincasa hispida, cucumber mosaic virus strs. differentiated by, 1495.

Benzaldehyde phenylhydrazone, use of, against

Puccinia recondita on wheat, 68. Benzene in combination, effect of, on apple

superficial scald, 2965.

Benzenehexachloride, use of, against Ramularia gossypii on cotton, 1241m; mirids on cacao, 3175; as seed treatment for maize, 1314. - in combination, permeation of, into wood

tissue, 2112.

γ-benzenehexachloride, use of, against cacao swollen shoot virus, 424.

in combination, use of, against *Ustilago* maydis on maize, 3126.

Benzimidazole, use of, in studying *Erysiphe* graminis on wheat, 1217.

Benzol, effect of, on growth of tobacco, 3317a. -, use of, against *Peronospora tabacina* on tobacco, 833, 2059, 3317a.

p-benzoquinone in combination, effect of, on Calonectria rigidiuscula, 370.

Berberis, see Barberry.

Bermuda grass, see Cynodon dactylon.

Beta vulgaris, see Beet.

— — var. *cicla*, see Chard.

Betel, see Piper betle.

Betula, see Birch.

BHC, see Benzenehexachloride.

Bibliography of coffee, 2912; of phytopathological reviews, 1961-62, 888; of rice research, 1320, 3207; of soil science, fertilizers and general agronomy 1959-62, 889.

Bilberry, see Vaccinium.

Binapacryl causing injury to apple, 3250.

—, use of, against *Podosphaera leucotricha*, 1068, 2665, 3124, 3250.
Biochemistry and physiology of plant im-

munity, English translation of Russian book, on, 890.

Biological Dictionary, Russian-English, 3112. Biometeorological research, 885a, b, c.

Biomycin, effect of, on growth of tomato, 1535g.

Biotin, effect of, on growth of Fomes annosus, 268; Verticillium alboatrum, 883c.

Biphenyl, use of, against Penicillium digitatum on lemon, 1643, 1644.

Birch (Betula), Cephalosporium on, similarity of, to Verticillium kubanicum, 3025.

\*--- fungi in U.S.S.R., 1421.

— leaf litter, fungi on, in Italy, 1751.

—, mycorrhizal and non-mycorrhizal roots, rhizosphere effect of, 374.

-, Nectria galligena on, in Canada, 582.

-, Polyporus adustus, P. hirsutus, and Polystictus versicolor on, inhibition of, by Trichoderma viride strs., 583.

-, Poria obliqua on, characteristics of watersoluble huminlike compounds formed by,

slimy flow, in Poland, Ophiostoma or Verticillium alboatrum causing, 2416

-, Stereum purpureum on, inhibition of, by Trichoderma viride str., 583.

Taphrina bacteriosperma on, in Canada, 3327g.

Verticillium kubanicum on, similarity of, to Cephalosporium, 3025.

Birds transmitting tomato mosaic virus, 1218h.

Bismuth chloride, use of, against Sclerotinia sclerotiorum on sunflower, 1376.

- ditartaric acid, use of, as seed treatment for

sunflower, 1376.

Bispora monilioides on timber, 1175.

Black currant, see Currant.

Blasticidin, production of, from actinomycetes in Japan, 900.

- S, use of, against Pyricularia oryzae, 733, 893f.

Blitox-50 inhibiting germination of Protomyces macrosporus chlamydospores, 2693.

Blueberry, see Vaccinium. Blumeriella jaapii on cherry, 1064, 2954, 3269. Boehmeria nivea, (?) virus on, in India, 1337. Boletaceae of Czechoslovakia, 1264; Poland,

1265; influencing mycelial growth of pure cultures of, with potato extracts, 374. Boletus bovinus on pine forming mycorrhiza,

- chrysenteron, cultural study on, 3137. — edulis, cultural study on, 374, 3137.

- granulatus on pine forming mycorrhiza, 1761.

- luteus on pine forming mycorrhiza, 374, 1447a, 1761.

- scaber, cultural study on, 3137.

– subtomentosus on Tilia tomentosa forming mycorrhiza, 1760b.

- variegatus, antagonism of, to wood-destroying fungi, 374.

- versipellus var. aurantiacus, cultural study on, 3137.

Books, micro-organisms on, 2510, 3110.

Borate, use of, as soil treatment against Pleospora papaveracea on poppy, 1371.

Borateem, use of, against Fomes annosus on pine, 1442.

Borax, use of, against dieback of Acacia mearnsii, 841; Fomes annosus on pine, 267.

— in combination, use of, against *Fusarium* sambucinum on hops, 2369; as timber preservative, 1176.

-boric acid, use of, as timber preservative, 2441.

Bordeaux mixture injury to (?)coffee, 2276a; olive, 2690.

aspor, 1412; DDAB, 2184a; - versus phygon, 1507; phytobacterimycin, 3270; streptomycin, 1702; zineb, 1507.

Boric acid in combination, use of, as seed

treatment for barley, 3195.

Boron deficiency in Acacia mearnsii, 841; apple, 2957; citrus in relation to impietratura-like symptoms, 464; cotton, 473; \*Grevillea robusta, 584; strawberry, 1998;

—, effect of, on distribution and translocation of endogenous carbohydrates in apple, 144; on growth of Fomes annosus in culture, 3331.

-, use of, alone and in combination, against apple internal spot and apple York spot, 143; as seed treatment for Ornithopus sativus, 1966.

compounds, use of, against hop curl disease, 807; as timber preservatives, 2436.

Botran, evaluation of, for use in smoke genera-

- 50W, use of, against Rhizopus arrhizus on peach, 796; R. stolonifer on cotton, 2620; on peach, 796.

-, see also DCNA. Botrilex, see Quintozene.

Botryodiplodia ananassae, effect of phosphorus and sulphur compounds on growth and reproduction of, 1833.

, vitamin requirements of, 2222.

palmarum, association of, with coconut Kaincopé disease, 191.

- theobromae on banana, 2975.

— — on cacao, 1583.

— — on cassava, 2187. — on coconut, 191.

— on groundnut, 313. Botryosphaeria corticis on Vaccinium, 155.

\*— dothidea on Cupressus lindleyi, 877. - ribis on apple and holly, 2296.

— — on Leucadendron argenteum, 1812g.

--- on Prunus mume, 345. — on Rhododendron, 2296.

— — on Vaccinium, 156. \*— tsugae on Tsuga heterophylla, 3043. Botrytis allii, effect of some fungicides on pectolytic enzyme activity of, 2213.

on Allium fistulosum, 1512p.

— on chives, 316, 1512p.
— on garlic, 316.
— on onion, 316, 318, 319, 320, 969, 2146, 2148, 3096k, 3097.

on shallot, 316, 319.

-- cinerea, effect of substances from chlamydospores of *Ustilago maydis* on, 725.

-, electron microscope study of germination of, 1564.

— —, inhibition of, by rimocidin, 3132. -, inhibitory effects of griseofulvin analogues on, 2509.

— — on artichoke, 3104.

— on beet, 287d, h, 1191. — on broad bean, 1783, 2446, 2498a. — on cabbage, 2127.

on carnation, 757.

— — on carrot, 633. — on Chrysanthemum morifolium, 3238.

— on Eucalyptus, 2734. — on flax, 402, 15120, 2185a, 3098, 3146.

— on larch, 2416.

— — on lettuce, 3083, 3084. — — on lupin, 2306.

-- on Macadamia, 1519. — — on onion, 318, 2793.

— on *Pelargonium*, 2490b. — on potato, 1384, 1542.

— — on Pseudotsuga menziesii, 3343.

— on raspberry, 519, 1219b, 1994, 2498c, e.

— — on *Rhododendron*, 15120, 1832.

— on Rhus typhina, 2426.

— — on *Ribes aureum*, 2350. — — on rose, 2639.

— — on safflower, 186, 884p. — — on spruce, 2416.

— on strawberry, 521, 1092, 1713, 1994, 1995, 2184k, 2498c, d, 2683, 3096q, 3271.

— — on tobacco, 1512o, 1832

- on tomato, 1147, 1219b, 1747, 2491i, 2498b, f, 2509.

— — on vine, 1511, 2177, 3093.

- , toxicity of 2-nitro-l-phenyl-l-phenylthioalkanes to, 676.

— fabae, accumulation of amino acids, by, 922. - — on broad bean, 1783, 1784, 2446, 2498a,

2504.

– gladiolorum, see Sclerotinia draytonii.

- squamosa on onion, 318.

- tulipae on tulip, 490, 969, 1052, 3243

\*Bougainvillea, Cercospora bougainvilleae Rao, on, in India, homonym of C. bougainvilleae Muntanola, 1270.

Pseudomonas stizolobii on, in N. Rhodesia,

1516.

- 'ring spot' (?)virus in Italy, 2626.

– glabra var, formosa, Colletotrichum dematium on, named C. dematium f.sp. bougainvilleae, 2290.

Boysenberry (Rubus ursinus var. loganobaccus). Elsinoe veneta and Leptosphaeria coniothyrium on, control, 798.

Peronospora rubi on, in N.Z., 1086; control, 798, 1086.

Brachiaria mutica, sugarcane chlorotic streak

virus on, 553.

Brachycaudus helichrysi transmitting plum pox virus, 779p; potato viruses X and Y and tobacco veinal necrosis virus, 1380.

Brachystegia laurentii, ectotrophic mycorrhiza

of, in the Congo, 1758.

Brassica, Alternaria on, in Netherlands, 3098; N.Z., 3353.
\*—, — brassicicola on, in Brunei, 2496.

-, *Phoma* on, 2287

- alboglabra, see Kale, Chinese.

- campestris, see Mustard, yellow. - var. sarson, see Mustard, Indian.

- juncea, see Mustard, Chinese.

- napobrassica, see Swede. napus, see Turnip rape.

— var. oleifera, see Rape.
— oleracea, see Broccoli, Brussels sprouts,
Cabbage, Cauliflower.

var. acephala, see Kale.
pekinensis, see Cabbage, Chinese.
rapa, see Turnip.

Brassicol, see Quintozene.

Breadfruit (Artocarpus communis), Phyllosticta artocarpicola on, in India, symptoms of, 2361.

Bremia in Norway, 2834.

- lactucae on artichoke, 3104. — on lettuce, 2791a, 3378.

Brestan, toxicity of, to animals, 1189.

, use of, against Cercospora beticola, 1189, 1778, 3127; Cryptodiaporthe populea, 2423; Erysiphe polygoni on beet, 3127; Phyto-phthora infestans on potato, 2994; Septoria digitalis, 2694.

- in combination, use of, against Cercospora

beticola, 1778.

- 20 and 60, use of, against C. elaeidis on oil palm, 1111.

-, see also fentin acetate.

Brevicoryne brassicae, Entomophthora aphidis

on, in N.Z., 356.

transmitting cabbage mosaic virus str., diurnal fluctuations in, 3351; cabbage and cauliflower virus diseases, 2117; Chinese mustard mosaic virus, 1281.

Broccoli (Brassica oleracea), beet western yellows virus on, in U.S.A., overwintering

reservoir of, 3057.

, Phytophthora megasperma on, in the Irish

Republic, 2794.

– seed extracts, inhibition of *Xanthomonas campestris* by, 617.

Bromegrass, see Bromus.

Bromine water, use of, as seed treatment for tobacco, 2404.

a-(2-bromoacetoxy) acetanilide, see UC 20712. Bromoacetyl valinamide, see UC 17525.

Bromus mosaic virus, properties and purification of, 1959.

Pyrenophora bromi on, specific reaction to, 2648.

- inermis, Claviceps purpurea on, in Canada, 2303.

-, Cochliobolus sativus on, in U.S.A., 2649; breeding against, 769.

of, 770. Corticium solani on, virulence of isolates

diseases in Canada, 2303.

— —, Drechslera bromi on, in Canada, 2303. , effect of on C. sativus in soil, 1874; of residues of, on wheat, 992.

-, Erysiphe graminis on, in Canada, 2303.

-, Fusarium and F. culmorum on, 1874. -, Podosporiella verticillata on, in U.S.A., 2646.

-, Pseudomonas coronafaciens var. atropur-

pureum on, in Canada, 2303.

-, Pyrenophora bromi on, classification of single-spore lines of, 2304b; formation of fruiting bodies by, in culture, 2304a.

Pythium graminicola on, in U.S.A.,

2649; breeding against, 769.

-, Rhynchosporium secalis, Selenophoma bromigena, and Septoria bromi on, in Canada,

-, soil-borne fungi on, in U.S.A., 2649. -, Stagonospora bromi on, penetration of,

by hyphae, 2949. - —, wheat striate mosaic virus on, 429.

-, Xanthomonas translucens f.sp. cerealis on, in Canada, 2303.

- japonicus, Puccinia graminis, P. recondita, and P. striiformis on, in India, var. reaction to, 1877.

- marginatus, Podosporiella verticillata on, in U.S.A., 2646.

sterilis, Puccinia graminis on, in Yugoslavia, physiologic races of, 704.
-tectorum, Podosporiella verticillata on, in

U.S.A., 2646. unioloides, Ustilago bullata on, in New S.

Wales, 657. Brussels sprouts (Brassica oleracea), Albugo

candida on, in Scotland, var. reaction to, 616. Buddleia davidii mosaic virus, 2491c.

Bulbosan, effect of, on tobacco seedlings, 833. -, non-toxicity of, to tobacco, 1139.

use of, against Cladosporium cucumerinum, 866; Peronospora tabacina, 833, 1412, 2064. Bulgaria polymorpha on timber,

Burgundy mixture, use of, against Gloeosporium musarum, 1241g.

l-butanol, effect of, on rhizomorph production by Armillaria mellea, 1544.

Butyl acetate, effect of, on apple superficial scald, 2965.

sec-butylamine, use of, against Penicillium digitatum on orange, 466.

Butyric acid derivatives, use of, against Venturia inaequalis, 1071.

Byssochlamys nivea on cucumber brine, 907.

Cabbage (Brassica oleracea), Alternaria raphani on, in Canada, 1225b.

- black ring spot virus on Alliaria officinalis, 857.

- on cabbage in Yugoslavia, transmission of, to Nicotiana glutinosa and tobacco, 857.

[Cabbage], Botrytis cinerea on, 2127.

-, Corticium praticola on, 2192.

-, - solani on, in U.S.S.R., 284, 1535k; control, 284; effect of trichodermin on, 1535k; symptoms of, 1581; variation in pathogenicity of strs. of, 2192.

-, damping-off of, 1835l.

-, Erwinia carotovora on, antagonism of Streptomyces longisporus ruber to, 1535q. -, fungi on roots of, development of, 1553.

-, Fusarium on, inhibition of, by, 2530. -, - conglutinans on, in U.S.S.R., 2126.

— oxysporum f.sp. conglutinans on, inhibition of, by, 2530.

-, Leptosphaeria maculans on, in Netherlands,

1774; control, 1, 1774. -mosaic virus, effect of formaldehyde and UV irradiation on Myzus persicae transmission of, 3052.

-- str., transmission of, by vectors, 3351, 3352.

— on mustard, yellow, 3352.

Mycosphaerella brassicicola on, in Portugal, 2831a.

Plasmodiophora brassicae on, in Canada, -, Plasmodiophora brassicae on, in Canada, 282; England, 2791a; Germany, 2795; Hawaii, 859; Irish Republic, 343; Netherlands, 1; N. America, 281; Siberia, 2124; 1460, 1 U.S.A., 1459; U.S.S.R., 283, 1180; \*Venezuela, 2121; breeding against, 2123; control, 282, 343, 348, 859, 2791a, 3381; effect of fertilizers on, 2125; on yield, 2125; of Penicillium janthinellum culture liquid on, 15351; environmental factors affecting, 2190; factors affecting, 859, 2123; hosts of, 281; physiologic races of, 281, 1459; var. reaction to, 281, 859, 1459, 2121, 2123, 2125.

-, Pseudomonas cichorii on, in U.S.A., 349. -, radish ringspot virus on, var. reaction to,

2119.

- seed extracts, inhibition of Xanthomonas

campestris by, 617.

\*—, turnip crinkle virus on, in England, 1218e. - mosaic virus on, world distribution of 2 strs. of, 1181.

- virus diseases in N.Z., frost damage and,

transmission of, by vectors, 2117.

-, Xanthomonas campestris on, effect of gibberellin on resistance to, 2817.

- - var. armoraciae on, in India, 1179. -, Chinese (Brassica pekinensis), Erwinia aroideae and E. carotovora on, 1460.

Kwuting disease on Cruciferae, types Í-VII, 1182.

-, -, - types IV and VII identified, 1182. -, -, Peronospora parasitica on, in China, primary source of infection of, 1184.

-, Plasmodiophora brassicae on, 2121; in N. America, 281.

-, --, Rhizoctonia on, in Hong Kong, effect

of, on yield, 345. -, turnip mosaic virus on, effect of culture

filtrate sprays from Actinomyces ahygroscopicus isolates on, 1183.

Cacao (Theobroma cacao), Agrobacterium tumefaciens on, susceptibility to, 2571.

- beans as pathogen test plants, 2571.

-, Botryodiplodia theobromae on, in Papua & New Guinea, 1583.

-, Calonectria on, in Nigeria, associated with swollen shoot virus, 424.

[Cacao, Calonectria] rigidiuscula on, in Costa Rica and Ghana, 972; Sierra Leone, 2571; Venezuela, 972, 3173c; W. Africa, 3175; control, 3175; mirids in relation to, 3175; role of, in 'green-point cushion gall disease', 972.

-, (?) Ceratocystis fimbriata on, in Philippines, 971, non-occurrence of, in W. Irian, 2570.

, Corticium and C. salmonicolor on, in Papua & New Guinea, 1583.

, - solani on, in Costa Rica and Guatemala.

transmission of, 3174.
- cultivation in Venezuela, 2572; W. Irian, 2570.

cushion gall disease in America, 350a, b; British Guiana, 1871; Costa Rica, 350b; attributed to Calonectria rigidiuscula, 350a; effect of, on yield, 350b; non-occurrence of, in W. Irian, 2570; recent advances in research on, 350a; transmission of, by grafting, 350a; types of, 350a, b.

- die-back in Papua & New Guinea, association of, with Botryodiplodia theobromae and

Calonectria rigidiuscula, 1583. diseases in Papua & New Guinea, 1583; W. Africa, ecological approach to, 3175.

flowery gall in Costa Rica, 3173a; control, 3173a; knob gall in relation to, 3173a; var. reaction to, 3173b.

Fomes lignosus and F. noxius on, in Papua & New Guinea, 1583.

-, Fusarium roseum on, in Nicaragua, role of, in 'greenpoint cushion gall disease', 972.

-, Ganoderma on, in Papua & New Guinea, 1583.

greenpoint cushion gall disease' in Costa Rica, 972, 3173b; Ghana, Nicaragua, and Venezuela, 972; role of Calonectria rigidiuscula and Fusarium roseum in, 972.

- knob gall in Costa Rica, in relation to

cacao flowery gall, 3173a.

-leaf disease in Costa Rica, symptoms of, 1587.

-, Marasmiellus and Marasmius on, in Papua & New Guinea, 1583.

-, Marasmius perniciosus on, in C. and S. America, 2572; Surinam, 6; control, 1584; non-occurrence of, in W. Irian, 2570; var. reaction to, 6, 1584.

, Monilia roreri on, in America, 2572; Ecuador, 973, 2574; control, 973, 2574; factors affecting, 350c; methods of inoculating, 350c; non-occurrence of, in W. Irian, 2570.

- mottle in Papua & New Guinea, not caused by virus, 3103.

, Phytophthora palmivora on, in Brazil, 1585; Ceylon, 1397; Costa Rica and Ecuador, 3174; Ghana, 16, 3176; Ivory Coast, 966, 975; Jamaica, 351; Nigeria, 1869, 1870; Papua & New Guinea, 1583; Surinam, 6; W. Africa, 3175; control, 966, 1584, 1585; effect of root exudates on spore development of, 974; on yield, 1585; factors affecting, 1397; inhibition of, by Aspergillus tamarii, 1585; by fentin acetate and phenyl mercury nitrate, 1586a; oospore formation in, 1397; var. reaction to, 6, 1584, 1585, 3176.

swollen shoot virus on cacao, in Nigeria, 423, 424, 1869, 2573; W. Africa, 3175; Calonectria and mirid damage associated with, 424; control, 424; effect of, on yield, 424, 1869; factors affecting, 3175; transmission of mechanically and by vectors, 1869; nonoccurrence of, in W. Irian, 2570; tolerance to, 2573; var. reaction to, 423, 970.

[Cacao] virus diseases in Nigeria, 422; trans-

mission of, by vectors, 1582. Cactus virus 2, serological relationship of Passiflora latent virus to, 2366.

— X, relationship of, to potato virus X,

693.

Cadmium acetate, use of, as seed treatment for sunflower, 7376.

chloride, use of, as seed treatment for sunflower, 1376.

selenides, use of, as textile fungicides, 367, Cajanus cajan, see Pigeon pea.

Calamondin, see Citrus.

Calcium deficiency in *Phaseolus angularis*, 861; strawberry, 1998.

-, effect of, on Corticium solani on cotton, 94; on iron chlorosis of fruit trees, 2312. - in relation to tobacco mosaic virus, 1405.

- ammonium nitrate, toxicity of, to beet, 618. - arsenite, use of, as seed treatment for cereals,

674.

carbonate, effect of, on sporulation of Sclerospora macrospora on rice, 2904g.

- chloride injury to apple, 2964b.

-, use of, against apple bitter pit, 2964b; apple internal spot and apple York spot, 143; escarole brown heart, 2161.

- in combination, use of, against apple internal spot and apple York spot, 143.

- copper chloride, use of, against Cylindrocladium scoparium on spruce, 1172. - cyanamide, action of, on fungi 3129.

-, effect of, on Sclerotinia trifoliorum in soil, 1835i.

, use of, as soil disinfectant, 1180, 1224, 3289.

green, use of, against Tilletia foetida on wheat, 1294.

- hydroxide, use of, against Botrytis cinerea on strawberry, ineffective, 1219b.

- hypochlorite in combination, use of, against Sclerotinia on oak acorns, 1160.

nitrate, effect of, on Tilletia caries spores, 2255.

—, toxicity of, to beet, 618.

, use of, against apple bitter pit, 657, 2964b; apple Jonathan spot and (?)skin browning, 2963.

— oxychloride, use of, against Corynebacterium michiganense and Xanthomonas vesicatoria

on tomato, 2412.

- sulphamate, effect of, on and use of against Puccinia graminis, P. recondita, and P. striiformis on wheat, 702.

sulphate, effect of, on lithium toxicity in lily, 1952

Calendula officinalis, Entyloma calendulae on,

in Chile, 62. , potato parastolbur virus on, in Czecho-

slovakia, 1277. Sphaerotheca fuliginea on, in U.S.S.R.,

1942 , Stemphylium floridanum on, control,

100. strawberry green petal virus can infect, 2184g.

Calibaetis pacificus, Pteromaktron protrudens on, in Canada, 28.

Caliciopsis pseudotsugae, hosts of, 3338.

Californiobolus uncigerus, Enterobryus bifurcatus on, in Canada, 28.

Callistephus chinensis, see Aster. Calomel, see Mercurous chloride.

Calonectria graminicola on maize, 2270.

ilicicola perfect state of Cylindrocladium ilicicola, 3028.

- nivalis, see Griphosphaeria nivalis.

- rigidiuscula on cacao, (?)350a, 972, 1583, 2571, 3173c, 3175

on mango, 3173c.

-, use of, as test fungus, 369, 370.

Camellia sasanqua, Exobasidium vaccinii on, in New S. Wales, 657.

-, Glomerella cingulata on, in China, symptoms of, 756.

sinensis, see Tea.

Campanula rapunculoides, cucumber mosaic virus on, in Czechoslovakia, 3237.

\*Camponotus herculeanus, Beauveria tenella ligniperda on, in Romania, 2204.

Canamycin, effect of, on Agrobacterium tumefaciens on tomato, 21.

Canavalia, citrus variegation virus can infect, 2798a.

ensiformis, Ascochyta phaseolorum on, in Nyasaland, 877.

, soybean mosaic virus on, 622.

Candicidin, use of, against Verticillium dahliae on cotton, 1034.

Candida albicans, inhibition of, by amidinomycin, 1248.

- vulgaris, action of fusaric acid on, 1249, Canna indica mosaic virus, relationship of, with viruses from arrowroot and Musa textilis, 1854.

Cannabis sativa, see Hemp.

Cantaloupe (Cucumis melo var. cantaloupina), beet curly top virus on, in U.S.A., 2782.

, cucumber mosaic virus on, relationship of, to crown blight syndrome, 2468; symptoms of, 2468; transmission of, by vectors, 1860. Erysiphe cichoracearum on, 645; in U.S.A.,

330; var. reaction to, 330.

—, Glomerella magna on, in U.S.A., 2168.

, Pseudoperonospora cubensis on, in U.S.A., var. reaction to, 330.

virus in U.S.A., hosts of, transmission of, 884x.

, watermelon mosaic virus on, relationship of, to crown blight syndrome, 2468; symptoms of, 2468; transmission of, by vectors, 1860.

Canuck liquid mercury as seed treatment for cereals, 425.

Capnodium elaeophilum on olive, 2367,

Caprifolium perfoliatum stripe mosaic virus, 2491c.

Capsella bursa-pastoris, Albugo candida on, biological race of, 1185.

-, beet western yellows virus on, 3057; use of, as indicator for strs. of, 3057.

Capsicum, Cercospora unamunoi on, in Mauritius, 333.

-, Colletotrichum capsici on, in India, strs. of, 1212.

- dematium on, distinct from form on Cyamopsis psoraloides, 658p.

—, Corticium solani on, control, 1801.

, cucumber mosaic virus on, 61; in France, 2466; Hungary, 1799; Yugoslavia, 1798; control, 1798, 1799; effect of, on yield,

1798; transmission of, by vectors, 1799; (?) weeds as sources of infection for, 1798.

\*[Capsicum], Diaporthe phaseolorum on, in Brazil, 648.

- disease in S.E. Asia and Pacific Region, 2475; U.S.A., bacterium associated with, 1803.

-, effect of Trichoderma koningii on germination and growth of, 1535i.

extracts, effect of, on infectivity of some plant viruses, 2848; inhibiting Crotalaria mosaic virus, 1223.

— ghost spot in U.S.A., 2478.

-, Glomerella cingulata on, in Surinam, , Helminthosporium on, in India, 3368. - leaf curl virus on Capsicum in Ceylon, 1810. -. Leveillula taurica on, in Mauritius, conidial

form of, 333; study on, 2839.

— little leaf virus on Capsicum, 1810.

, lucerne mosaic virus on, in Yugoslavia, 1798.

- mosaic virus on Capsicum, cultivation of, 2243; transmission of, by vectors, 1210. -, Peronospora tabacina on, in Turkey, 568.

, Phoma destructiva on, in New S. Wales, 1868.

-, potato virus Y on, in Costa Rica, 1800; genetics of response to, 332; host range and properties of, 1800; inhibition of, by plant sap, 55; resistance of, 61; transmission of, by vectors, 61, 1800; var. reaction to, 349.

—, Pseudomonas capsici on, in U.S.S.R., 696.

-, - solanacearum can infect, 181

- tomato on, in \*Austria, 3100; India, 1237.

-, tobacco etch virus on, resistance to, 61,

, — mosaic virus on, 61, 2561; in France, 655; Germany, 2476; dominant resistance to, 647; resistance to, 655; var. reaction to, 1211.

— mottle + tobacco vein-distorting viruses

on, reaction to, 3302.

-, tomato stolbur virus on, in Bulgaria, transmission of, by vectors, 2562.

-, use of, as indicator plant, 3071.

- virus disease in Yugoslavia, 1798; similarity of, to tobacco rattle, symptoms and transmission of, 856e.

-, Xanthomonas vesicatoria on, C.M.I. description of, 2197; control, 3087; genetics of, 5c; inheritance of resistance to, 649; isolation of, 2477; serological test for,

3382i; var. reaction to, 1802. Captan, effect of, on absorption of streptomycin by apple, 1824; on apple yield, 1070;

on germination of apple pollen, 1978; on soil respiration, 2503; sulphydryl content of fungal spores on uptake by, 899.

, evaluation of, for use in smoke generators, 895.

—, inhibition of *Rhizopus stolonifer* by, 796.

— injury to strawberry, 2498j.

, non-resistance of spores of white str. of Venturia inaequalis to, 2958.

-, persistence of, on leaves of plants exposed to artificial rain, 2502.

- reactions in the fungal cell, 893h.

-, tolerance of Corticium solani to, 2920;

Puccinia graminis to, 362

-, use of, against Aspergillus niger on groundnut, 2460; Blumeriella jaapii on cherry, 2954; Botrytis on strawberry, 2498k; B. allii on onion, 3097; B. cinerea on onion, 2793; on

Ribes aureum, 2350; on strawberry, 521, 1092, 1713; Cercospora beticola, 287e; coffee crinkle leaf, 744, 1334; Corticium solani on cotton, 1653; damping-off of forest trees, 1436; of pine, 3038; Diplocarpon rosae, 2298; Dothiostroma pini, 2100; eggplant diseases, 2174; Erysiphe polygoni on bean, 1532; Glomerella vanillae var. pelargonii on Pelargonium, 966; micro-organisms on plastics, 2510; Myco-sphaerella fragariae, 1092; Nectria galligena on apple, 3250; N. radicicola on Cyclamen persicum, 2932; Peronospora rubi on boysenberry, 1086; Pezicula on apple, 787; Phytophthora infestans on potato, 2994; P. nicotianae var. parasitica on carnation, P. palmivora, 1586a; P. porri on leek, 2464; Plasmodiophora brassicae on cabbage, 343; Plasmopara viticola, 1506; Pleospora herbarum on lettuce, 638; Sclerotinia fructicola on peach, 2673; Septoria digitalis on Digi-talis, 2694; Uromyces appendiculatus on bean, 1532; Venturia carpophila on peach, 1984; V. inaequalis, 1070, 3124; V. pirina, 1076; as seed treatment for vegetables, 3125; as soil disinfectant, 481, 1437.

[Captan] versus rodatox, 135.

- in combination, toxicity of, to rose, 104; use of, against Aspergillus niger on groundnut, 2460; Diplocarpon rosae, 104; Podosphaera leucotricha, 3124; Venturia inaequalis, 1070; Xanthomonas pruni on peach, 1987.

Carbadin, use of, as seed treatment for bean,

1198.

Carbaryl, effect of, on absorption of streptomycin by apple, 1824.

Carbatene, use of, against Peronospora tabacina on tobacco, 2059.

Carbide-Bordeaux, use of, against *Phytoph-thora palmivora* on cacao, 966, 1586a.

Carbolineum, use of, against Verticillium on apple, 3254. Carbon dioxide, effect of, on apple superficial

scald, 1700. disulphide fumigation, effects of, on soil

fungi, 929. -, production of, from zineb, 31.

- /nitrogen ratio, effect of, on soil fungi, 389. Carbonyl sulphide in the air, production of, by nabam in soil, 2507.

-, toxicity of vapours of, to Pythium

irregulare, 2507.

Carborundum, effect of, on reaction of bean, cowpea, and sunflower to Erysiphe cichoracearum, 883g.

(Carboxy)-methylcellulose, inhibition of seed

germination by, 1490.

Cardamon, see Elettaria cardamomum. Carica cauliflora sap inhibiting papaw mosaic virus, 2688.

papaya, see Papaw.

Carissa grandiflora gall and witches' broom disease, Sphaeropsis causing, in U.S.A., 2798a.

Carnation (Dianthus caryophyllus), Alternaria dianthi on, in Denmark, 479; N. Rhodesia, 1516.

dianthicola on, in Italy, 757; \*Nyasaland, 877; distribution of, 479.

bacterium on, in U.S.A., resemblance of, to Erwinia chrysanthemi, 2930.
black mould, fungi in relation to, control,

479.

[Carnation], Botrytis cinerea, on, in Italy, 757. , Didymellina dianthi on, in Chile, 62; Czechoslovakia, 1043.

-, effect of chemical fungicides in propaga-

tion medium on, 1942.

, Erwinia parthenii var. dianthicola on, in Netherlands, nematodes in relation to, 1.

etched ring virus on carnation in Netherlands, 2927; control, 1945; transmission of, by chip budding and grafting, 2927; to Chenopodium amaranticolor, 1218b.

-, Fusarium oxysporum f.sp. dianthi on, in Italy, 2628a; Netherlands, 2927; control, 2628a, 2927; factors affecting, 2627; symptomless carrier of, 2627; var. reaction to, 2627.

-, — roseum on, var. reaction to, 2629.

- tricinctum f.sp. poae on, in Italy, 757; U.S.A., 98; Siteroptes graminum associated with, 757.

-, Heteropatella valtellinensis on, in New S.

Wales, 1946.

- I.R. virus on carnation, relationship of, to Pelargonium leaf curl and tomato bushy stunt viruses, 1218b.

- latent virus on carnation, control, 1945; properties of, 2929; serology of, 2366.

mosaic virus on carnation, control, 1945; effect of, on yield and quality, 1666.
- mottle virus on carnation in \*Canada, 1667;

(?)Denmark, 1514; Netherlands, 2927; control, 1945; effect of, on quality, 1666; on yield, 1666, 2927; host range of, 1667; purification of, 1042, 2846; study on, 1667, 1944; transmission of, by cutting knives, 2927; by sap, 1667.

on Chenopodium amaranticolor, 1944. Phialophora richardsiae on, morphology of, 2546.

Phytophthora nicotianae var. parasitica on, 636; in Hawaii, 758, 1044, 1519; control, 758, 1519; differentiation of, from bacterial wilts and Fusarium, 758; var. reaction to, 758, 1644.

Pseudomonas caryophylli on, in Europe and U.S.A., factors affecting stem cracking caused by, 1045.

ringspot virus on carnation in \*Canada, 1667; Netherlands, 2927; control, 1945; effect of, on quality and yield, 1, 1666, 2927; host range and properties of, 1667; purification of, 2846; symptoms of, 1667, 2928.

- on Dianthus barbatus, 2790a.

-, (?)Stemphylium floridanum on, in U.S.A., symptoms of, 759.

- streak virus on carnation, control, 1945; effect of, on quality and yield, 1666.

Uromyces caryophyllinus on, in U.S.S.R., 1942.

-, vein mottle virus on carnation in Denmark, 1514; Netherlands, effect of, on yield, 2927; symptoms of, 2928.

Verticillium cinerescens on, in Netherlands, 2927; U.S.A., 2630; control, 2927; factors affecting, 1947, 2630; transmission of, 2629; var. reaction to, 2629.

virus diseases in Netherlands, 1; control, 1041, 1668; effect of, on flower yield and

quality, 1.

Carob tree (Ceratonia siliqua), Corticium solani, Fusarium, and Pythium on, in Cyprus, 2796.

Carouxella scalaris on Diptera lithotelmatica, 2809.

Carrot (Daucus carota), Alternaria dauci on, in England, 2791e; U.S.S.R., 1771; control, 2791e; distinction of, from Stemphylium radicinum; survival of, in soil, 2491m.

, aster yellows virus on, in Canada, 1812a;

symptoms of, 862.

- black rot, Cylindrocarpon radicicola in relation to, in Irish Republic, 343.

-, Botrytis cinerea on, control, 633. —, Centrospora acerina on, in England, 875.

Cylindrocarpon radicicola on, in Irish Republic, in relation to black rot, 343. Erwinia carotovora on, factors affecting, 3381.

-, Erysiphe polygoni on, in India, 1223; Italy, 635; cleistothecia of seed, of, 1223.

umbelliferarum on, in Netherlands, 2185c.

-, mercury residues in, 1772.

- motley dwarf virus on carrot, 2790c; in Denmark, 1514; England, 2791b; \*Irish Republic, 2794; Scotland, 1219a; carrot red leaf virus associated with, 1790; carrot virus disease in N. Ireland distinct from, 2793; control, 1219a; effect of, on yield, 1219a, 1790, 2791b; transmission of, by vectors, 1219a, 1790, 2791b.

-, production of 3-methyl-6-methoxy-8-hydroxy-3,4-dihydroisocoumarin by root tissue

of, 1791.

Pythium aphanidermatum on, in Venezuela, 1866.

 red leaf virus on carrot, association of, with carrot motley dwarf virus, resemblance of, to barley yellow dwarf and beet yellows viruses, 1790.

-, Rhizopus stolonifer on, physiology of, 3076. -, Sclerotinia sclerotiorum on, control, 3381.

-, Sclerotium rolfsii on, in Venezuela, 1866. - seed-borne diseases, detection of, 653.

-, Stemphylium radicinum on, in England. control, 2791e; methods of detecting in seed, 401.

-, Thielaviopsis basicola on, activity oxidases in, 634.

\*—, Uromyces scirpi on, in Hungary, 2566.

-virus disease in N. Ireland distinct from carrot motley dwarf, 2793.

-, Xanthomonas carotae on, in U.S.S.R., 696. Carthamus tinctorius, see Safflower.

Carya pecan, see Pecan.

Cassava (Manihot utilissima), Botryodiplodia theobromae on, in Mauritius, 2187.

 diseases in S.E. Asia and Pacific, list of, 650. -, Fomes lignosus on, in N. Borneo, 1517.

- mosaic virus on cassava in Indonesia, 650, in Uganda, spread of, 2176; Ricinodendron heudelotii virus resembling, 590; var. reaction to 2176.

virus on Euphorbia, methods of obtaining antiserum against, 3370.

Cassia fistula, effect of polyphenolic extracts of, on spore germination of Glomerella cingulata, 3141.

- occidentalis, use of, as indicator for Cymbidium mosaic virus, 2636.

- tora, bean yellow mosaic virus on, distinction of, from cowpea chlorotic mottle virus lesions, 3071.

[Cassia tora], groundnut leaf mottling virus on, in U.S.A., 3382g.

-, use of, as indicator plant, 3071.

Castanea, see Chestnut.

Castilleja coccinea, Peridermium harknessii on,

Castor, see Ricinus communis.

Casuarina, Pseudomonas solanacearum, \*Thyronectria pseudotrichia, and Trichosporium vesiculorum on, in Mauritius, 2187.

Ustulina deusta on, in Mauritius, 1740. Catenaria anguillulae, activity of, plant-parasitic nematodes, 883d.

Cationic compounds, use of, as wetting agents,

Cattleya, Cymbidium mosaic virus on, inactivation of, 2636a, b.

- leaf spot in U.S.A., control, 349.

Cauliflower (Brassica oleracea), (?) Alternaria circinans on, in N. Rhodesia, 1516.

— raphani on, in Canada, 1225b.

beet western yellows virus on, in U.S.A., overwintering reservoir of, 3057.

-, Leptosphaerulina australis on, in Mauritius, 2187. mosaic virus on cauliflower, detection of,

by immune adherence, 2757. - on Cruciferae, 857.

, Peronospora parasitica on, in England, 2853a.

-, Pestalotia on, in India causing black spot, 1461.

Plasmodiophora brassicae on, 2121; in Jersey, 2792.

-, Sclerotinia sclerotiorum on, in W. Australia, survival of, in soil, 2756.

- seed extract, inhibition of bacteria and of germination of oats and rice by, 617.

- virus diseases in N.Z., popular account of, 2117.

'whiptail' in Italy, molybdenum deficiency causing, 285.

Xanthomonas campestris on, in Portugal, 858.

- var. armoraciae on, in India, hosts of, symptoms of distinct from X. campestris, 1179.

Cavariella aegopodii transmitting carrot motley

dwarf virus, 1219a, 1790.

- pastinacae transmitting parsnip mottle virus, 2790c.

Ceanothus thyrsiflorus, Eutypa armeniacae on, in S. Australia, transmission of, to apricot, 2338.

\*Cedar (Cedrus), fungi on, in U.S.S.R., 1421.

, Moniliopsis aderholdii on, effect of Trichoderma viride in soil on, 1535m.

-, Japanese, see Cryptomeria japonica.

- oil, use of, as leather preservative, 2510. Cedrus, see Cedar.

- deodara, see Deodar.

Celeriac, see Celery.

\*Celery (*Apium graveolens*), aster yellows virus on, in Italy, 3077.

\*— damping-off in New S. Wales, 2797.

-, [peach] western X-disease virus, peach yellow leaf roll str. on, transmission of, by vectors, 59.

-, Pseudomonas apii on, in U.S.A., resistance of, to streptomycin, 323.

\*—. Pythium on, 2797.

[Celery], Sclerotinia sclerotiorum on, in U.S.A., cutaneous reactions on man associated with,

, Septoria on, control, 2791e; technique for detecting, 863, 2791e; for determining viability of, 1792, 2791e; for germinating seed of, 864.

apii on, in Germany, 2795; W. Australia, 2154.

- apii-graveolentis on, technique for detecting, 863.

virus disease in N. Ireland, transmission of, (?) by vectors, 2793.

Cellarius, use of, as timber preservative, 1454. Cellocidin, effect of, on metabolism of Xanthomonas oryzae, 1915; on rice, 1021.

use of, against X. oryzae on rice, 738. Cellophane tape, utilizing adhesive from, for mounting and isolation of fungi, 2845, 3160. Cellulose, Coniophora puteana on, production of cellulase by, 2434.

-, decomposition of, by fungi, 615, 1233o.

Poria vaporaria on, 2434.

Cellvibrio fulva, decomposition of cellulose by, 615.

\*Celosia cristata, Curvularia spicifera on, in India, 1046.

Cenangium abietis on pine, 2416.

var. japonica syn. of C. ferruginosum, 2096.

ferruginosum on pine, C. japonicum and C. pini-densiflorae synonyms of, 2096.

Cenococcum graniforme on pine forming mycorrhiza, 265, 266; isolation of, from roots, 3138.

on Pseudotsuga menziesii forming mycorrhiza, 1447b.

- war. glauca forming mycorrhiza.

on spruce forming mycorrhiza, 378. Centrosema mosaic virus in Malaya, 2043. on Crotalaria anagyroides, 501.

- pubescens, Rhizoctonia on, in Malaya, 2043. Centrospora acerina on Acer, 2185c.

(?)—— on carrot, 875. - on cherry, 2185c. — (?)— on parsnip, 875.

Cephaelis ipecacuanha, Fusarium solani on, 3281.

- var. minus on, in Assam, 1101. \*Cephaleuros parasiticus on Albizzia amara, A. gummifera, Millettia dura, and tea, 1737b. virescens on tea, 1241a.

Cephalosporin C in relation to penicillin formation, 372.

Cephalosporium, antibiotics from, 372.

, inhibition of Fusarium on cotton and tomato by, 658n; F. oxysporum f.sp. lycopersici and f.sp. vasinfectum by, 659e. , review of literature on, 372

- acremonium on groundnut, 313.

on Helminthosporium vagans and Pyrenophora teres, 2803.

on maize, 1010, 2597.

diospyri on persimmon, 1368.

- gramineum on wheat, 372

gregatum on soybean, 306, 372.

- maydis on maize, 1010.

sacchari on sugarcane, 1130. - salmosynnematum, synnematin B produced

from, 372.

- zonatum on coffee, \*2276b, 2913b.

Cephalothecin, discovery of, in Japan, 900. Ceratocystis coerulescens, growth of, in relation to size of inoculum, 2226.

- on timber, 2110.

- fagacearum on oak, see Oak,

-, retention of virulence of, in culture, 3030.

- fimbriata, hosts of, 1704.

\*--- on aspen, 2740.

— — on cacao, (?)971, 2570.

- — on *Hevea* rubber, 1518, \*2039b.

\*— huntii on pine, 2746.

- ips and C. minor on pine, 884t.

- montia on timber, 1226a.

- paradoxa, association of, with coconut Kaincopé disease, 191.

- —, effect of pentaerythritol-substituted compounds on, 1821.

-- on oil palm, 1111.

— on sugarcane, 1129.

- piceae on timber, 1456, 2110.

- ulmi on elm, see Elm.

Ceratoma trifurcata transmitting bean pod mottle virus, 1476, 2454.

- variegata transmitting cowpea mosaic virus str., 1481.

Ceratonia siliqua, see Carob tree.

Cercospora in Japan, list of 234 spp., 2545. on banana, causing black leaf streak, 2974.

\*— antirrhini on Antirrhinum, 2541.
— beticola, exchange effect between yellow substance from and heavy metal ions, 2134. - — on beet, see Beet.

— — on chard, 1578. — on spinach, 324.

\*— bougainvilleae on Bougainvillea, 1270.

\*(?)— canescens on Glycine javanica and Lotononis bainesii, 2797.

- citri-grisea on citrus, 2503.

\*— cladosporioides on olive, 2689.

— coffeicola on coffee, 743, 1648, 2913d.

and \*onion, 1517.

- elaeidis on oil palm, 1111, 2981. - fusimaculans on Panicum maximum, 112.

\* gerberae on Gerbera, 347.

- gigantea on citrus, 2909. \*— glandulosa on Ailanthus excelsa, 2417. gossypii + Alternaria tenuis on cotton, 2918.

\*-- jasminicola on jasmine, 1950.

— kikuchii can infect Nicotiana, 3318. — — on soybean, 2523, 3318.

- longipes on sugarcane, 1400. - mangiferae on mango, 173. \* melongenae on eggplant, 877.

- melonis, inhibitory effects of griseofulvin analogues on, 2509.

- musae var. paradisiaca on plantain, 688.

nicotianae on Nicotiana, 3318.
on tobacco, 223, \*2496, 3318.
oryzae on rice, 1866, 1911, 3208.

- punicae on pomegranate, 2187

— purpurea on avocado pear, 882c, 1363. \*\_ ricinella on Ricinus communis, 1372.

- roesleri on vine, 3092.

\*- sequoiae var. juniperi on Juniperus virginiana, 2427.

\*\_ sesami on sesame, 6.

- sorghi on \*maize, 2269. — — on sorghum, 1811, 2269. - unamunoi on Capsicum, 333. \*— vexans on strawberry, 1868
- violae var. minor on Viola, 2831b.

[Cercospora] viticola on vine, 1223.

-- vitiphylla on vine, 3092.

- zebrina on lucerne, 776.

Cercosporella brassicae on turnip rape, 62.

- herpotrichoides, cellulose decomposition by, 1594.

- — on barley, 343, 699, 2262.
- — on cereals, 72, 1592, 2575.

--- on wheat, see Wheat.

—, study on nuclei of, 3157.

Cercosporina ricinella on Ricinus communis,

Cereals, seed treatment of, 425.

-, Cercosporella herpotrichoides England, 2575; Poland, 1592; U.S.S.R., 1590; nuclear conditions and race differentiation in, 72.

-, Cochliobolus sativus on, in Italy, 2647; nuclear conditions and race differentiation

—, Corticium solani on, in England, 2182a, 2575; control, 2575; differing virulence of, 2182a; factors affecting, 2182a.

-, cultivation of, problems of plant protec-

tion in, 2491n.

-, diseases, book on, 1872; resistance trials against, in Argentina, 2854; soil-borne, in England, 2575.

Erysiphe graminis on, 1842; in England,

2575; Portugal, 2234.

-, Fusarium on, in England, 2575, 2790i; control, 2575, 2790i, 2861; technique for evaluating, 2861.

Griphosphaeria nivalis on, factors affecting, 3098; nuclear conditions and race differentiation in, 72; technique for testing for resistance to, 2860.

, Helminthosporium dictyoides f.sp. perenne, H. setariae, H. triseptatum, and H. triticivulgaris on, in Italy, 2647.

-, Ophiobolus graminis on, in England, control, 2575.

-, Puccinia graminis on, symposium on, in Madrid, 2576

- striiformis on, in England, 2575; Poland, 1592; Switzerland, 2491p; control, 2491p, 2575.

-, Pyrenophora avenae and P. tritici-repentis on, in Italy, 2647.

-, Tilletia caries on, in Poland, control, 1592. —, Uredinales on, 2491o.

—, Ustilaginales on, control, 674.

-, Ustilago nuda on, in Poland, 1592.

-, wheat mosaic virus on, in U.S.S.R., factors affecting, 1590.

- striate mosaic virus on, in U.S.S.R., 697.

Ceregam, effect of, on yield of cotton, 746. Ceresan, use of, against Aspergillus niger on groundnut, 2460.

- in combination, use of, against Aspergillus niger on groundnut, 2460.

-dry and -wet, use of, as seed treatment for

sorghum, 2607. , new improved, use of, as seed treatment for wheat, 1242a.

- M, toxicity of, to man, 2887; use of, against Ustilago avenae on oats, 2887; as seed treatment for cotton, 2916.

Cereviocicidin, production of, from actino-

mycetes in Japan, 900.

Ceuthospora lunata on stored cranberry, 1711. Chaetomiaceae, factors affecting fruit body formation in, 1250.

monograph on, 690.

\*Chaetomium bostrychodes on rice, 1016.

- elatum on timber, 1174a.

- globosum, factors affecting elaboration of cellulolytic enzymes in, 1258.

—, inhibition of cellulolytic enzymes by

ethyl malonate, 381. on timber, 1767h, 2438, 3047.

\*— indicum on rice, 1016.

— — on timber, 1174a.

- olivaceum in mushroom beds, 2793.

Chalara terrestris on tea, 1737b.

Chamaecyparis lawsoniana, Phytophthora on, in Canada, 880; New S. Wales, 1868.

-, - cinnamomi and P. lateralis on, in

Canada, 880.

- nootkatensis black stain, effect of, on con-

centration of nootkatin, 1174b.

- obtusa, Irpex consors, Polystictus sanguineus, P. versicolor, and Poria vaporaria on, study on extent of decay, 1452.

Chard (Beta vulgaris var. cicla), Cercospora beticola on, in Lebanon, 1578.

Chemagro, toxicity of, to cabbage and use of, against Plasmodiophora brassicae on cabbage, 282.

Chemicals, British and their manufacturers,

Directory of, 1961.

Chemotherapy in India, 1241; review of basic principles in, 1241e; role of, in control of plant disease, 1241f; seed infections, 1241o.

Chenopodiaceae, cucumber mosaic virus can infect, 2164.

Chenopodium, apple chlorotic leafspot virus on, transmission of, 2184f.

- album, apple latent virus on, 1971.

-- , Passiflora latent virus can infect, 2366.

on, in U.S.A., (?) reservoir of infection for potato, 204.

amaranticolor, apple latent virus on, 1971.

-, apple viruses can infect, 779k.

-, Arabis mosaic virus on, serological diagnosis of, 2556.

---, Asparagus stunt virus on, 3079.

- —, carnation etched ring virus can infect, 1218b.

- mottle virus on strs. of, 1944.

, Cochlearia officinalis vein chlorosis and Heracleum spondylium yellow vein banding viruses can infect, 1514.

— —, cowpea mosaic virus can infect, 1481. — —, Iris yellow mosaic virus can infect, 881e.

— —, lemon latent virus can infect, 884d.

--- , Oncidium virus can infect, 1514.

---, pear viruses can infect, 779k.

——, strawberry latent ring spot virus can infect, 1219a.

-, tobacco mosaic virus on, effect of Capsicum annuum extracts on, 2848.

-, turnip mosaic virus on, bioassay of,

-, use of, as indicator, 409; for bean yellow

mosaic virus, 2660; carnation mottle virus, 1944, 1945; cucumber mosaic virus, 2660; Cymbidium mosaic virus, 2636; vine fanleaf virus, 3090.

[Chenopodium] berlandieri, Rhizoctonia and Verticillium alboatrum on, in U.S.A., (?) reservoir of infection for potato, 204.

- foetidum, plum pox virus can infect, 3266. - murale, Arabis mosaic virus on, purification

of, 2956.

-, lucerne mosaic virus str. can infect, 2375. -, tobacco mosaic virus on, factors affect-

ing, 231.

- quinoa, apple viruses can infect, 779k. ——, Asparagus stunt virus on, 3079.

-, cherry Eckelrade disease on, 1. --, hops ringspot virus can infect, 526.

— —, Passiflora latent virus can infect, 2366.

— —, pear viruses can infect, 779k. — —, strawberry latent ringspot virus can

infect, 1219a.

-, use of, as indicator plant for Arabis mosaic virus, 692; bean yellow mosaic and cucumber mosaic viruses, 2660; raspberry ring spot, tobacco and tomato ring spot, and tomato black ring viruses, 692.

Cherry (Prunus avium and P. cerasus) albinism,

genetics of, 1082.

-, Alternaria on, in India, 1990.

-, apple virus on, extraction of virus from petals of, 1969.

Arabis mosaic + prune dwarf viruses on, in England, causing Pfeffinger disease, 1284f. virus str. on, effect of, on, 2344.

—, Bacillus mesentericus on, 2337.

— bacteriosis in Bulgaria, 508; control, 371a. —, Blumeriella jaapii on, in Argentina, 3269; Romania, 1064; Switzerland, 2954; control, 2954; var. reaction to, 1064.

\*-, Centrospora acerina on, in Netherlands, resembling symptoms on Acer, 2185c.

-chlorotic-necrotic ring spot virus on cherry, 779r; (?)new virus, 2346; not closely related to peach ring spot virus, 779r.

-, chlorotic ring mottle virus on sweet cherry, not closely related to peach ring spot virus, 779r.

— crinkle, genetics of, 1082.

—, distortion, gumming, and pitting in, resemblance of symptoms of, to cherry twisted leaf virus, 797.

Eckelrade disease [cherry rasp leaf virus] on

Chenopodium quinoa, 1

on cherry in Netherlands, transmission of, by sap, to Chenopodium quinoa, 1.

similarity of cherry virosis in Belgium to, 2308c.

- 'Frogmore virus canker', cherry necrotic rusty mottle virus known as, 2677.

-, Fusarium (?) orthoceras and F. oxysporum on, in U.S.A., 1083.

—, Glomerella cingulata on, in Switzerland, 2954.

green ring mottle + peach necrotic ring spot viruses on peach, 2672.

latent virus on cherry in U.S.A., detection of virus-free buds in, 150.

leaf roll virus on cherry in \*Germany, 2309; association of, with cherry Pfeffinger disease, 152; effect of combined infection with other viruses, 2184f; effect of, on, 2344; factors affecting, 2344; inhibition of, 2344.

line mosaic [?plum line pattern virus] on

cherry in Germany, 782.

\*[Cherry line] mottle virus on cherry in Ger-

many, 2309.

- little cherry virus on cherry in Canada, 779t; England, 2184f; U.S.A., 779t; effect of, on size of fruit, 1988; var. reaction to. 2184f.

- — on Rosaceae, 779x.

- Montmorency virus gummosis on cherry. 2347.
- mottle leaf [virus] on cherry and Rosaceae in Canada, 779x.
- necrotic ring spot virus on cherry, 779r; cherry (sour) Stecklenberg virus str. of, 2346; transmission of, by grafting, 1081, to cucumber, 779u.

- rusty mottle virus on cherry in England, known as 'Frogmore virus canker', 2677.

-, peach necrotic ring spot virus on, transmission of, by pollen, 516, 884o.

---+ prune dwarf viruses on, in

England, 2184f.

- Pfeffinger [cherry rasp leaf] virus on cherry in England, 2184f; Germany, 152; association of cherry leaf roll virus with, 152; raspberry ring spot virus with, 2345; similarity of cherry disease to, 779s, 2308c; viruses causing, 2184f.

—, plum pox virus on, 3266.

, prune dwarf virus on, 151; combined infection with other viruses and, 2344; extraction of virus from petals of, 1969; pattern and rate of movement in, 515.

-, — + Arabis mosaic viruses on, England, causing Pfeffinger disease, 2184f.

causing yellows in England, 2184f.

-, Prunus necrotic ring spot virus on, combined infection with other viruses and, 2344; extraction of virus from petals of, 1969.

, Pseudomonas mors-prunorum on, in England, 153, 2184a; Switzerland, 3099; control, 2184a; factors affecting, 153; host selectivity of, 2184a; production of bacteriocin by, 2489c; var. reaction to, 153.

-, Pythium on, in U.S.A., nematodes in

relation to, 1083.

- rasp leaf virus on cherry in Germany, 782; cherry 'ringspot' virus related to, 1513a; comparison between peach necrotic ring spot virus and, 2670; transmission of, by pollen, 8840.

raspberry ring spot virus on, effect of, on, 2344; premunity relationships in, 692

, Rhizoctonia on, in U.S.A., nematodes in

relation to, 1083.

- ringspot [peach ring spot] virus on cherry, (?)779s, 3266; in Belgium, 1513a; Czechoslovakia, 779y; related to cherry rasp leaf, 1513a, transmission of, 1513a; by seed, 779y. - rough fruit virus on cherry in U.S.A., 884n.

-, Sclerotinia on, effect of fungicides on, 1247. - fructicola on, method for determination

of resistance to, 1991.

— laxa on, in Germany, 2795; Romania, 1064; U.S.A., 1710; control, 1823; method for determination of resistance to, 1991; var. reaction to, 1064, 1991.
- 'short-stem' condition in U.S.A., 884j;

transmission of, by budding, 884j.

\*- sickle leaf virus on cherry in Germany, 2309.

[Cherry] Stecklenberg [peach ring spot] virus on cherry, 779r; in Germany, 782, 2309; cherry (sour) yellows virus associated with, 2309; study on, 2346; transmission of, by grafting, 1081; pollen and seed, 782; use of root fragments in testing for, 2310.

-, Stigmina carpophila on, 2674; in Romania, 1064; U.S.S.R., 3262; factors affecting, 3262; var. reaction to, 1064.

strawberry latent ring spot virus on, in Scotland and Switzerland, serology of,

-, Taphrina cerasi on, in Canada, 3327b.

- tatter-leaf [peach ring spot virus str.] on cherry, cucumber, peach, and plum, 2332. trees, technique for production of virus-

free, 780c.

- twisted leaf virus on cherry, apricot symptomless reservoir for, (?)identical with apricot ring pox virus, 2970; transmission of by root grafts, 1989.

on Rosaceae, 779x. variegation, genetics of, 1082.

--, Venturia cerasi on, in Germany, 2795. Verticillium alboatrum on, 2675; in U.S.A,. 1433; resistance of walnut to, 1433.

dahliae on, 2675.

virus diseases in Belgium, 2308c; Czechoslovakia, 1061; Germany, 781.

-, Xanthomonas pruni str. on, in N.Z., 1063.
- (sour) yellows virus on cherry in England, 2184; Germany, 782, 2309; combined infection with other viruses, 2184f, 2672; effect of gibberellin on, 779z; indicators for, 2309;

longevity of, 2678; transmission of, by grafting, 1081; pollen, 516, 1709.

Cherry-plum, see Prunus cerasifera. Chestnut (Castanea), Endothia parasitica on, in Italy, 247; Yugoslavia, 2419; control, 247; var. reaction to, 1967.

leaf litter, Dasyscypha ciliaris and Polyscy-

talum roseum on, in Italy, 1751.

, Phytophthora cambivora and P. cinnamomi on, control, 1752.

Chick pea, see Cicer arietinum.

Chicory (Cichorium intybus), Erwinia carotovora on, in U.S.A., acid production as a factor in virulence of, 2160.

Pseudomonas marginalis on, in France,

1494, 3364.

Chilli, see Capsicum.

China aster, see Aster.

Chinosol, use of, as soil treatment, 2102. Chitin, use of, against soil fungi, 391.

Chives (Allium schoenoprasum), Aspergillus niger on, in N.Z., control, 316.

, Botrytis allii on, in Belgium, 1512p; N.Z.,

control, 316.

- damping-off, onion yellow dwarf virus, Peronospora destructor, Sclerotium cepivorum and Urocystis cepulae on, in N.Z., control, 316.

Chloramin T, use of, in isolating Cercospora beticola, 1190.

Chloramphenicol, effect of, on Agrobacterium tumefaciens on tomato, 21

- inhibiting Xanthomonas, 3131.

1-chloramphenicol, use of, against X. oryzae on rice, 738.

Chloranil, use of, as seed treatment for flax and linseed, 476.

Chloride-IFK, use of, against Verticillium dahliae on cotton, 3233.

Chloris gayana, wheat striate mosaic virus on,

429.

p-chloro-m-cresol, use of, against microorganisms on adhesives and leather bindings, 2510.

(2-chloroethyl) trimethyl-ammonium chloride,

see cycocel.

Chlorogenic acid, production of, by potato,

Chloromycetin, inhibiting germination Protomyces macrosporus chlamydospores, 2693.

- injury to basidiomycetes, 374.

-, use of, against Erysiphe cichoracearum on cucumber, 1535p.

Chlorophenols, use of, as timber preservatives,

1176.

p-chlorophenoxyacetic acid, inhibition of to-

bacco mosaic virus by, 3305.

Chloropicrin, use of, against Pseudomonas solanacearum on tomato, 1519; as soil fumigant, 1038, 1218b, c, 1519, 1671, 2184e, 2490e.

Chloroscypha cryptomeriae on Cryptomeria

japonica, 262.

- sabinae on Juniperus virginianae, 262.

seaveri on Thuja plicata, 262.

Chlorotetracycline, effect of, on Agrobacterium tumefaciens on tomato, 21.

Chlorothion, inhibition of growth of fungi by,

N-chloro-p-toluosulphonamide-NA, see chloramin T.

Choisam, see Turnip.

Chromatography, book on, 1568.

Chromium fluorine compounds, use of, as timber preservatives, 2436.

Chrysanthemum, Alternaria on, 100.
—, Botrytis on, control, 675.

— diseases, survey of, in Florida, 480.

-, effect of chemical fungicides in propagation medium on, 1942.

Fusarium tricinctum f.sp. poae on, in U.S.A., 98.

-, Itersonilia perplexans on, in England, 1218d; control, 1218c.

leaf mottling viruses, 1218b.

-, Mycosphaerella ligulicola on, in Denmark, 1514; Germany, 1669; \*Queensland, 1228; Sweden, on cuttings from Denmark, 97; factors affecting, 97; legislation against, in Norway, 2217.

\*--, Oidium chrysanthemi on, in Jersey, 2792; inhibitory effects of griseofulvin analogues

on, 2509.

, Puccinia horiana on, in Denmark, introduced from S. Africa, 2931b; England, 2931c; symptoms of, 2931b.

\*—, Pythium ultimum on, in Germany, 2291.

- root rot control, 3096a.

-, Septoria on, key to, 761.

- cercosporioides on, in U.S.S.R., distribution and hosts of, 761.

-, - chrysanthemella on, in U.S.A., comparison of growth rate of, with S. obesa, 99.

-, -- chrysanthemi, S. chrysanthemi-indici, and S. leucanthemi on, in U.S.S.R., distribution and hosts of, 761.

-, — obesa on, in U.S.A., comparison of growth rate of, with S. chrysanthemella, 99.

[Chrysanthemum, Septoria] rostrupii and S socia on, in U.S.S.R., distribution and hosts of, 761.

-, Stemphylium on, 100.

- virus B, serological relationship of Passiflora latent virus to, 2366.

- yellow strap leaf disease in U.S.A., aetiology of, 480.

cinerariaefolium, fungi on, 3282.

\*— coccineum, Puccinia on, in England, 1664. \*— indicum, Pseudomonas syringae on, in India, 1237.

- morifolium, Alternaria on, in England, 875. , Botrytis cinerea on, effect of nitrogen

and potassium on susceptibility to, 3238. -, Puccinia horiana on, in Norway, intro-

duced from S. Africa, 2931a. , Stemphylium floridanum on, in U.S.A.,

hosts of, 100.

\*— rotundifolium, Mycosphaerella ligulicola on, in Romania, 2543.

Cicadidae, Cordyceps on, in Japan, 1530.

Cicadulina latens transmitting maize streak virus, 3101.

Cicer arietinum, Ascochyta rabiei on, in Iran, 631.

-, Fusarium orthoceras f.sp. ciceri on, factors affecting, 632, 2776.

-, Mycosphaerella rabiei on, in Pakistan, var. reaction to, 1485.

-, Sclerotinia minor on, in Italy, 619. sclerotiorum on, age and size of sclerotia of, in relation to apothecia forma-

tion, 1831.

—, Sclerotium rolfsii on, factors affecting,

-, Stemphylium sarciniforme on, effect of hormones, trace elements, and vitamins on,

\*---, Uromyces ciceris-arietini on, in Mexico, probably introduced from Europe, 1487. Cichorium endivia, see Endive.

intybus, see Chicory.

Cilia and flagella, biology of, book on, 1234. Cineraria (Senecio cruentus), Sclerotinia sclero-

tiorum on, control, 2292.

Circulifer tenellus transmitting beet curly top virus, 2768, 2782.

Citrange (Citrus sinensis × Poncirus trifoliata), citrus tatter leaf virus on, symptoms of,

Citron (Citrus medica) exocortis virus, rapidindex methods for, 884a.

Citrullus colocynthis, Fusarium oxysporum f.sp. niveum on, in Hungary, 3085. vulgaris, see Watermelon.

Citrus (including all Citrus hosts), apoplexy in Greece, 783.

cancroid spot in U.S.A., 349, 1331; resembling Xanthomonas citri, 1331.

-, Cercospora citri-grisea and C. gigantea on,

in Surinam, 2909.

-, Clitocybe tabescens on, in Morocco, 3222. -concave gum psorosis [(?)citrus psorosis virus str.] on citrus, 1638; in Italy, 2908.

-, copper deficiency in, control, 1924, 2911. -, Corticium stevensii on, in Surinam, 2909. - crinkly leaf virus on citrus in Italy, hosts

of, 2614a; isolation of, 2906.

-- on lemon, 2614b, (?)2906, 3220. (?)———— + (?)citrus infectious variegation virus on lemon, 2906.

- [Citrus], Deuterophoma tracheiphila on, in Italy 90; Mediterranean and Black Sea areas, 3223 U.S.S.R., 696.
- \*-, Diplodia natalensis on, in India, 2977.
- Elsinoe fawcettii on, in \*Sarawak, 1518; Surinam, 2909.
- —, entomogenous fungi on parasites of, 357. exocortis virus on citrus, 884a; in Brazil, 3218; (?)Sardinia, 2905; Surinam, 2909; (?)Turkey, 464; effect of, on yield, 1640; indexing for, 1640; occurrence of, with other viruses, 1640; Rangpur lime disease virus
- (?)identical with, 7. - — on clementine, 1637.
- — on orange, 3382a.
- false exanthema on lemon, orange, and Poncirus trifoliata, 742.
- fruit decay in U.S.A., 92.fungus in, in U.S.A., hosts of, resemblance of to Physoderma, 658m.
- -, Guignardia on, confusion of, with G. citricarpa, 1922a.
- -, -- citricarpa on, in New S. Wales, 657.
- gum spots, factors affecting, 1925.
- -, Hendersonula toruloides can infect, 1716. 'impietratura' similar to 'pissiasma', 3380.
- impietratura-like symptoms on grapefruit and orange in Turkey, may be due to boron deficiency, 464.
- infectious variegation virus on citrus, in Italy, 2614a; Californian str. of, 2614b; hosts of, 2614a.
- on cowpea and lemon, (?)2906.
- with citrus psorosis virus, 3220.
- + (?)citrus crinkly leaf virus on lemon, 2906.
- latent virus on citrus in U.S.A., 884d.
- Leptosphaeria citricola on, in Surinam, 2909.
- -, micro-organisms in rhizosphere of, review of author's studies on, 1838.
- -, Oidium tingitaninum on, in Vietnam, 2496. -, Penicillium digitatum on, 466, 1643, 1644; control, 368.
- -, Phytophthora on, in Surinam, 2909.
- nicotianae var. nicotianae on, Malaysia, 2496.
- parasitica on, effect of soil exchangeable hydrogen and calcium ratio and resulting pH on, 884c; pathogenicity of, 882a; sexual compatability of, with strain on Hibiscus esculentus, 2175.
- 'pissiasma' in Cyprus, 338d.
- production in the Lower Rio Grande Valley, diseases in relation to, 1917.
- psorosis virus on citrus, 2614a; in Corsica, 3220; Jamaica, 351; Morocco, 3220; Sardinia, 2905; Surinam, 2909; Turkey, 464; U.S.A., 3220; U.S.S.R., 696; citrus infectious variegation and crinkly leaf viruses associated with, 3220; 'concave gum' symptoms of, 2909; distribution of, 346; incubation period for, 1919; transmission of, by dodder, 1919.
- \_ — on grapefruit, 351.
- on orange, detection of, by iodine test, 3382a.

- [Citrus psorosis] A virus on citrus, serological study on, 2615; transmission of, 884b.
- — on orange, 1638.
- ---, infectious variegation str. of, on cucumber, 1639.
- str. on citrus, effect of light on symptoms of, 741.
- — on orange, 741.
- — strs. on grapefruit, 349.
- Rio Grande or Florida gummosis on citrus in Surinam, 2909.
- Satsuma dwarf virus, hosts of, 1918, 3219.
- -, Sclerotinia sclerotiorum on, in Sardinia,
- seedling yellows virus on citrus, transmission of, by vectors, 1920.
- Septobasidium pedicellatum on, in Surinam, 2909.
- \*-, Sphaerostilbe repens on, in N. Borneo, 1517.
- stem pitting virus on orange, 2907.
- (?)stubborn disease virus on citrus in Sardinia, 2905; serology of, 2615; transmission of, 884b.
- on clementine, 1637.
- tatter leaf virus on citrange, 1641.
- -, Thielaviopsis basicola on, in U.S.A., 91.
- -, Trichoderma viride on, germination, growth, and viability of, 1645.
- ceylon, 1642; India, 406d; Jamaica, 351; Mediterranean countries, 3221; S. Africa, 465; Surinam, 2909; (?)Turkey, 464; breeding against, 1642; hosts of, 465; non-tolerance of orange to, 2909; thread-like particles associated with, 1921; transmission of, by dedder, 1919; by grafting, 2798b; vectors dodder, 1919; by grafting, 2798b; vectors, 346, 2909; var. reaction to, 3218.
- on grapefruit, 349, 351.
- --- on lemon, 3221
- -- on orange, 349, 351, 1329, 3219, 3221, 3382a.
- -, sesame not susceptible to, 3219. - variegation virus [str. of citrus psorosis
- virus], hosts of, 2798a. - vein enation virus on citrus, transmission
- of, by dodder, 1919; use of synergy in identification of strs. of, 1330.
- on orange, 3219.

on, 464; indexing of, 1813.

- -, sesame not susceptible to, 3219. - virus diseases in New S. Wales, 1813; Surinam, 2909; Turkey, 464; F.A.O. report
- Xanthomonas citri on, 1646; in Hong Kong, 345; cancroid spot resembling, 1331; C.M.I. description of, 2197; eradication of, from Gulf Coast States, 1647.
- xyloporosis virus on citrus in Brazil, 3218; Sardinia, 2905; Surinam, 2909; distribution of, 346; related to citrus stubborn disease virus, 2615.
- — on clementine, 1637.
- on orange, 464, 3382a.
- yellow shoot disease in China, relationship of, to citrus tristeza virus, 740.
- aurantifolia, see Lime.
- aurantium, see Orange.
- -- limonia, see Lemon.
- medica, see Citron.
- moi, citrus psorosis virus on, in Italy, 2614a.

[Citrus] nobilis, see Orange.

- paradisi, see Grapefruit.
- poonensis, see Orange.
- reticulata, see Clementine.

- sinensis, see Orange.

--- × Poncirus trifoliata, see Citrange.

- tankan, see Orange.

- trifoliata, see Poncirus trifoliata.

CL24055, see 1,1-dimethyl-3-(p-acetomidophenyl triazine).

Cladosporium in the air, 12.

- atramentarium on tomato, 235.

- colocasiae on Colocasia antiquorum, 650. - cucumerinum on cucumber, 866,

1542, 2473.

\*-- on melon, 2187.

- fulvum, toxicity of 2-nitro-1-phenyl-1-phenylthioalkanes to, 676.

- herbarum on apple, 3253.

on maize, 2598.

- macrocarpon on oats, rye, and wheat, 718.

- paeoniae on peony, 3242 - variabile on spinach, 3078b.

vignae on cowpea, 305. Clasterosporium carpophilum, see Stigmina carpophila.

\*Claviceps gigantea on maize, 2599.

- paspali, not present in Australia as early as 1929, 773.
- on Paspalum dilatatum and P. distichum, 2305.

- purpurea on Bromus inermis, 2303.

on rye, see Rye.

Clematis, (?) Ascochyta clematidina or Phyto-phthora cactorum causing wilt of, 2490d.

Clementine (Citrus reticulata), citrus exocortis, stubborn disease, ('greening' associated with), and xyloporosis viruses on, in Morocco, 1637.

diseases in Morocco, 1637., Phytophthora on, in Morocco, 1637.

Sclerotinia sclerotiorum on, in Sardinia, 2910.

Cleome pungens, Erysiphe polygoni on, in Germany, differentiation of E. cichoracearum and, 1341.

Cleonus punctiventris, fungi on, effect of conditions of the soil medium on, 287b.

Clerodendron, Cercospora on, in U.S.A., 2799b.

Climate and forest diseases, 1233c. Clitocybe elegans, C. tabescens renamed, 2914b.
— on coffee, 2914a.

- laccata, see Laccaria laccata. -- tabescens on orange, 3222

- renamed C. elegans, 2914b.

Clover (*Trifolium*), *Alternaria* in rhizosphere of, in U.S.S.R., 2493g.

-, Ascochyta trifolii on, in U.S.S.R., 2493f. bean yellow mosaic virus on, in Germany,

2950. Cephalosporium in rhizosphere of, in

U.S.S.R., 2493g. -, Cercospora on, in U.S.A., host-parasite

relationship, morphology, and pathogenicity of, 114. --, *Cladosporium* in rhizosphere of, in U.S.S.R., 2493g.

·, Corticium solani on, isolation of phytotoxic metabolites of, 1054.

-, Curvularia lunata on, 221.

Cymadothea trifolii on, in Germany, 2795; U.S.S.R., 2493f.

[Clover] dwarf virus on clover, spread of, 1964; transmission of, by vectors, 1276.

—— str. CD 1/57 on Vinca rosea, 56.

—, fungi on, in U.S.S.R., 2493f.
—, Fusarium on, factors affecting, 2654; in rhizosphere of, in U.S.S.R., 2493g.

avenaceum on, study on penetration of, 2655.

- oxysporum on, mechanism of wilting incited by, 3245; study on penetration of, 2655.

-roseum on, in U.S.A., mechanism of

- wilting incited by, 3245. -, solani on, in U.S.A., mechanism of wilting incited by, 3245; study on penetration of, 2655.
- , Gliocladium in rhizosphere of, in U.S.S.R., 2493g.

- greening in Germany, 2950.

Kabatiella caulivora on, in \*England, 875; Romania, 1055; U.S.S.R., 2493f.

— leaf-change virus on clover, spread of, 1964.

-, Leptosphaerulina briosiana on, 119.

- trifolii on, in New S. Wales, 1868, 2797. , lucerne mosaic virus on, in Germany, 2950; Japan, 1202.

- metastolbur virus on clover, transmission of, by, vectors, 1276.

Mucor in rhizosphere of, in U.S.S.R.,

2493g. Mycosphaerella carinthiaca on, in U.S.S.R., 2493f.

\*pea mosaic and pea stunt viruses on, in Germany, 2950.

Penicillium in rhizosphere of, in U.S.S.R.,

-, Peronospora trifoliorum on, in Chile, 62. phyllody [strawberry green petal virus] on clover, 3096g; in Wales, 2652; soil rooting of flower heads infected by, 496; transmission of, by vectors, 1276.

- strs. on Vinca rosea, 56.

potato parastolbur virus on, in Czechoslovakia, 1277; spread of, 1964.

Pseudopeziza trifolii on, in U.S.S.R., 696, 2493f.

'red leaf' in Wales, 'stolbur' virus causing, 2652.

- 'red vein' mosaic virus on clover, 2950, str. on pea, 2764. Rhizopus in rhizosphere of, in U.S.S.R.,

2493g. - root deterioration in U.S.A., fungi, insects, and ?nematodes associated with, 1677.

-, Sclerotinia sclerotiorum on, in India, 1678. - trifoliorum on, in England, 2183e; ., — trifoliorum on, in England, 2183e; Germany, 2795, 2951; Sweden, 1056, 1057; U.S.S.R., 2493f; antibiotic effects of soil microflora on growth and spread of mycelium of, 1835e; breeding against, 2183e; control, 2951; factors affecting, 2951; studies on, 497; var. reaction to, 1056, 2183c, 2951; virulence of, 2951.

- 'stolbur' virus on clover in Wales, causing 'red leaf', 2652.

, strawberry green petal virus on, in Belgium, 2653; U.K., 1053.

- stunt virus on clover, genetics of, 774.

tomato black ring virus on, in N. Ireland, Trichoderma in rhizosphere of, in U.S.S.R.,

2493g.

[Clover], Uromyces fallens on, in U.S.S.R., 2493f.

-, Verticillium dahliae on, in England, 875. - virus (?) related to clover phyllody on clover,

in Belgium, 3096g.

- diseases, timing of symptoms, 1221b. -, white, mosaic virus can infect vetch, 884i.

-, -, - on bean, 1196, 1513b.

U.S.A., 884i; effect of, on yield, 1225o; purification of, 1225p; stability of virus particles, 1225p; study on, 693.

- witches' broom virus on potato, 2184g.

- yellow mosaic virus on clover in Canada, 12250; U.S.A., 884i; effect of, on yield, 12250; Ouchterlony double diffusion test for, 3244; purification of, 1225p; serology of, 693; stability of virus particles, 1225p; study on, 693; transmission of, 884i.

C.M.I. descriptions of pathogenic fungi and

bacteria, set 1, 1267; set 2, 2197.

Coal tar oil, use of, against Fomes annosus, 2088.

Cobalt, effect of, on growth of Fomes annosus in culture, 3331.

-, necessity of, for nutrition of Coniophora puteana and Serpula lacrimans, 1165.

salts, use of, against hop curl disease, 807. COBH in combination, use of, against Cercospora beticola, 2763.

Coccospora agricola in soil, cellulose amend-

ments in relation to, 390.

Cochlearia officinalis vein chlorosis virus in Denmark, transmission of, by sap to Chenopodium amaranticolor, 1514.

Cochliobolus carbonum, effect of UV and visible radiation on sporulation of, 2526.

on maize, 3204.

- cynodontis perfect state of Helminthosporium cynodontis, 2239.

heterostrophus, conidial state, comparison of Helminthosporium turcicum and, 2240.

on Gramineae, 658f.

- lunata perfect state of Curvularia lunata, 2548.

- miyabeanus, antibiotic activity of Ascochyta fabae toxin on, 902.

-, effect of UV and visible radiation on sporulation of, 2526.

in the air over rice fields, 1017.

— — on Gramineae, 658f.

--- on rice, see Rice.

- sativus, antagonism of Actinomyces levoris to, 33.

-, cellulose decomposition by, 1594. -, effect of actinomycete No. 3 on, 1535m; of UV and visible radiation on sporulation

-, germinability and survival of spores of, 2537.

---, hosts of, 1874.

- — in soil, 395, 396, 930.

-—, inhibition of growth of Saccharomyces carlsbergensis by, 77.
—— not attacked by Cephalosporium spp.,

2803.

on Agrostis palustris, 1674.

- - on barley, see Barley.

— on Bromus inermis, 769, 2649. — on cereals, 72, 2647.

-- on Gramineae, 768, 2647.

— — on maize, 396. — — on oats, \*2595, 2888.

[Cochliobolus sativus] on Poa pratensis, 2650.

- on wheat, see Wheat.

— —, production of helminthosporal by, 893e.

— —, study on nuclei of, 3157.

— —, survival of, in soil, 398, 1261.

- victoriae, effect of UV and visible radiation on sporulation of, 2526.

- — on oats, 452.

-, production of victorin, 349. Cocksfoot, see Dactylis glomerata.

Cocoa, see Cacao.

Coconut (Cocos nucifera) cadang-cadang disease in the Philippines, association of Elephantopus mollis with, 189; incidence of, in trees of different ages, 1724; poster illustrating symptoms of, 188; soil fungi in plantations of not correlated with, 190.

-, Colletotrichum paucisetum on, in India, 2496.

'frond drop' in Jamaica, 351.

-, Gliocladium roseum on, in India, 2496.

-, Helminthosporium naudes on, 2496; factors affecting, 2386; penetration, spread, and symptoms of, 2387. Helminthosporium halodes on, in India,

- Kaincopé disease in Togo, fungi associated with, 191; etiology and symptoms of, 2980.

- leaf rot in India, fungi associated with, 2496.

- lethal yellowing in Jamaica and U.S.A., Rotylenchulus in relation to, 351.

-, Phytophthora palmivora on, in Ceylon, oospore formation in, 1397.

- root (wilt) disease in India, microbiological activity of soil in relation to, 2385; symptoms of, 1110.

— 'unknown disease' in Surinam, 6.

Cocos nucifera, see Coconut.

COCS, use of, against storage disorders of cranberry, 2348.

\*Coffee (Coffea), Ascochyta tarda on, in Kenya,

744.

—, bibliography of publications on, 2912.

— 'bottling disease' [(?)stem pitting q.v.] in

— coemblance of coffee 'vinas E. Africa, resemblance of coffee disease in Guatemala to, 2913c.

, Cephalosporium zonatum on, 2913b; \*in

India, 2276b.

-, Cercospora on, in India, 2276a, b.

- coffeicola on, in Papua and New Guinea, 743; control, 2913d; effect of seedling containers on infection by, 1648.

-, Clitocybe elegans on, in Madagascar, relationship of, with *Trichoderma viride*, 2914. – collar-rot in India, 2276b.

-, Corticium and C. salmonicolor on, in Papua

and New Guinea, 743.

—, — solani on, in India, 2276b. — crinkle leaf in Kenya, 744, 1334. — damping-off in India, 2276b. — die-back in India, 2276a; Ker

Kenya, 744; Nyasaland, pruning methods in relation to 3225.

-, fungi on, in Nyasaland, 3224.

-, Fusarium on, in Nyasaland, no control yet

- oxysporum f.sp. coffeae on, in Puerto Rico, 1649.

- stilboides on, in Nyasaland, pruning

methods in relation to, 3225. , Glomerella cingulata on, in Kenya, 744, 1332, 2277, 2278; Uganda, 2277; control, 744, 1332, 2277; losses caused by, 2277; production of perfect state in culture, 744; var. reaction to, 2278.

[Coffee], Hemileia coffeicola on, C.M.I. des-

cription of, 1267.

Cripton of, 1207.

,— vastatrix on, 3226; in India, 745; Kenya, 744, 1024, 2277; \*Nigeria, 3172; N. Rhodesia, 1516; Uganda, 2277; breeding against, 745; C.M.I. description of, 1267; control, 2277, 2279; factors affecting, 2277; instable of the control of the co incubation period of, 744; losses caused by, 2277; physiologic races of, 745, 1024; var. reaction to, 745, 1024. - 'Kondli' disease in India, 2276a.

leaf fall in Kenya, 744.
'Lyamungu dieback' in Tanganyika, comparison of, with other coffee diebacks, isolation of Fusarium oxysporum from, 2915.

-, Marasmius on, in Papua & New Guinea, 743.

-, Mycena citricolor on, in Guatemala, 1333. Myrothecium roridum on, in Guatemala, 350g

, Pellicularia koleroga on, in Papua & New

Guinea, 743.

- pruning methods in relation to dieback and Fusarium bark diseases, 3225.

-, Pseudomonas (?)garcae on, in Kenya, 744. - root rots in Papua & New Guinea, 743.

, Sclerotium coffeicolum on, specific reaction to, 2913a.

- stem pitting, in E. Africa, 656; Kenya, (?)not caused by virus, 1025; N. Rhodesia, 1516.

- wasting in India, Bordeaux or copper

fungicides in relation to, 2276a.
- 'vinas disease' in Guatemala, 2913c; resemblance of, to coffee 'bottling disease' [(?)stem pitting], 2913c.
\*Coix and C. aquatica, Helminthosporium on,

in India, 493.

Colchicine, mutagenic effect of, on Erysiphe graminis on barley, 1618.

Cold water treatment against Ustilago nuda on wheat, 1241c.

Coleosporium eupatorii on Eupatorium chinense ssp. sachalinense, 2745.

- — on pine, 851, 2745.

\*— petasitis var. yamabense on pine, 2744.

- phellodendri on Phellodendron and pine, 2744.

Colladonus montanus transmitting [peach] western X-disease virus, peach yellow leaf roll str., 59.

Colletotrichum on tropical fruits, study on latent phase of, 2976.

- atramentarium on potato, see Potato.

--- on tomato, see Tomato.

\*- brachytrichum on Hevea rubber, 1518.

capsici on Capsicum, 1212

— — on Piper betle, 2376, 3284.

— — on Pothos scandens, 1546.

— —, phosphorus and sulphur requirements of. 3143.

circinans on onion, 2146.

- coffeanum, production of perfect state of Glomerella cingulata by, in culture, 744.

— dematium on Bougainvillea glabra var. formosa, 2290.

- on Capsicum and Cyamopsis psoraloides, 658p.

[Colletotrichum dematium] f.sp. circinans on onion, 2149.

- f.sp. *circinans* on onion, 2149. --- f.sp. spinaciae on spinach, 3078a.

- f.sp. truncata on Desmodium and Phaseolus lunatus, 778.

\*— destructivum on lucerne, 2657.

- fragariae on strawberry, 163.

- gossypii var. cephalosporioides on cotton,
- graminicola, effect of perfume oils on growth of, 366.
- —, factors affecting formation of acervuli and conidia of, 683.

- — on rye, 1008. — on wheat, 71.

-, vitamin requirements of, 911.

- lagenarium, differentiation of C. phomoides from, 4a.

— in Yugoslavia, spread of, 867.
— —, inhibition of, by rimocidin, 3132.
— — on cucumber, 1500, 2472.

- - on cucurbitaceae, 867, 2167

— on watermelon, 347, 867, 1823, 2497. -, resemblance of, to C. piperatum and

Glomerella cingulata, 4a. -, world distribution of, 867.

— lauri on laurel, 2633.

- lindemuthianum on bean, see Bean.

on cowpea and Vigna sinensis, 345.

- linicola on flax, see Flax.

- nobile, Gloeosporium nobile transferred to, 1670.

- papayae on Papaya, 175.

- paucisetum on coconut, 2496.

- phomoides, differentiation of, from C. lagenarium, C. piperatum, and Glomerella cingulata, 4a.

- —, nitrogen nutrition of, 3142.

— on tomato, 1745.

piperatum, differentiation of C. phomoides from, resemblance of, to C. lagenarium and Glomerella cingulata, 4a.

- piperis on pepper, black, 1518. — spinaciae on spinach, 324.

— tabacum on tobacco, 877

- trifolii on lucerne, 2187, \*2657, 2952.

— on Ornithopus sativus, 1966. — truncatum on soybean, hosts of, 3382h. Collybia velutipes on timber, 1767z.

Colocasia abnormalities in Papua & New Guinea, due to genetical or physiological causes, 3103.

, Phytophthora colocasiae on, var. reaction

to, 2479. -, Pythium on, in Austral (Tubuai) Is., 3102.

- esculentum var. antiquorum, Cladosporium colocasiae on, in S.E. Asia, and Pacific Region, 650.

diseases in, S.E. Asia and Pacific

Region, list of, 650.

-, Phytophthora colocasiae on, in Hong Kong, 345; S.E. Asia and Pacific Region, 650.

Colpoma quercina on oak, 1425.

Compositae, cucumber mosaic virus can infect, 2164.

, Plasmopara on, survey of, 2493h.

Compost, production of, by Coprinus ephemerus for forest nurseries, 1750c.

Conferences, Congresses, Symposia, etc., see also Reports.

[Conferences], All-Australian Timber Congress, Adelaide, 2105; American Phytopathological Society, 4, 5, 350, 658, 856, 881, 883, 884, 885, 1163, 2188, 2799, 2913, 3173, 3382; Antibiotics in Agriculture, 371, 1535; apricot apoplexy, France, 509; Aviation, (2nd) International Agricultural, Grignon, 359; beet crops, NIAB, 2761, biometeorological observations, 885; *Botrytis* diseases, 2498; British Wood Preserving Association, Cambridge, 1449; Canadian Phytopathological Society, 1225; cankers of forest trees, 2415; (2nd) F.A.O. plant protection meeting for the Near East, 346; Florida State Horticultural Soc., 882; forecasting occurrence of pests and plant diseases (U.S.S.R.), 2494; fungus and lichen flora of Baltic Republics, 2493; inhibition and promotion of phyto-2493; inhibition and promotion of phytopathogenic micro-organisms in the soil, 1835; (3rd) International on citrus virology, 3218; International Congress Microbiology, Montreal, 386; International mycorrhiza symposium Weimar, 374; (5th) International Pesticides Congress, London, 893; (15th) International on phytopharmacy and phytiatry, 1512; International on potato virus diagnosis, Report of, 194; (8th) International Rice Commission, 84; (5th) International on scientific aspects of mushroom growing, 1502; (5th) International on Seed Pathology, Vienna, 653; (11th) International Society Sugar Cane Technology, Mauritius, 218; (7th) International Timber Preservation, German Society for Timber Research, 609; International on virus diseases of vine, Lisbon, 1505; Marine Microbiology, 3107; Moscow, intercollegiate scientific, 924; nematode research in Germany, 3170; New Delhi, on the role of therapeutic treatment for controlling plant diseases, 1241; physiology of fungi, W.Va Univ., 2519; Phytopharmacy and phytiatry, Brussels, 3096; Plant and Animal Viruses, Cuttack, 406; Plant Diseases, Wageningen, 2490; Plant Protection, Austria, 2500; Plant Protection, Germany, 2491; poplar diseases, Vienna, 1429; rice, Hawaii, 1321; root diseases of forest trees, 1163; Rubber Res. Inst. Malaya, 2042; Sclerospora macrospora on rice, Society General Microbiology, London, 2196: (3rd) of Soil Microbiologists, Czechoslovakia, 1549; survival of bacteria, Aberdeen, 1238; virus diseases of fruits, Belgium, 2308; of fruit trees, (5th) European, 779; wheat breeding, in Hungary, 1283; wood destruction by fungi, Eberswalde, 1767; (3rd) World, on tobacco, in Rhodesia, 224. Coniferae, Armillaria mellea on, in Canada, 3327d; Scotland, 1164. , damping-off of, in Canada, 1437; China,

2089.

Fomes annosus on, in Scotland, 1164; U.K., 3023.

-, heart rots in Scotland, distribution, and relationship to forest management, 1164.

-, Mucor silvaticus on, in Germany, control, 3337.

-, Polyporus schweinitzii on, in U.K., 1164, 3023; (?) Armillaria mellea and other fungi associated with, 3023.

[Coniferae], Stereum sanguinolentum on, 1166; in Scotland, 1164.

-, Trametes pini on, in Scotland, 1164. Coniophora olivacea, effect of metabolic products of Lentinus lepideus on, 2115.

on timber, 279, 3046.

- puteana, characterization of pectinase of, 274.

- —, effect of mineral nutrition on growth of, 1165.

-, effect of, on other house fungi in paired culture, 273.

— in soil, 1225z.

-, inhibition of, by extracts from Eucalyptus, 610; Trichoderma, 1225z.

— on cellulose, 2434.

— on pine, 1763.

— on spruce, 2107.

— — on timber, see Timber.

---, resistance of, to radioactivity, 1453. --, Serpula lacrimans different from, 3049. Coniothyrium concentricum, association of,

with Yucca arborescens blight, 2944. fuegianum on Panicum maximum, 112.

- olivaceum on flax, 402

\*— pirinum on apple, 1223. — quercinum on oak, 1425.

Convallaria majalis, see Lily of the Valley. Cooling towers, soft rot on, in Texas, 1449a. Copper, adaptation of Phytophthora infestans to, 2531.

causing increased infestation of mites on tea, 560.

-, cost of spraying rice with, 1326.

- deficiency in grapefruit, 2911; orange, 1924. -, effect of, on Crotalaria mosaic virus, 1340; Erwinia amylovora on apple, 3257; Fomes annosus in culture, 3331; Streptomyces scabies on potato, 210.

injury to (?)coffee, 2276a; watermelon,

882d.

, use of, against Cercospora citri-grisea and C. gigantea on citrus, 2909; C. purpurea on avocado pear, 882e; Cladosporium on banana, 2686; C. fulvum, 1146; copper deficiency in grapefruit, 2911; Corticium salmonicolor and C. solani on Albizzia falcata, 1155; Corynebacterium fascians on Pelargonium, 3097; Cryptodiaporthe populea on poplar, 3035; Exobasidium vexans, 558, 559, 560; Gloeosporium alborubrum on Hevea rubber, 215; Glomerella cingulata on coffee, 744, 882e, 1332; Marssonina on poplar, 3034; Melampsora on poplar, 3035; Peronospora rubi on boysenberry, 1086; Phytophthora cambivora and P. cinnamomi on chestnut, 1752; Pollaccia elegans and P. radiosa on poplar, 3035; Pseudomonas lachrymans on cucumber, 1209; Pyricularia oryzae, 1326; Ramularia gossypii on cotton, 1241m; Sphaceloma perseae on avocado pear, 882e; Tilletia foetida on wheat, 1294.

in combination, use of, against cucumber leaf diseases, 1500; Exobasidium vexans, 561;

Plasmopara viticola, 3374.
-8, use of, against Erysiphe polygoni and Uromyces appendiculatus on bean, 1532. - acetate, adaptation of Phytophthora infes-

tans to, 2531.

-, use of, as seed treatment for sunflower, 1376.

[Copper] arsenate, ammoniacal, degradation of, by ascomycete or imperfect fungus, 1768.

- carbonate in combination, use of, against Diplodia rosarum on rose, 1956.

- chromate, tolerance of *Poria* to, 2440.

- -- chromium-arsenate, tolerance of Poria to, 2440.
- compounds, analytical methods for, 1245. - —, effect of, on potato flavour, 2995.
- —, toxicity of, to apple, 785; plum, 2341. -, use of, against Cercospora beticola 1775; coffee leaf fall, 744; Exobasidium vexans, 3007; Marssonina on poplar, 847; Phytophthora infestans on potato, 2704; Plasmopara viticola, 3374; Polystigma rubrum on plum, 2341; Venturia inaequalis, 785.

- versus dithiocarbamates, 2704, 3007.

- Gillette, use of, against Pseudomonas lachrymans on cucumber, 1209.
- --lime, use of, against Plasmopara viticola, 340; Pseudoperonospora humuli, 2372.
- naphthenate, use of, against Plasmopara viticola, 872.

- oxide injury to cacao, 350c.

- -, use of, against Cercospora citri-grisea and C. gigantea on citrus, 2909; Guignardia citricarpa, 1922; Hemileia vastatrix, 2279; Monilia roreri, 973.
- oxinate, use of, against Pleospora betae, 2132a, b; Pythium ultimum on beet, 2132b; as seed treatment for beet, 2132a.
- oxychlorate, use of, against Diplocarpon rosae, 2300.

- oxychloride, 3250.

- , addition of wheat flour to, to improve adhesion, 3250.
- -, effect of, on adherence and rention of spray deposits on plants, 1822.

- injury to olive, 2690.

- —, non-resistance of spores of white str. of Venturia inaequalis to, 2958.

  —, persistence of, on leaves of plants ex-
- posed to artificial rain, 2502.
- , synergism between oxyquinoline benzoate and, 1533.

-, toxicity of, to leek, 2464.

--, use of, against Alternaria solani on tomato, 575, 657; Cercospora beticola, 292, 2133; Colletotrichum dematium f.sp. spinaciae on spinach, 3078b; copper deficiency in orange, 1924; Cycloconium oleaginum on olive, 2690; damping-off of forest trees, 1436; of pine, 3038; Fusicladium carpophilum on peach, 657; Marasmius perniciosus, 1584; Phytophthora infestans on potato, 1217; P. palmivora on cacao, 966, 1584, 1585; on Hevea rubber, 212; Plasmopara viticola, 340; Polystigma rubrum on plum, 1707; Sphaerotheca pannosa, 2942; Taphrina deformans on peach, 507, 794; Tranzschelia pruni-spinosae var. discolor on peach, 507.

- versus rodatox, 135; versus triphenyl-tin acetate, 2133.

- -, in combination, injury to banana, 1228. --, --, use of, against Corynebacterium michiganense on tomato, 2412; cucumber leaf diseases, 1500; Mycosphaerella musicola, 1228; Xanthomonas vesicatoria on tomato, 2412.

[Copper oxychloride] -S-DDT-talc, use of, against Mycosphaerella arachidicola, berkeleyii, and Puccinia arachidis, 3072.

- salt of omadine, see OM 1562.

- of sulphonanilide, use of, against Elsinoe veneta on raspberry, 2354.

Sandoz, use of, against Cephaleuros parasiticus on tea, 1737b; Corticium invisum on tea, 1737a.

- sulphate, tolerance of *Poria* to, 2440.

-, use of, against avocado pear scab, 882e; Cattleya leafspot, 349; Cercospora coffeicola, 2913d; Cladosporium variabile on spinach, 3078b; Fabraea maculata on pear, 1701; Phytophthora nicotianae var. parasitica on carnation, 758; Plasmopara viticola, 3126; Pseudomonas desaiana on sugarcane, 219; P. lachrymans on cucumber, 646, 1209; P. lachrymans on cucumber, 646, 1209; Sclerospora macrospora on rice, 2904b; Xanthomonas citri on lemon, 1646; as soil treatment for Fusarium oxysporum, 2102. in combination, use of, against Phyto-

phthora infestans on potato, 2393, 2995; vine spotted necrosis, 1509; Xanthomonas vesicatoria on Capsicum, 3087; as timber

preservative, 611.

trichlorophenolate, use of, as seed treatment for cotton, 674. - zinc chromate, use of, against Xanthomonas

pruni on peach, 1987. Coppesan inhibiting germination of Protomyces

macrosporus chlamydospores, 2693. Coprantol in combination, use of, against

cucumber leaf diseases, 1500. Coprinus ephemerus, use of, in forest nursery

composts, 1750c.

micaceus on timber, 1174a. Corchorus capsularis, see Jute.

fascicularis, cotton leaf curl virus, main vein thickening str., on, in the Sudan, 1650 olitorius, see Jute.

Cordana musae on Musa, Pestalotia leprogena lesions resembling, 1717.

Cordyceps, monographic studies on, 1530.

clavulata on Eulecanium corni, 2206. Coriander (Coriandrum sativum), Alternaria poonensis on, 2374.

, Phytophthora nicotianae var. parasitica on, 636.

-, Protomyces macrosporus on, in India, 178, 1241d; 2692; (?)biological forms of, 2692; effects of antibiotics, fungicides, and phytohormones on chlamydospores of, 2693.

, Sclerotinia sclerotiorum on, factors affecting, 2373.

Corrosive sublimate, see Mercuric chloride. Corticium evolvens on timber chips, 614.

fuciforme on Agrostis, 111.

on turf, 2793

- invisum on tea, 1737a, 1738.

laeve on timber, 1456.

- praticola, comparison of, with C. solani, 426.
- on cabbage, lettuce, and wheat, 2192 \*-- salmonicolor on Albizzia falcata, 1155, 1737a.
- on apple, 1562.

— on cacao, 1583. — on coffee, 743.

— on cover plants in Malaya, 2043. — on fig, 1562.

- — on Hevea rubber, 1518.

[Corticium salmonicolor] on pear, 1562.

on pepper, black, 1518.

– on Thevetia peruviana, 1517.

— on tropical crops, 1562. — sasakii on rice, (?)84, (?)1224, (?)1636,

- solani, antagonism of Actinomyces levoris to, 33.

— —, comparison of, with C. praticola, 426. -, C. invisum and C. theae (?)strs. of, 1738.

---, cultural variants in, 3096e.

- —, effect of ca bohydrates on, 2223.
- —, factors afficing antagonism of bean rhizosphere micro rganisms to, 1474.

— —, heterokaryosis and variation in, 1563.
— —, hosts of, 426, 1581, 1737a.
— — in soil, 41, 349, 1935, 3152; method of detecting and isolating, 1512q.

- —, inhibition of, by culture media exposed to light, 909; by formaldehyde, methyl arsine oxide, and terraclor, 658a.

—, mechanism of host penetration by, 1256.

— on Agrostis, 111, 658a. — on Albizzia falcata, 1155.

 — on apple, 1698. — on artichoke, 336.

— on avocado pear, 2363.

— on barley, 343. — on bean, see Bean.

- — on beet, 921.

— — on Bromus inermis, 770.

— — on cabbage, 284, 1535k, 2192. — — on cacao, 3174.

--- on Capsicum, 1801

— — on carob tree, 2796. — — on cereals, 2182a, 2575.

— on clover, 1054. — on coffee, 2276b.

— — on cotton, see Cotton. — on eggplant, 1147, 2174. — on flax, 1935.

— — on forest trees, 1436.

— — on *Gliricidia sepium*, 1155. — — on groundnut, 313, 2224.

— on *Hibiscus cannabinus*, 7, \*1517.
— on lettuce, 865, 1492, 2192, 2508.
— on *Matthiola incana*, 1953.

--- on pea, 2210.

— on pepper, black, 1518. — — on Persea indica, 2363.

— — on pine, 2428, 3038.

— — on potato, see Potato.

— — on radish, 41. — — on rice, \*462, 1257.

— on soybean, 307.

— — on spinach, 1147. — — on spruce, 50. - on spruce,

— — on tea, 1155.

on tobacco, 223.

— — on tomato, see Tomato.

-- on turf, 1957.

— — on wheat, 992, 1219b, 2497.

--- , pectolytic enzyme activity of, 2225.

— —, study of, 1581.

— —, translocation in, 1547.

---, use of, as test fungus, 1512e.

- stevensii on citrus, 2909.

- theae on tea, 1738.

- vellereum on timber in Canada, 1174a. Cortinarius on oak, forming ectotrophic

mycorrhiza, 2517.

- armillatus, cultural study on, 3137.

[Cortinarius] boyacensis on oak, forming ectotrophic mycorrhiza, 2517.

Corylus avellana dieback, (?)virus, effect of, on, 1753.

Coryne sarcoides, inhibition of white rot fungi by, 1174b.

— on pine, 1750e.

Corynebacterium, inhibition of, by cauliflower seed extract, 617,

fascians on flower and fruit hosts, revised leaflet on, 2198.

-- on Pelargonium, 1, 2490b, 3097.

- — on P. grandiflorum, 2490b.

— on strawberry, 696.
— flaccumfaciens on bean, 2140.

insidiosum in soil, 933.

— — on lucerne, see Lucerne. — —, technique for preserving, 19.

- michiganense, effect of levomycetin on, 1535b; of vapours of aromatic chemicals on, 1526.

on tomato, see Tomato.
 rathayi, effect of garlic, onion, and green walnut juices on, 2508.

- sepedonicum on potato, see Potato.

- tritici-nematode complex on wheat, 1299. Corynespora cassiicola, factors affecting spore

discharge in, 2801.
— on cucumber, 2171.

\*-- on new hosts in India, 1223.

— on soybean, 1223, 1478.

Coryneum beijerinckii, see Stigmina carpophila. (?)— cardinale on Cupressus sempervirens, 1167

\*— foliicolum on oak, 845.

- microstictum, a state of Monochaetia compta var. ramicola, 2640.

negundinis on Acer, 3327b.

Cosmic rays, mode of action of, against microorganisms, 3105.

Cosmos, Erysiphe cichoracearum on, in Portugal, 2234.

- sulphureus, Xanthomonas cosmosicola on, 1237.

Cotton (Gossypium), Abutilon mosaic [infectious variegation] virus on, in Brazil,

causing yellow mosaic, 467.

-, Abyan root rot on, in S. Arabia, 2617;

Corticium solani (?)causing, 2618, 2921;
losses caused by, 2618; var. reaction to,

-, Alternaria macrospora on, in the Congo, 1656.

-tenuis + Cercospora gossypii on, in U.S.A., 2918.

-, aluminium toxicity in, in relation to phosphorus deficiency, 472.

anthocyanosis virus on cotton, in Brazil, transmission of, by vectors, 467.

-, Ascochyta gossypii on, in Australia, 1027. -, Aspergillus on, 746.

- boll rot in China, 1651; fungi associated

with, 468, 1651.

-, boron deficiency in, var. reaction to, 473. cauliflower leaf crumple virus on, resembl-

ing cotton vein clearing virus, 3382c. -, Cephalothecium roseum on, associated with boll rots, 1651.

-, Cercospora gossypii + Alternaria tenuis on, in U.S.A., 2918.

-, Choanephora cucurbitarum on, in China, associated with boll rots, 1651.

[Cotton], Colletotrichum gossypii var. cephalosporioides on, in Venezuela, 1866.

- indicum on, in China, associated with

boll rots, 1651.

-, common antigens in Xanthomonas malva-

cearum and, 884f.

, Corticium solani on, in Queensland, 1027; S. Arabia, 2618; antagonism of fungi to, in culture, 94; (?)causing Abyan root rot, 2618, 2921; control, 94, 1653, 2919; factors affecting, 94; infection of seedling hypocotyl by, 1028; nematodes in relation to, 469; tolerance of isolates of, to organic fungicides, 2920; to quintozene, 1652; transmission of, by soil, 746.

-, Diplodia on, factors affecting, 95.

gossypina on, in China, associated with boll rots, 1651.

diseases in Colombia, 2917; Morocco, 1026,
Fusarium on, in China, 1651; associated with boll rots, 1651; inhibition by, 2530; transmission of, by seed and soil, 746.

—, — bucharicum on, in U.S.S.R., 696. —, — oxysporum on, carbon and nitrogen requirements of, 2619.

-, — f.sp. *vasinfectum* on, in China, 1030; Tanganyika, 3230; U.S.A., 470, 1030; U.S.S.R., 2281; amino acids and immunity from, 1927; association of Meloidogyne incognita var. acrita with, 750; breeding against, 3229; conversion of phenolic substances in, 93; dissemination of, by seed husks, 1654; effect of culture filtrates on, 2856; forms of, 2281; genetics of, 747, 750; inhibition of, by Cephalosporium, 658n; by root homogenate of, 2530; of Macrophomina phaseoli on cotton by, 45; inoculum potential in relation to, 749; losses caused by, 2281; methods for assessing, 1926; nematodes in relation to, 420; physiologic races of, 1030; selection of *Cephalosporium* biotypes for inhibition of, 659e; studies on cultural filtrates of, 1029; symptoms of, 748; var. reaction to, 748, 750, 2281, 3228, 3229, 3230. , Glomerella gossypii on, in China, 1651;

Congo, 1656; associated with boll rots, 1651. - green mosaic (Brazilian tobacco streak virus) in Brazil, 467.

- growing in Australia, 1027; Morocco, book

on, 1026; N. Guinea, 1027.

leaf curl, viruses associated with, 1650.

- — virus main vein thickening str. on Corchorus fascicularis and Hibiscus esculentus, 1650.

- small vein thickening str. on cotton in the Sudan, symptoms of, and transmission of, by vectors, 1650.

— mottle virus on cotton, (?)causing mosaic symptoms, 1650.
- '— roll' disorder in Thailand, (?)associ-

ated with nematodes, 2618.

-, Macrophomina phaseoli on, inhibition of Fusarium oxysporum f.sp. vasinfectum on cotton by, 45; transmission of, by soil, 746.

—, — var. *indica* on, in India, 3231.

—, *Myrothecium roridum* on, in U.S.A.,

3382b.

-, Papulospora on, 753. -, Penicillium on, 746.

-, Phakopsora gossypii on, in India, 1811.

-, phosphorus deficiency in, in relation to aluminium toxicity, 472.

[Cotton], Phymatotrichum omnivorum on, in U.S.A., air survey of, 884e.

-, Puccinia cacabata on, in U.S.A., 471.

- —, Pythium on, transmission of, by soil, 746. \*-, - aphanidermatum on, in New S. Wales, 1868.
- debaryanum on, nematodes in relation to, 469.
- --, Ramularia areola on, in Australia, 1027.
- -, gossypii on, in the Congo, 1656; India, control, 1241m.

—, Rhizoctonia on, in the Congo, 1656.

Rhizopus on, 746.

-, — arrhizus and R. stolonifer on, in U.S.A., control, 2620.

-, Sclerotium rolfsii on, transmission of, by soil, 746.

- seed treatment, effect of, on yield, 746.

- smog damage, effect of, on, 2284.

-, Thielaviopsis basicola on, in U.S.A., 1933. ---+ Verticillium alboatrum on, in U.S.A., 1933.

, tobacco streak virus str. on, in Brazil, transmission of, (?) by vectors, 3227.

- vein clearing virus on cotton in U.S.A., resembling California cotton leaf crumple virus, transmisson of, var. reaction to, 3382c.

- mosaic virus (unidentified) on cotton in Brazil, rarity of, 467.

-, Verticillium on, in S. Africa, breeding against, 2497; method of diagnosing and inoculating, 3234; (?)role of leaves in spread of, 1928.

alboatrum on, 2697; in the Congo, 1656; U.S.A., 1933; U.S.S.R., 1931; control, 1931; effect of crop rotation on yield of, 1932; effect of, on, 1933; genetics of resistance to, 750; transmission of, by seed and soil, 746; var. reaction to, 750.

Thielaviopsis basicola on, in U.S.A., 1933.

, — dahliae on, in U.S.S.R., 751, 1031, 1032, 1033, 1034, 1929, 1930, 1931, 3232; amino acids in relation to immunity from, 1927; breeding against, 3232; control, 751, 1031, 1034, 1535i, 1931, 3233; conversion of phenolic substances in, 93; effect of addition of *Trichoderma viride* to compost on, 751; of, on tannin content, 1033; of trichodermin-2 on, 1655; factors affecting, 1031; genetics of, 3232; var. reaction to, 1031, 1032, 1033, 1929, 1930, 3232, 3233.

virus disease (new) on cotton in the Philippines and U.S.A., relationship of, 2280. – (—) on *Ipomoea triloba*, 2280.

-, Xanthomonas malvacearum on, in China, 1651; Congo, 1656; India, 1223; N. Rhodesia, 1516; Queensland, 1027; Tanganyika, 1658; U.S.S.R., 674; Yugoslavia, 2282; associated with boll rots, 1651; breeding against, 1035, 1658, 3235; causing 'black arm', 1027; C.M.I. description of, 2197; control, 674, 1223, 1535e, 1656; factors affecting, 1027; genetics of, 2283, 3235; location of, 2282; longevity of, 2923; pathogenic variants of, 1658; production of cellulolytic and pectic enzymes by, 2922; relationship between pathogenicity and phage type in, 1659; source of inoculum for primary disease cycle, 1657; transmission of, by seed and soil, 746; var. reaction to, 1035. 1658, 3229.

[Cotton] yellow mosaic in Brazil, Abutilon mosaic virus causing, 467.

o-coumaric acid, use of, against Venturia

inaequalis, 133.
Coumarin fungistatic to Aspergillus niger, Penicillium glaucum, and Rhizopus stolonifer,

-, reversal of self-inhibition of uredospore

germination of Puccinia recondita by, 2867. Cowpea (Vigna unguiculata), (?)bean pod

mottle virus on, in U.S.A., 303.

- southern mosaic virus cowpea str. on, in relation to bean severe mosaic virus, 2136; resistance to, 1482.

- str. and bean yellow mosaic virus on, in combination with other viruses, separation of, 3071.

-, broad bean virus can infect, 2565.

— chlorotic mottle virus on Cassia tora, 3071. -- on cowpea in combination with other viruses, separation of, 3071.

-, citrus crinkly leaf virus can infect, 2614b. - infectious variegation virus on, isolation of, 2906.

-, - Satsuma dwarf virus on, 1918, 3219.

-, Cladosporium vignae on, 305.

Colletotrichum lindemuthianum on, in Hong

Kong, 345.

-, cucumber mosaic virus on, in combination with other viruses, 3071; effect of, on respiration, 695.

- disease in Kenya, malformation symptoms

of, and non-infectivity of, 656.

, Erysiphe cichoracearum on, effect of carborundum and heat on reaction to, 883g. -, (?)Fusarium on, in Hong Kong, 345.

- bulbigenum var. tracheiphilum on, inhibition of, by Cephalosporium, 856b.

- oxysporum f.sp. tracheiphilum on, in U.S.A., physiologic races of, 1472.

-, lemon latent virus can infect, 884d. \*-, Macrophomina phaseoli on, in Sardinia, 421.

- mosaic virus can infect Chenopodium amaranticolor, 1481.

—— on cowpea in Netherlands, 2773; Surinam, 1481; Trinidad, 303; U.S.A., (?)303, 2772; purification of, 2773; related to bean pod mottle virus, 2772; serology of, 2773; similarity of cowpea mosaic virus in Trinidad to, 2772; str. of resembling Chant's Nigerian virus, 1481; strs. of, 1481; study on relationships between strs. transmission of, by vectors, 148 of, 2773; 1481.

\*-, Phomopsis loti on, susceptibility to, 499. -, Phytophthora vignae on, in New S. Wales,

var. reaction to, 2797.

—, Pseudomonas aptata on, 3287.

-, radish ringspot virus on, resistance to, 2119. \*\_\_, Septoria vignicola on, in India, 304.

-, tobacco ringspot virus on, methods of inoculating, 2552; str. on, 629.

-, use of, as indicator plant, 3071.

- virus on cowpea in E. Africa, 3101; Nigeria, hosts of, 3172.

- yellow mosaic virus on cowpea in Nigeria, hosts of, 418.

Crag 5379, use of, against Erysiphe polygoni and Uromyces appendiculatus on bean, 1532.

Crambe abyssinica, Fusarium on, 1835c.

Cranberry (Oxycoccus macrocarpus and O. palustris), Ceuthospora lunata, Diaporthe vaccinii, Godronia cassandrae, and Guignardia vaccinii on, in U.S.A., 1711.

- storage disorders, 1711; control, 2348. Crataegus, Fabraea maculata on, in U.S.A., control, 2188d.

Gymnosporangium clavariiforme on, Denmark, 1514.

Craterellus and C. boyacensis on oak, forming ectotrophic mycorrhiza, 2517.

Creosote, degradation of, by ascomycete or imperfect fungus, 1768.

use of, against Fomes annosus on timber, 2087; as timber preservative, 2437. Cresylic acid, emulsified, use of, against tomato

mosaic virus, and as soil treatment, 1218b. Cristulariella pyramidalis causing zonate leaf spots on various hosts in U.S.A., 1422,

Crocus bulb extract, toxicity of, to Glomerella

cingulata, 3240.

Cronartium asclepiadeum on pine, 2098.

- comandrae on pine, 659f.

- comptoniae on pine, 839, 2430, 3341.

 flaccidum on forest trees, 3024. — fusiforme on oak, 586, 1424, \*2420. — on pine, 2097, 3340.

\*— quercuum on oak, 845.

— on pine, 839.

- —, Peridermium harknessii on pine confused with, 2430.

- ribicola on conifers, 2182b.

— on currants, 1169. - on pine, see Pine.

Crops, disease resistance of, in N.Z., 353.

Crotalaria, Maravalia crotalariae on, in Malaya, 2043.

mosaic virus on *Crotalaria*, effect of UV light on, hosts of, 1938; inhibition of, by some plant leaf extracts, 1223; of infectivity of, by growth regulators, 959; properties of, 1938; relationship of cucumber mosaic virus str. and, 1223.

- southern mosaic virus (str. of tobacco mosaic virus) on groundnut, 475.

- agatifolia, Armillaria mellea and Rosellinia arcuata on, in India, 558.

- anagyroides, Centrosema mosaic virus on, properties and purification of, 501.

- juncea, Crotalaria mosaic virus on, 1938; effect of copper nutrition on, 1340; factors affecting, 1936; transmission of, 1937.

—, Leptodiscus terrestris can infect, 2659. — mosaic virus [Crotalaria (southern) mosaic virus, tobacco mosaic virus str.], inhibition of, by gamma and UV radiations, 2925.

, Uromyces decoratus on, in tropical

Africa, 777.

-, Xanthomonas vignicola can infect, 1237. - mucronata, Crotalaria mosaic virus on,

-retusa, Leptodiscus terrestris can infect, 2659.

-, Uromyces decoratus on, in tropical Africa, 777.

- spectabilis, citrus crinkly leaf virus and citrus infectious variegation virus can infect, 2614b.

- usaramoensis, Leptodiscus terrestris on, in the Ivory Coast, 2659.

[Crotalaria] verrucosa, Xanthomonas vignicola

can infect, 1237.
Crown gall, see Agrobacterium tumefaciens. Cruciferae, Alternaria brassicae on, in Canada, 1225b; U.S.A., 280.

- brassicicola and A. raphani on, in U.S.A., 280.

cauliflower mosaic virus on, in Yugoslavia, 857

-, Chinese cabbage kwuting disease of, in China, types of viruses causing, 1182

-, cucumber mosaic virus can infect, 2164. -, Leptosphaeria maculans on, str. of, in Canada, 1225a.

-, Plasmodiophora brassicae on, in Venezuela, 1866.

, Rhizoctonia on, in Hong Kong, effect of, on yield, 345.

Xanthomonas campestris on, control, 617. Crumenula sororia on pine, 3342

Cryptococcus fagi, association of, with Nectria coccinea var. faginata on beech, 2415e.

Cryptodiaporthe densissima on oak, 3327d. — populea on poplar, see Poplar.

Cryptomeria japonica, Chloroscypha cryptomeriae on, in Netherlands, 262.

—, Mollisia cryptomeriae on, in Japan, 2741. Cryptosporella viticola on vine, \*2542, 2787, 3375.

Cryptostictis caudatum on rose renamed Seimatosporium caudatum, 2837.

- discosioides renamed S. discosioides, 2837. Cucumber (Cucumis sativus), apple virus can infect, 779j.

-, Arabis mosaic virus on, purification of, 2956.

-, Asparagus stunt virus on, 3079.

cherry necrotic ring spot virus on, antigens in, 779u.

- tatter-leaf virus on, lesions caused by, 2332.

-, citrus crinkly leaf and citrus infectious variegation viruses can infect, 2614b.

-, - psorosis virus, infectious variegation str. on, var. reaction to, 1639.

- psorosis 'A' and stubborn viruses can infect, 884b.

Cladosporium cucumerinum on, in U.S.S.R., 866; control, 866, 1207; conversion of dimethyldithiocarbamates by, 2473; cutinase

activity in, 1542; var. reaction to, 1207.

, Colletotrichum lagenarium on, control, 2779; effect of bacteria from leaves of, on,

2472.

, Corynespora cassiicola on, in U.S.S.R., biology of, 2171.

Erysiphe cichoracearum on, in Brazil, 1500; England, 1218c; U.S.A., 1499; U.S.S.R., 2166; control, 675, 1218c, 1499, 1500, 1535p, 2166, 2490a, 2491l; effect of bacteria from leaves of, on 2472; heat adaptation in, 644; inhibitory effect of griseofulvin analogues on, 2509; residues of morestan on, 2490a.

-, Fusarium on, in U.S.S.R., 3367.

-, — culmorum on, in the Irish Republic, 343. - javanicum var. ensiforme on, Cucurbita ficifolia (?)infection focus for, 2490h.

- oxysporum f.sp. cucumerinum on, in

Armenia, 869.

solani f.sp. cucurbitae on, in Netherlands, 2185a; rootstock susceptible to, 2185a. -, Glomerella magna on, in U.S.A., 2168.

, hop ringspot virus can infect, 526., lemon latent virus can infect, 884d.

[Cucumber] mosaic virus on Amaryllis, 2622; Amaryllis mosaic a str. of, 349.

— on Aristolochia, 1514.

- — on Asclepias syriaca, 2162.

--- on banana, 167, 1999, 2357.

— — on bean, 3071.

- — — on Campanula rapunculoides, 3237.

— — on cantaloupe, 1860, 2468. ——— on Capsicum, 61, 1798, 1799.

— — on cowpea, 695, 3071.

on cucumber in Canada, 2162; China, 1495; beet ring mottle virus distinct from, 1468; effect of detergents on, 1861; of monovalent and divalent cations on, 408; of photosensitizing dyes on, 1275; electron microscopy of, 1219a; hosts of, 1798, 2164, 2466; inactivation of, by chlorogenic acid iron or copper, 960; metabolism of resistant and susceptible vars., 1206; preparation of antiserum of, for use in virus studies, 60; preservation of, 1853; relationship of, with Crotalaria mosaic, Dolichos enation mosaic, and tobacco mosaic viruses, 1223; separation of antigenic plant protein from, 2557; serological relationship of *Dahlia* virus 3 to, 2933; strs. of, 1495; tomato aspermy virus serologically unrelated to, 658h, 1278; serologically unrelated to, 658h, turnip yellow mosaic virus distinct from, 1279; variation in symptoms of, 641.

- — on cucurbitaceae, 640.

— — on Echinocystis lobata, 2162.

— — on Gladiolus, 763.

- — on Gomphrena globosa, 413. - — on Heliopsis scabra var. patula, 1514.

--- on lupin, 1683, 3382d.

— — on maize, 641.

— — on melon, 655, 2163. — — on *Passiflora*, 1955, 3275.

— — on passion fruit, 884m.

– — — on *Pelargonium*, 1514.

— — on Platycodon grandiflorum, 3365.

— — on vegetable marrow, 2164.

— — on vegetables in France, 2466.

\*--- on Vinca major, 2185a. — — on Zinnia, 413.

Mycosphaerella melonis on, in Germany, 3366; New S. Wales, 657; Sweden, 1795.

necrosis virus on cucumber in Sweden, 2778.

-, potato virus X on, effect of mixed inoculations on, 1280.

-, Pseudomonas aptata on, 3287.

lachrymans on, in Brazil, 1500; \*Israel, -, — lachrymans on, ill Brazil, 1500, 151aci, 2474; U.S.A., 1814; U.S.S.R., 329, 646; W. Australia, 1797; antagonism of soil fungi to, 2231c; control, 646, 1209, 1500; factors affecting multiplication of, 2173; infection of seed by, 1501; specialization in, 329; var. reaction to, 1209, 2173.

-, Pseudoperonospora cubensis on, in Brazil,

control, 1500.

-, Pythium on, in U.S.S.R., 3367.

-, — (?)acanthicum on, 399.

- aphanidermatum on, 1796; effect of, on amino acids and sugars, 2172; on yield, 1796.

-, Rhizopus nodosus on, in India, 1223.

root rot in U.S.S.R., 3367; Fusarium and Pythium associated with, 3367.

[Cucumber], Saintpaulia line pattern virus can infect, 1514.

, Sphaerotheca fuliginea on, in U.S.S.R., 2166; wrongly identified as Erysiphe cichoracearum, 2469.

, strawberry latent ring spot virus can infect, 1219a.

-, tobacco necrosis virus on, effect of captan on root infection by, 563.

- ring spot virus on, transmission of, by vectors, to soybean, 3069.

-, tomato ring spot virus str. can infect, 779j. -, use of, as indicator for tomato black ring virus, 2335.

-, Vaccinium corymbosum necrotic ringspot virus can infect, 154.

Verticillium alboatrum on, in Irish Republic, 343.

- viruses 3 and 4 (?)strs. of tobacco mosaic virus, 415.

watermelon mosaic virus on, in U.S.A., -, wa 349.

-brine, Byssochlamys nivea in, in Canada, 907.

Cucumis melo and its vars., see Melon. -- var. cantaloupina, see Cantaloupe.

- sativus, see Cucumber, Gherkin.

Cucurbit latent virus on melon and squash, 2467.

Cucurbita ficifolia, Fusarium javanicum var. ensiforme on, (?)identical with strs. of American F. solani f.sp. cucurbitae, 2490i; optimum temperature for germination and growth of conidia and mycelium of, 2490i; penetration by, 2490i.

-, (?)infection focus for Fusarium javanicum var. ensiforme on cucumber, 2490h.

- maxima, see Squash.

- moschata, cucumber mosaic virus on, differentiation of strs. of, 1495.

-, melon mosaic virus on, in China, study on, 1495.

- pepo, see Pumpkin, Vegetable marrow. - var. oleifera, see Oil pumpkin.

Cucurbitaceae, Colletotrichum lagenarium on, 867; biochemical study of the host-parasite relationship of, 2167.

cucumber mosaic virus on, 2164; in Puerto Rico, 640.

, Erwinia tracheiphila on, transmission of, by

vectors, study on, 2781. Erysiphe cichoracearum on, in Bulgaria, 1794; Czechoslovakia, 1793; breeding against

1497; germination of conidia of, 1794. \*Fusarium oxysporum ff.sp. cucumerinum, \*melonis, and niveum on, in Greece, 868.

-, - semitectum on, 3088.

, Glomerella cingulata var. orbiculare on, distinction of, 1208.

- races 1, 2, 3 on, production of cellulolytic and pectinolytic enzymes by, 643. - lagenaria on, distinction of, 1208; production of cellulolytic and pectinolytic

enzymes by, 643.

-, — magna on, in U.S.A., 2168, \*2780; distinction of, 1208; production of cellulolytic and pectinolytic enzymes by, 643.

-, papaw mosaic virus on, 1719.

Pseudomonas lachrymans on, in W. Australia, 1797.

, Pseudoperonospora cubensis on, in Hong Kong, 345.

[Cucurbitaceae], pumpkin mosaic virus can infect, 856g.

, Sphaerotheca fuliginea on, in Bulgaria, 1794; Czechoslovakia, 1793; New S. Wales, \*1868, 2470; germination of conidia of, 1794; identification of, 2470.

, watermelon mosaic virus on, in Puerto

Rico, 640.

Cucurbitaria staphula on poplar, 1750d.
Culture collection, C.M.I., Catalogue of, 2830.

— collections, mite infestation in, 403, 2513.

— media for isolating streptomycetes, 2842;

exposed to light, inhibition of fungi by, 909; sea water, growth of fungi in, 910. Cultures for exchange by the National Agro-

nomy Station of Portugal, 1520.

Cuman, use of, against Cercospora elaeidis on oil palm, 1111; Gloeosporium alborubrum on Hevea rubber, 215.

Cumin (Cuminum cyminum), Fusarium oxysporum f.sp. cumini on, in India, 179.

Cupravit, use of, against Mycena citricolor on coffee, 1333; Plasmopara viticola, 340.

Cupressus, Monochaetia unicornis on, in New S. Wales, 2797.

arizonica, M. unicornis on, in Queensland, 263.

\*- lindleyi, Botryosphaeria dothidea and M. unicornis on, in Nyasaland, 877.

sempervirens, (?)Coryneum cardinale on, in

Mediterranean region, 1167.
—, C. torbessi, and C. torulosa, M. unicornis on, in Queensland, 263.

Cupric, see Copper.

Cupricol, use of, against Plasmopara viticola, 2487.

Cuprocide, yellow, use of, against Erysiphe polygoni on bean, 1532; Myrothecium roridum on coffee, 350g; Uromyces appendiculatus, 1532.

Cupronaphth and Cuprosan, use of, against Phytophthora infestans on potato, 2393.

Cuprous, see Copper.

Curit, use of, against Polystigma rubrum on plum, 2341

Currant (Ribes spp.), blackcurrant reversion virus on, in England, 1084, 2184h, 2680; bulletin on, 2184j; spread of, 1084; transmission of, by vectors, 1084, 2680a, b., Cronartium ribicola on, in U.K., trans-

mission of, to pine, 1169.

gooseberry veinbanding virus on, England, 2184h; symptoms of, transmission of, by grafting and vectors, 2352.

- mottle virus on currant in England, transmission of, by sap, 2184h.

-, Mycosphaerella ribis on, in Poland, 157. Pseudopeziza ribis on, in Poland, ascospore dispersal periods of, 158; control, 1085.

vein clearing and vein net viruses on currant in England, 2184h.

virus diseases in Czechoslovakia, 2351; England, 2184h.

vellows virus on currant in England, 2184h.

\*Curvularia carica-papayae on papaw, 1721. geniculata, factors affecting spore discharge

in, 2801. lunata, Cochliobolus lunata perfect state of, 2548.

- —, factors affecting spore discharge of, 2801.

- in the air over rice fields, 1017.

— — on sugarcane, 221, 555.

- ramosa, cellulose decomposition by, 1594.

\*[Curvularia] spicifera on Celosia cristata, 1046. \*- spinosa on Dahlia, 762.

Cuscuta, see Dodder.

(?) Cuticularia ilicis on holly, 884g.

Cyamopsis psoraloides, Alternaria cucumerina on, distinct from form on melon, effect of hot water treatment on, 658p.

-, Colletotrichum dematium on, distinct from form on Capsicum, effect of hot water treatment on, 658p.

Crotalaria mosaic virus on, 1938; in

India, 1339.

Plasmopara cyamopsicola on, in India, 1237.

, Pseudomonas syringae on, in Queensland, 1228.

-, Sclerotium rolfsii on, factors affecting, 630. -, tobacco ring spot virus str. on, hosts of,

symptoms of, and transmission of mechanically, 629.

Xanthomonas cyamopsidis on, in India, 2145, 3361; name *X. cyamophagus* should be invalidated, 2145.

Cyanamide, effect of, on Cercosporella herpotrichoides on wheat, 2874; Sclerotinia trifoliorum in soil, 1835i.

Cyclamen black root rot in Norway, Thielaviopsis basicola causing, 481.

-, Botrytis on, control, 675.

Cylindrocarpon radicicola on, in Sweden, Nectria radicicola perfect state of, 1344.

-, Nectria radicicola on, in Netherlands, 2927; control, 2732; imperfect state of, 2732.

-, Thielaviopsis basicola on, in Norway, causing black root rot, 481; control, 481, 2932, 3096m, 3239a, b.

Cycloconium oleaginum on olive, 2690.

Cyclohexane and cyclohexene, effect of, on apple superficial scald, 2965.

Cycloheximide, see Actidione.

Cycocel, use of, against Verticillium alboatrum on tomato, 2411.

Cydonia oblonga, see Quince.

Cylindrocarpon destructans preferred to C. radicicola for imperfect state of Nectria radicicola, 2932.

- radicicola, antagonism of Actinomyces levor-

is to, 33.

— on carrot, 343.

— on Cyclamen, 1344.

— on oak, 1425.

- on plant root surfaces, 1549c.

— on vine, 1808.

Cylindrocladium ilicicola on Eucalyptus alba, E. robusta, and E. saligna, 3028.

scoparium on spruce, 1172.

\*Cylindrosporium chrysanthemi on sunflower,

Cymadothea trifolii on clover, 2493f, 2795.

Cymbidium mosaic virus on Cattleya, 2636a, b. on Cymbidium, control, 2636b; inactivation of, 2636b; virus particles in, 1218b.
— on *Phalaenopsis* and *Vanda*, 2636b.

- ring spot virus on Cymbidium, properties of, 1218b.

Cymbopogon citratus, Curvularia lunata on, 221.

Cynara cardunculus, Leveillula taurica on, study on, 2839.

- scolymus, see Artichoke.

Cynodon dactylon, new disease of, in U.S.A., 1960a; Odonaspis ruthae associated with,

-, Pythium aphanidermatum on, var. reac-

tion to, 349.

- —, Sorosporium cynodontis on, 2947. -, sugarcane grassy shoot virus on, in India, symptomless carrier of, 1222

-, Ustilago cynodontis on, 2947; in Lebanon, 1578.

- hitchcockiana and U. paraguariensis on, 2947:

Cynoglossum officinale mosaic virus, deforma-

tion of flowers by, 1665. Cynosurus cristatus, Typhula incarnata on, in Scotland, 1673.

Cyphomandra betacea, effect of sap from, on tobacco mosaic virus, 962

- immune from tobacco mosaic virus, 2561.

-, Plantago mosaic virus can infect, 2561. Cypress, see Cupressus.

Cyprex injury to watermelon, 882d.

use of, against Lophodermium needle cast disease of pine, 2188e.

- in combination, use of, against Monilia roreri, 2574.

Cypripedium calceolus and C. pubescens, Puccinia cypripedii on, in Czechoslovakia,

Cyrotomium falcatum, inhibition of tobacco mosaic virus on Nicotiana glutinosa by leaf sap of, 55.

\*Cystodendron dryophilum on oak, 845.

Cytophaga W, decomposition of cellulose by, 615. Cytophoma pruinosa on ash, 2415g.

Cytospora punicae on pomegranate, 2831a. - sacchari on sugarcane, 659b.

\*— vitis on vine, 3092.

2,4-D, effect of, on Agrobacterium tumefaciens on tomato, 2413.

, use of, against Puccinia penicillariae on Pennisetum typhoides, 1241n.

- amine salt, effect of, on Phytophthora cinnamomi on Macadamia, 843.

DAC-649, use of, against Fusarium oxysporum f.sp. gladioli on Gladiolus, 349; as soil

disinfectant, 658b. DAC 2031, use of, as soil disinfectant, 658b.

Dacrydium, mycorrhiza of, in N.Z., 1448. Dactylella gephyropaga on tomato rootknot

nematodes, 1812c.

stenomeces on Pythium debaryanum, P. irregulare, and P. ultimum oospores, 400. Dactylis glomerata, Erysiphe graminis on, 1676.

-, Mastigosporium rubricosum on, in Germany, 771.

(cocksfoot) mottle virus on Dactylis glomerata in England, 2642, 2790d; confusion of, with *Dactylis glomerata* streak virus, 2642; transmission of, by sap, 2642, 2790d; by tools, 2642.

-, Pyrenophora dactylidis on, factors affecting, 398.

-, Rhynchosporium orthosporum on, in Japan, 722.

— streak virus on D. glomerata in England, 2642; Germany, 107; confusion of, with D. glomerata mottle virus, 2642; factors affecting, 2945; properties of, 107.

[Dactylis glomerata], Typhula incarnata on, in Scotland, reaction to, 1673.

Dacus, effect of, on Capnodium elaeophilum on olive, 2367.

Daedalea unicolor on Tremax columba, 2810. \*Dahlia, Curvularia spinosa on, in India, 762.

Erwinia chrysanthemi on, in Netherlands, 3096f.

—, Fusarium on, in U.S.S.R., 1942.

- mosaic virus on Dahlia in Romania, 1274; detection of, 482.

, similarity of properties of Dahlia virus 1 to, 2933.

— ringspot virus on *Dahlia* in U.S.A., similar properties to tobacco ring spot virus, 884h.

-, Sclerotinia sclerotiorum on, in U.S.S.R., 478.

-, Stemphylium floridanum on, control, 100. virus diseases, identification and isolation of, 2933.

- virus 1, similarity of properties of, to Dahlia mosaic virus, 2933.

-2, resemblance of, to tomato spotted

wilt virus, 2933. - 3, serological relationship of, to cucum-

ber mosaic virus, 2933. 4, similarity of, to tomato ring spot virus,

2933. Dalapon, use of, against virus diseases of potato,

Dalbergia sissoo, Uredo sissoo on, in India, 3329.

Dalbulus maidis transmitting maize stunt virus, 350e, 724, 881d.

Daldinia concentrica on aspen and oak, 2113.

on timber, 1174a.

Damping-off of cabbage, 18351; carob, 2796; celery, \*2797; chive in N.Z., 316; coniferae, 1437, 2089; eggplant, 2174; forest trees, 1435, 1436; garlic in N.Z., 316; onion, 2149; in N.Z., 316; papaw, 1367; pine, 3038; sandalwood, 591; shallot in N.Z., 316; tomato, 18351.

Damson (Prunus insititia), Polystigma rubrum on, 2342.

, Tranzschelia on, control, 2954. Dandelion (Taraxacum officinale), potato parastolbur virus on, in Czechoslovakia, transmission of, by grafting and vectors, 1277.

Dapacryl, see dinitro-alkyl-phenyl-acrylate. Daphne mezereum var. alba mosaic virus, 2491c.

Dasyhelea lithotelmatica, Rubetella inopinata on, in France, 2809.

Dasyscypha ciliaris on chestnut leaf litter, 1751. - pini on pine, 2743.

Datemycin, production of, from bacteria in Japan, 900.

Datura, tobacco ring spot virus str. on, 629. - metel, Alternaria tenuis on, 2381.

--, - porri on, in Portugal, 2831b.

- stramonium, Agrobacterium tumefaciens on, effect of mutants on, 22.

— —, Crotalaria mosaic virus on, 1938.

- ... cucumber mosaic virus can infect, differentiation of strs. of, 1495.

— — leaf extracts inhibiting Crotalaria mosaic virus, 1223.

— —, lupin mosaic virus can infect, 1683.

[Datura stramonium], potato leaf roll virus on, 2015; diphenylamine colour reaction of, 658w.

- ---, ---- virus X necrotic str. S on, 1134.

radish ring spot virus on, reaction to, 2119.

-, tobacco mosaic virus on, effect of Capsicum annuum extracts on, 2848.

-, - mottle + tobacco vein distorting viruses on, reaction to, 3302.

-, — etch virus on, electron microscopy of, and types of virus particle masses, 1741.

-, - mosaic and necrosis viruses on, production of inhibitor in uninfected tissues of, 416.

--, - vein distortion + tobacco mottle viruses on, reaction to, 3302.

-, use of, as indicator for *Cymbidium mosaic* virus, 2636.

- tatula, Alternaria porri on, in Portugal, 2831b.

Daucus carota, see Carrot.

Dazomet, use of, as soil treatment against spruce diseases, 2790l.

DBCP, use of, against Corticium solani on tomato, 2212

DCNA, use of, against Rhizopus stolonifer and Sclerotinia fructicola on apricot and peach, 2673.

- in combination, use of, against S. fructicola on peach, 2673. -, see also Botran 50W

DCTFA injury to bean, 2816.

-, use of, against Puccinia graminis on Poa pratensis, 2816; P. striiformis on wheat, 1185; P. recondita on wheat and Uromyces appendiculatus on bean, 2816.

DD, use of, against Erwinia parthenii var. dianthicola on carnation, 1; Poria hypolateritia on tea, 3007; vine infectious degeneration, 3091; as soil fumigant, 1089, 1218b, 1219a, 2490e.

DDAB, use of, against Erysiphe graminis on barley, 365; Nectria galligena on apple, 2318; Pseudomonas mors-prunorum on cherry,

versus Bordeaux mixture, 2184a.

DDT, effect of, on absorption of streptomycin by apple, 1824.

-, use of, against potato aphids, 2020; as seed treatment for ginger, 182.

in combination, use of, against vectors of Gloeosporium musarum on Musa balbisiana, 803.

Deftan-fog, use of, against Botrytis on Chrysanthemum, Cyclamen, and tomato, 675; Erysiphe cichoracearum on cucumber, 675; Oidium on ornamentals, 675.

Deightoniella torulosa on banana, 168, 2004. Delan, use of, against Glomerata cingulata on vine, 2788; Tranzschelia on damson, 2954; T. pruni-spinosae var. discolor on peach, 507;

Venturia inaequalis, 2954. Delphacodes pellucida transmitting oat sterile

dwarf and wheat striate mosaic viruses, 2857.

- striatella transmitting rice black-streaked dwarf and rice stripe viruses, 460; rice black-streaked stunt virus, 1902.

Delphinium, Pseudomonas delphinii on, in New

S. Wales, 2797.

Deltacephalus transmitting Sesame phyllody virus, 1222

Dematiaceae in soil, 1552.

Demeton, use of, against potato aphids, 2020. Dendroctonus monticolae associated with Ceratocystis huntii on pine, 2746.

- on timber in Canada, associated with blue stain fungi, 1226a.

\*Dendrodochium fusisporum on soybean, 2541. \*Dendrophoma marconii on hemp, 419.

\*- myriadea on oak, 845.

- obscurans on strawberry, 801, \*1088, 1995. Deodar (Cedrus deodara), inhibition of tobacco mosaic virus on Nicotiana glutinosa by leaf sap of, 55.

Dermea balsamea on Abies balsamea, 1750a. Desmodium, Colletotrichum dematium f.sp. truncata on, in U.S.A., transmission of, by seed, 778.

Detergents, effect of, on plant virus infection,

Deuteromycetes on insects, 670.

Deuterophoma tracheiphila on citrus, 696, 3223.

- — on lemon, 2617. – on orange, 90. Dew recorders, 885d.

Dexon, inhibition of Pythium aphanidermatum by, 658a.

- injury to Lolium perenne, 349. -, use of, against Phytophthora cinnamomi on Abies fraseri, 596; Pythium aphanidermatum on Lolium perenne, 349; as soil treatment for damping-off of conifers, 1437.

Diabrotica transmitting Erwinia tracheiphila on

cucurbits, 2781; study on, 2781.

- (?)laeta transmitting cowpea mosaic virus str., 1481.

- longicornis transmitting pumpkin mosaic

virus, 856g.

- undecimpunctata howardi transmitting bean pod mottle virus, 1476; pumpkin mosaic virus, 856g.

- virgifera transmitting pumpkin mosaic virus, 856g.

Dialeurodes citri, Aschersonia a parasite of,

Dianthus balbisii, Verticillium cinerescens on,

barbatus, carnation ring spot virus on, infectivity of phenol extracts of sap from, 2790a.

- caryophyllus, see Carnation.

- crinitus, D. hyssopiflorus, and D. nardiformis, Verticillium cinerescens on, 760. Diaporthe fasciculata on oak, 1425.

- perniciosa, association of, with anthracnose

of apple, peach, and plum, 2311. Fusicoccum malorum and Phomopsis

mali conidial states of, 2311. \*— phaseolorum on Capsicum, 648.

- taleola on oak, 1425.

- vaccinii on stored cranberry, 1711.

Diatrypella quercina on oak, 1755.

Dibotryon morbosum on plum, 33270.

Dibromethane, use of, against vine infectious degeneration, 3091.

Dichlone, effect of, on apple yield, 1070.

-, evaluation of, in smoke generators, 895.

-, fungitoxic effect of, on Corticium solani, 2920.

-, use of, against Erysiphe polygoni and Uromyces appendiculatus on bean, 1532.

Dichloropropene-dichloropropane in combination, effect of, on bulb production by lily, and use of, as soil fumigant, 1671.

Dichlorosalicylanilide, use of, against Cladosporium fulvum on tomato, 3322

Dichlorotetrafluoroacetone, see DCTFA. Dichloroxyquinoline, use of, against *Pleospora* 

betae, 2132a. Dichol, use of, against vectors of currant and gooseberry virus diseases, 2351.

Dicranotropis hamata not transmitting wheat striate mosaic virus, transmitting oat sterile dwarf virus, 976.

Dictionary, Russian-English, 3112.

Dictyophora indusiata, submerged culture of, 1503.

1,2-dicyano-1,2-dichloroethylene, see R & H-

Didecyldimethyl ammonium bromide, see DDAB.

Didymascella oxycedri, D. tetramicrospora, and D. tetraspora on Juniperus, 264.

- thujina on Thuja and T. occidentalis, 3042. on Thuja plicata, 3345. Didymella applanata on raspberry, 519, 1993,

2681.

— lycopersici on tomato, see Tomato.

Didymellina dianthi on carnation, 62, 1043.

Diepoxybutane, mutagenic effect of, on *Puccinia graminis* on oats, 1618.

Diesel fuel, Gibberella fujikuroi in, 2512. Diethyloctyltin oxide, use of, against Corticium solani on potato, 2999.

Difolatan, effect of, on growth of Botrytis allii

and Sclerotinia sclerotiorum, 1247, 2213.

in combination, use of, against Sclerotinia fructicola on peach, 2673.

\*Digitalis, Septoria digitalis on, in Hungary, 2694.

lanata, tobacco mosaic virus on, in Germany, strs. of, 1099.

---, (?) Tropaeolum ring mosaic virus on, in

Germany, 1099.

— purpurea, fungi on, 3282.

Digitaria disease in Fiji, similarity of, to disease in Malaya, N. Borneo, Sarawak, and Surinam, 1958.

decumbens stunt virus on D. decumbens in Surinam, 7.

on grasses, 6.

Dill (Anethum graveolens), fungi on, 3282. —, Ramularia foeniculi on, in India, 180. Dilophospora alopecuri on wheat, 2256.

Dimecron, use of, against vectors of cucumber and lucerne mosaic viruses, 1798.

- in combination, use of, against Cercospora beticola, 1778.

1,1-dimethyl-3-(p-acetomido-phenyl) triazine, use of, against potato leaf roll virus, 1730.

Dimethylaminobenzenediazo sodium sulphonate, effect of, on soil respiration, 2503. N-dimethylaminosuccinamic acid, see B-995.

Dimethyldithiocarbamates, conversion of, by cucumber into compounds toxic to Cladosporium cucumerinum, 2473.

Dinitro-alkyl-phenyl-acrylate, see binapacryl. 2,4-dinitrophenol, reversal of self-inhibition of uredospore germination of Puccinia recondita by, 2867.

Dinitrorhodanebenzene, use of, against Diplocarpon rosae, 2300.

in combination, use of, against Cladosporium fulvum, 3322.

Dinocap, biological activity of commercial. 30961

injury to apple, 1068.

-, use of, against Erysiphe cichoracearum on cucumber, 1218c; Podosphaera leucotricha 1067, 1068, 2665.

versus thioquinox, 1218c.

Dinol, use of, against vectors of currant and gooseberry virus diseases, 2351.

Dioctyl sodium sulpho-succinate, see DOSS.

Dioscorea, see Yam.

- composita and D. floribunda, Helminthosporium on, in Guatemala, 2480.

Diospyros kaki and D. virginiana, see Persimmon.

Diphaulaca (?)meridae transmitting cowpea mosaic virus str., 1481.

Diphenylamine, see DPA.

Dipladenia rosea, (?)tobacco mosaic virus on, in Denmark, 1514.

Diplocarpon earlianum on strawberry, 801, 1995.

rosae on rose, see Rose.

Diplodia ilicicola on holly, 2831a. - maydis on maize, see Maize.

\*- natalensis on mango and orange, 2977.

- pinea on Pseudotsuga menziesii, 3343.

rosarum on rose, 1956.
viticola on vine, 2178, 309
zeae on maize, 1306, 1309. 3094.

Diptera lithotelmatica, Carouxella scalaris on,

in France, 2809.
Directory of the American Phytopathological Society, 352.

Dische diphenylamine reagent, effect of potato leaf roll virus on, 202, 1221c.

Discula acerinum, Gloeosporium acerinum renamed, 941.

- pinicola on timber, 1456, 1767n.

- platani imperfect state of Apiognomonia errabunda, 941

- the type of the genus Discula, 941. \*- quercina on oak, 845.

Disodium octoborate, use of, against Fomes annosus on pine, 1442.

Distantiella theobromae in relation to cacao

diseases in W. Africa, 3175.

Disyston, use of, against vectors of beet yellows virus, 3055; of potato leaf roll virus, 2983, 2984; of potato virus Y, 2984; of potato viruses, 2020.

- versus metasystox, 3055.
- S, toxicity of, 2983.
- —, use of, against vectors of potato leaf roll virus, 2983.

Dithane, effect of, on germination of pollen of apple and pear, 2966; on potato flavour 2995.

-, use of, against Phytophthora infestans on potato, 2995; as soil disinfectant, 3102 in combination versus nabam-zineb, 360.

- A40, use of, against Plasmopara (?)viticola, 3375.

D-14, see also Nabam.
M-22, use of, against Cercospora on coffee, 2276b; Phakopsora sojae on soybean, 1204; Puccinia asparagi, 3080.

- in combination, use of, against Clado-

sporium fulvum, 2073.
- M-45, use of, against Diplocarpon rosae, 349; Fusarium roseum on Agrostis, Festuca rubra, and Poa pratensis, 2946; Puccinia asparagi on Asparagus, 3080.

[Dithane] S-31, use of, against Puccinia asparagi, 3080; P. graminis and P. recondita on wheat, 2497.

- Z-78, inhibiting germination of Protomyces

macrosporus chlamydospores, 2693.

—, use of, against Alternaria solani on potato, 966; Peronospora tabacina on tobacco, 2406; Phakopsora sojae on soybean. 1204; as seed treatment for tobacco, 2406.
— in combination, use of, against *Phakopsora sojae* on soybean, 1204.

Dithianon, use of, against Fusicladium carpophilum and Tranzschelia pruni-spinosae f.sp. discolor on peach, 657.

in combination, use of, against T. p.-s. var.

discolor on peach, 507.

Dithiocarbamate copper chelate, use of, against Phytophthora palmivora, 1586a.

Dithiocarbamates, effect of, on onion, potato, and tulip, 3096k.

, use of, against Phytophthora infestans on potato, 2704.

versus copper compounds, 2704.

Dithiocarbamic acid, effect of, on potato virus diseases, 362.

-, use of, against Phytophthora infestans on potato, 362.

Ditylenchus dipsaci, association of, with Phoma solanicola, 1124.

- transmitting Corynebacterium insidiosum on lucerne, 1225m.

DNOC, use of, against virus diseases of potato,

DNOP, use of, against Podosphaera leucotricha, 2184c.

DNOPC, use of against P. leucotricha, 2317. Dock (*Rumex*), cucumber mosaic virus on, in Yugoslavia, 1798.

Dodder (Cuscuta) transmitting citrus psorosis, tristeza, and vein enation viruses, 1919; clover dwarf, clover metastolbur, clover phyllody [strawberry green petal], and Czech potato witches' broom viruses, 1276; maize stunt virus, 881d; potato parastolbur virus, 1276; strawberry mottle virus, 162; tomato stolbur virus, 1276.

Dodecyl-benzyl-methyl-ethyl piridine chloride, use of, against Pseudomonas solanacearum

on banana, 2975.

1-dodecyl-2-methyl-1,4,5,6-tetrahydropyrimidine, see TD 225.

Dodine, effect of, on absorption of streptomy-cin by apple, 1824; on growth of *Botrytis* allii and Sclerotinia sclerotiorum, 1247, 2213. , evaluation of, for use in smoke generators,

895.

- injury to apple, 1070.

use of, against Botrytis cinerea on straw-1092; Cladosporium variabile and Colletotrichum dematium f.sp. spinaciae on spinach, 3078b; *Mycosphaerella fragariae* on strawberry, 1092; storage disorders of cranberry, 2348; *Venturia inaequalis*, 128, 129, 342, 1070, 2662; V. pirina, 129, 1076.

- in combination, use of, against Xanthomonas

pruni on peach, 1987.

acetate uptake by Neurospora crassa, 1512i. Dolabra nepheliae on Nephelium lappaceum,

Dolichos enation mosaic virus on Lablab niger, 2849, 3073.

---, relationship of cucumber mosaic virus str. and, 1223.

Domiphen bromate, use of, against Erysiphe graminis on barley, 365.

\*Doronicum caucasicum, Puccinia doronicella on, in Netherlands, 2185a.

DOSS, effect of, on tobacco mosaic virus on tomato, 1143.

Dothidella ulei on Hevea rubber, 6, 213, 1396,

2401.

Dothiorella armeniaca, Gloeosporium armeniaceum renamed, 941.

- quercina on oak, 3327d.

— *ulmi* on elm, 372.

Dothistroma pini on pine, 2100, 2101. (?)var. linearis on pine, 2101.

Douglas fir, see Pseudotsuga menziesii.

Dowicide A, use of, against storage disorders of carrot, 633; for fumigating lemon packing houses in U.S.A., 1644.

DPA, effect of, on apple superficial scald, 2965.

injury to apple, 790, 793, 1074.

-, use of, against apple scald, 790, 793, 1074, 1354, 2325, 2668, 3256; *Botrytis cinerea* on Ribes aureum, 2350.

Dracaena, Alternaria tenuis on, 2381.

Drechslera bromi on Bromus inermis, 2303.

- gigantea on banana, 2004.

Drepanopeziza populorum on poplar, 2424.

Dri-sil 37, addition of, to fentin acetate, 2790n. Drosophila melanogaster in relation to Geotrichum candidum, Mucor hiemalis, and Rhizopus stolonifer on tomato, 576.

Drought injury to Pseudotsuga menziesii, 1443. Dupont fungicide, 328, use of, against Diplo-

carpon rosae, 349.

Duramycin, effect of, on Trichoderma viride, 903.

Duter, use of, against Corticium invisum on tea, 1737a.

Dyrene, use of, against Leptosphaerulina briosiana, Phoma herbarum var. medicaginis, and Pseudopeziza medicaginis on lucerne, 118; Septoria apii on celery, 2154; Stemphylium on Kalanchoe fedtschenkoi and K. laxiflora, 2798d; as soil treatment for damping-off of conifers, 1437.

- in combination, use of, against Botrytis cinerea and Phytophthora infestans on

tomato, 1747.

- 50W, use of, against Fusicladium effusum on pecan, 3032.

Earwigs in relation to Puccinia antirrhini on Antirrhinum, 2624.

Ecballium elaterium mosaic virus. Ononis repens yellow mosaic virus related to, 2790b. Echeveria, \*Stemphylium bolicki on, in U.S.A., 1342

Echinochloa crusgalli, effect of residues of, on wheat, 992.

- frumentacea, Ustilago paradoxa on, varietal reaction to, 2899.

Echinocystis lobata, cucumber mosaic virus on, serology of, 60; transmission of, by vectors, 2162.

- mosaic virus, serology of, 2245. Echinodontium tinctorium on Abies, 1750f.

— — on A. grandis, 2091

— — on A. lasiocarpa, 1750f.

— on timber, 597.

EDTA, effect of, on bean pod mottle virus, 2559.

Eggplant (Solanum melongena), Alternaria solani on, in Romania, 2071.

tenuis on, 2381.

Cercospora melongenae on, in Nyasaland, 877.

Corticium solani on, 1147; in Argentina, 2174.

-, cucumber mosaic virus on, in France, 2466. damping-off in Argentina, 2174.

-, effect of Trichoderma koningii on germination and growth of, 1535i.

fungi on, list of, in S.E. Asia and Pacific-Region, 3086.

-, Fusarium semitectum on, 3088.

, Leptosphaerulina trifolii on, in Nyasaland,

—, Phomopsis vexans on, in Argentina, 2174. -, Phytophthora infestans on, in Israel, 2392.

Pseudomonas solanacearum on, 181; in S.E. Asia, 3086; pathotype of, 669.

-, Puccinia penicillariae on, (?)homothallism

in, 1317.

-, tomato stolbur virus on, in Bulgaria, transmission of, by aphids, 2562.

-, Verticillium alboatrum on, comparison of cellulolytic and pectolytic activity in V. dahliae and, 334.

- dahliae on, comparison of cellulolytic and pectolytic activity in V. alboatrum and, 334.

Elaeis guineensis, see Oil Palm.

Elder (Sambucus) stripe mosaic virus, 2491c.

Electricity, use of, as seed treatment for soybean, 2456.

Electron microscopy of apple chlorotic leaf spot, 2184f; cucumber mosaic virus,1219a; lucerne mosaic virus, 3246; orchid ringspot virus, 2851; raspberry bushy dwarf virus, 2184f; sheath surrounding the haustorium of Erysiphe graminis, 995; soil-borne wheat mosaic virus, 3178.

Elephantopus mollis (?) reservoir for coconut cadang cadang disease, 189.

Elettaria cardamonum, Amonum subulatum 'foorkey' virus can infect, 3280. 'chirke' virus and 'foorkey' disease in

India, transmission of, by vectors, 1222. Elm (Ulmus), Cephalosporium on, 3025.

Ceratocystis ulmi on, 881i; in Netherlands, 250; \*Norway, 1576; U.S.A., 248, 249; control, 881i, 2733; factors affecting, 248; affecting susceptibility to, 249; revised American publication on, 2733; specific reaction to, 249, 250; technique for extracting conidia from elm wood, 881h; virulence in, 2188c.

- cowl-forming leaves in Czechoslovakia and

Italy, 3027.

-, Dothiorella ulmi on, 372.

 mosaic virus str. on elm in Canada, 1750a. Nectria cinnabarina on, var. reaction to, 2077.

-, Verticillium alboatrum on, in U.S.A., transmission of resistance of walnut to, 1433.

virus abnormalities and witches' brooms in Italy, transmission of, by budding, 3027.

Elsinoe ampelina on vine, 3376. \*— fawcettii on citrus, 1518, 2909.

on lemon, 345.

— mangiferae on mango, 173.

— piri, synonymy of, 3156.

\*— quercus-ilicis on oak, 845. \*— sacchari on sugarcane, 3006. [Elsinoe] tiliae on Tilia caroliniana var. roophila, T. moltkei, and T. platyphyllos, 3336.

— veneta on boysenberry, 798.
— — on raspberry, 519, 1993, 2354, 2971.
Emmi, use of, against Erwinia amylovora on

pear, 147.

- in combination, use of, against Pythium aphanidermatum on Lolium perenne, 349. Empoasca fabae causing lucerne tumours, 121,

flavescens transmitting plum pox virus, 779p.

(?) Empusa planchoniana on pea aphids, 1529. Endive (Cichorium endivia) brown heart in

U.S.A., control, 2161.

- foot rot, effect of soil disinfection with chloropicrin and DD on, 2490e; not now ascribed to Xanthomonas vitians, 2490e.

, phycomycete on, causing foot rot, 2490e. Endomycin, inhibition of Marasmius oreades

by, 1253.

Endothia parasitica on chestnut, 247, 1967, 2419.

on forest trees, 3024. – — on *Rhus typhina*, 2426.

Endothion, use of, against vectors of bean curly top virus, 2768.

Endria inimica not transmitting European wheat striate mosaic virus, 429.

-, slow rate of reproduction of, 2248. — transmitting wheat striate mosaic virus, 66, 429, 1225e, 1282, 2248.

Endrin, effect of, on absorption of streptomycin by apple, 1824.

Enterobryus bifurcatus on Californiobolus uncigerus, 28.

Entobacterin 3, use of, as pesticide, 355. Entomophthora in relation to insect control, 27.

— aphidis on aphids, 1529, \*2204. — on Brevicoryne brassicae, 356.

- fresenii and E. fumosa, associated with insects and mites on citrus, 357.

- sphaerosperma on Therioaphis riehmi, 671. Entyloma calendulae on Calendula officinalis, 62.

oryzae on rice, 463, 729, 1911. EP-166, use of, as seed treatment for Cruciferae,

Ephelis pallida on rice, 2902.

Epicoccum neglectum, inhibition of growth of Saccharomyces carlsbergensis by, 77.

Epitrix cucumeris transmitting tobacco mosaic virus, 229.

Eptam, use of, against Verticillium dahliae on cotton, 3233.

Erad, toxicity of, to strawberry plants, 802. , use of, against decay of strawberry plants, 802.

Ergot, see Claviceps purpurea.

Erica, Phytophthora cinnamomi on, 2297.

gracilis, Erysiphe cichoracearum and Oidium ericinum on, in Germany, 1341.

Ericaceae mycorrhiza, 374.

Eriobotrya japonica, see Loquat. Erwinia, inhibition of, by cauliflower seed extract, 617.

- amylovora, taxonomic study of, 1239.

— on apple, see Apple. — on fruit wood, 2955.

— — on pear, see Pear. - aroideae on cabbage, Chinese, 1460.

— on potato, 3296 — — on sunflower, 531.

- on Syngonium podophyllum, 349.

[Erwinia aroideae] on tobacco, 835.

— atroseptica on potato, see Potato.

- carotovora, development of resistance to thiosulphate esters in, 2804.

-, effect of levomycetin on, 1535b; onion juice on, 2508.

-, inhibition of growth of, by chlorothion, 20.

--, method of distinguishing virulence in, 2805.

— — on banana, 1999.

— on cabbage, 1535q.

— — on cabbage, Chinese, 1460.

--- on carrot, 3381. — on chicory, 2160.

- — on *Iris*, 1048.

— — on potato, 2035, 3296, 3381.

---, pectolytic activity and virulence of, 2200.

— f.sp. zeae on maize, \*2497, 2605.

— chrysanthemi on Dahlia, 3096f.

— — on Syngonium podophyllum, 349.

- —, resemblance of bacterium on carnation to, 2930.

- *lathyri* on maize, 1010. - (?)— on oil palm, 2384.

— maydis on maize, 2605.

parthenii var. dianthicola on carnation, 1.

— tracheiphila on cucurbits, 2781.

— —, preservation of, by freeze-drying, 2201. — uredovora, method for distinguishing, 1524.

— vitivora on vine, 341. Erysiphaceae in Cyrenaica, 3171; Denmark, 1066; Portugal, 2234; rain and damp in relation to, 3171.

Erysiphe betae on beet, 293, 1578.

cichoracearum, factors affecting germination of, 2524.

\*— — on ash, 2544.

 on bean, 883g. — on cantaloupe, 645.

— — on Carthamus tinctorius, 1373.

— — on *Cosmos*, 2234.

- - on cucumber, see Cucumber.

- on cucumber, gherkin, and melon, pre-viously identified as Sphaerotheca fuliginea, 2469.

— on Cucurbita, 1497.

— — on Cucurbitaceae, 1793, 1794.

– on Erica gracilis, 1341.

– — on legumes, 1842

— on melon, 330, 1793, 2783. — on tobacco, 570, 2497, 2722.

— — on Valerianella olitoria, 1341.

— — on watermelon, 1793.

- graminis, 2183f.

— —, hosts of, 1676.

— — in the air, 2264. — — on barley, see Barley

2303. — — on Bromus inermis,

— on cereals, 1842, 2234, 2575.

— — on oats, 2183b.

- - on Poa pratensis, 2651.

— — on rye, 1592, 2795. — — on wheat, see Wheat.

-, relationship between internal characters of the conidium and germination in, 2260.

- pisi on lucerne, 2234.

— polygoni on bean, 1532, 3065.

- — on beet, 3127

--- on carrot, 635, 1223.

[Erysiphe polygoni] on Cleome pungens, 1341.

- on Foeniculum vulgare, 635.

\*— (?)— on mustard, Indian, in India and can infect mustard, yellow, 1458.

— on opium poppy, 1341.

— — on parsley, 635.

— — on pea, 2444.

— — on Valerianella olitoria, 1341.

— umbelliferarum on carrot, 2185c.
— on Foeniculum vulgare, 1842.

Escherichia, inhibition of, by cauliflower seed extract, 617.

Ethanol, effect of, on rhizomorph production by Armillaria mellea, 1544.

Ethoxyethyl mercury silicate, use of, against *Fusarium* on wheat, 2208.

Ethoxyquin, use of, against apple scald, 141, 2964a; apple superficial scald, 793.

—, see also Santoquin.

Ethyl alcohol, see Ethanol.

Ethylcellulose lacquer, use of, as leather preservative, 2510.

Ethylene, production of, by *Penicillium aigitatum* spores, 2219; *Pseudomonas solanacearum*, 2202.

bromide, use of, as soil fumigant, 1677.
 oxide, in combination, use of, against fungion old books and manuscripts, 2510.

— derivatives, use of, on tea, 561. Ethylenethiourea, production of, from zineb,

31. Ethylenethiuram monosulphide, use of, against

Peronospora tabacina on tobacco, 567. Ethyl ethoxy mercuric chloride, use of, against Ceratocystis paradoxa on sugarcane, 1129.

- malonate, inhibitor for fungal cellulolytic enzymes, 381.

— mercury bromide, use of, as soil disinfectant, 3096b.

— phosphate, use of, as seed treatment for beet, 343.

thiosulphonic acid, use of, against *Ustilago* maydis on maize, 726.

Eucalyptus, Botrytis cinerea on, in Italy, 2734.

—, Cercospora and Macrophoma on, in India, 558.

 natural durability of, due to methanolsoluble constituents, 610.

 alba, Cylindrocladium ilicicola on, in Brazil, Calonectria ilicicola perfect state of, 3028.

 gomphocephala, magnesium deficiency in, causing leaf chlorosis, 1754a.

---, mineral deficiencies in, key to leaf symptoms of, 1754b.

- robusta and E. saligna, Cylindrocladium ilicicola on, effect of, on, 3028.

— —, Polyporus sulphureus on, in Brazil, 1156. \*Euchlaena mexicana, Helminthosporium on, in India, 493.

Eugenia jambolana, Pestalotiopsis versicolor on, in India, physiologic studies on, 2819.

\*——, Selenophoma kamatii on, in India, 3276.

— paniculata, inhibition of tobacco mosaic virus on Nicotiana glutinosa by leaf sap of, 55.

Eulecanium corni, Cordyceps clavulata on, in Yugoslavia, 2206.

Euonymus japonica, Oidium euonymi-japonici on, 1842.

Eupatorium chinense ssp. sachalinense, Coleosporium eupatorii can infect, 2745.

— purpureum, Plasmopara halstedii on, in U.S.A., 1106.

Euphorbia, cassava mosaic virus on, methods of obtaining antiserum against, 3370.

Eurocidin, production of, from actinomycetes in Japan, 900.

Eurygaster integriceps, increased virulence of Beauveria bassiana variants against, 355.

Euscelis transmitting strawberry green petal virus, 2184g.
— plebejus transmitting clover virus, 3096g;

potato parastolbur virus, 1277.

Eutettix tenella, see Circulifer tenellus.

Eutypa armeniacae on apricot and Ceanothus thyrsiflorus, 2338.

Eutypella russodes on orange, 345.

Exobasidium, studies on morphology, physiology, and serology of, 2838.

– (?)azaleae on Rhododendron, 3140. – vaccinii on Camellia sasanqua, 657.

— (?)vaccinii on Rhododendron, 3140. — — on Vaccinium vitis-idaea, 2838.

— vexans on tea, see Tea.

Fabraea maculata on Crataegus, 2188d.

—— on pear, 1064, 1701.

\*Fabrella tsugae on Tsuga canadensis, 262. Fagus, see Beech.

Falon, use of, against Verticillium dahliae on

cotton, 3233. Femma, use of, against *Griphosphaeria nivalis*, Sclerotinia borealis, Typhula, and T. ishikari-

ensis on wheat, 1873. Fennel, see Foeniculum vulgare.

Fentin acetate, addition of dri-sil 37 to, 2790n.

—, inhibition of *Phytophthora palmivora* by, 1586a.

—, use of, against *P. palmivora* on cacao, 1586a.

Ferbam, 2043.

—, effect of, on tobacco, 833, 1139.

 in combination, use of, against avocado pear scab, 882e; Peronospora tabacina on tobacco, 2064.

—, use of, against Cercospora on coffee, 2276b; Peronospora tabacina on tobacco, 833; Phragmidium mucronatum on rose, 2298; storage disorders of cranberry, 2348. Fernide, use of, against Botrytis cinerea on

onion, 2793.

Ferrisiana virgata transmitting cacao swollen

shoot virus, 1869; cacao viruses, 1582. Fertilizers, effect of, on Botrytis fabae on broad bean, 1784; B. tulipae on tulip, 3243; Cercosporella herpotrichoides on barley, 343; on wheat, 1608; coffee 'Lyamungu dieback', 2915; Corticium solani on barley, 343; on wheat, 2497; Corynebacterium sepedonicum on potato, 1225v; Crotalaria mosaic virus on C. juncea, 1936; Cryptodiaporthe populea on poplar, 3035; damping-off of cabbage and tomato, 18351; Erwinia amylovora on pear, 2328; Erysiphe graminis on barley, 700, 1893, 2859; on wheat, 700, 2859; Eucalyptus gomphocephala, 1754a; Fusarium on maize, 1310; on watermelon, 2169; F. roseum on Agrostis, Festuca rubra, and Poa pratensis, 2946; Helminthosporium sacchari on sugarcane, 2713; Macrophomina phaseoli on sunflower, 811; maize diseases, 1011; Marssonina and Melampsora larici-populina

on poplar, 3034; mottling of wheat, 719; mycorrhiza of beech and spruce, 2514; Neovossia barclayana on rice, 2612; Oidium heveae on Hevea rubber, 212; Plasmodiophora brassicae on cabbage, 1180, 2125; Puccinia recondita on wheat, 433; Pythium root rot of wheat, 717; Sclerotinia laxa on plum, 2343; S. sclerotiorum on sunflower, 2380, 3288; S. trifoliorum on clover, 2951; Sclerotium rolfsii on beet, 3060; Septoria tritici on wheat, 1610; soybean bacterioses, 3360; Sphacelotheca reiliana on maize, 2601; spruce chlorosis, 1750d; Streptomyces scabies on potato, 2396; Trichometasphaeria turcica on maize, 458; Ustilago maydis, 2601; Verticillium dahliae on cotton, 1031.

[Fertilizers], foliar, insecticides and fungicides, compatibility of, 882b.

944.

, soil science and general agronomy, 1959-62, bibliography of, 889.

Festuca, Erysiphe graminis on, 1676.

- necrosis virus suggested as name for Festuca pratensis and Lolium multiflorum viruses, 109.
- -, wheat striate mosaic virus on, in U.S.S.R., 697. arundinacea, Helminthosporium festucae on,
- pratensis disease in Poland, 1962.

-, Helminthosporium dictyoides on, 398. - — virus in Germany, Festuca necrosis virus

suggested as name for, 109.

-rubra, Alternaria, Céphalosporium rubrum, and Cladosporium in rhizosphere of, in U.S.S.R., 2493g.

disease in Poland, 1962.

fungi in rhizosphere of, in U.S.S.R., 2493g.

Fusarium in rhizosphere of, in U.S.S.R.,

2493g. —, F. roseum on, in U.S.A., 2946.

-, Gliocladium, Mucor, Penicillium, Rhizopus, and Trichoderma in rhizosphere of, in U.S.S.R., 2493g.

- ssp. commutata, Griphosphaeria nivalis on, in Scotland, 1673.

Ficus virus disease in Czechoslovakia, 2293. - bengalensis, Polyporus zonalis on, formerly ascribed to Fomes lignosus, 1154.

- carica, see Fig.

- elastica, Nectria radicicola on, 2932.

Fig (Ficus carica), Corticium salmonicolor on, in U.S.A., 1562.

\*-, Hendersonula toruloidea on, in U.S.A., 2007.

- mosaic disease in W. Australia, 2006. Flagella and cilia, biology of, book on, 1234. Flammula alnicola, factors affecting fruiting of, 1750d.

on pine, 1763.

- conissans, factors affecting fruiting of,

Flax (Linum usitatissimum), Ascochyta linicola on, 1225a.

, aster yellows virus on, systemic infection by, transmission of, by vectors, 2285.

- bacteriosis, determination of, 1660. -, Botrytis on, methods of detecting in seed, 401.

- cinerea on, in the Netherlands, 2185a, 3098; factors affecting, 2185a; growth and sporulation of, 3146; sclerotial formation in, 15120, 3146.

[Flax], Colletotrichum linicola on, in Czechoslovakia, England, Germany, and Ireland, 2237; Poland, 1335, 2237; control, 1335; determination of, 1660; method for testing susceptibility to, 1661; seta formation in, 2237; var. reaction to, 1661.

-, Corticium solani on, 'spring' and 'sum-

mer' strs. of, 1935.

diseases in Argentina, 1867; methods of detecting, in seeds, 402; trials of resistant vars. in Argentina, 2854.

-, fungus on, causing mottle, determination of, 1660.

-, Fusarium on, 1835c; in Poland, 1335; determination of, 1660.

- avenaceum and F. culmorum on, in Poland, 1335.

-, - lini on, in U.S.S.R., 2286; effect of onion juice on, 2508; of seed treatment on yield of, 1934; virulence of, 2286.

, — oxysporum f.sp. lini on, relationship of potassium to, 2924; rhizosphere microflora in relation to, 387.

- solani on, in U.S.S.R., 2286.

-, Leptosphaeria maculans on, differentiation of, from other Phoma strs. on flax, 2287.

-, Melampsora lini on, in Canada, 752; India, 1223; Poland, 1335; control, 1223; physiologic races of, 752, 1223; spread of, 1223; var. reaction to, 752, 1223, 1335.

Mycosphaerella linorum on, in W. Australia,

476; determination of, 1660.

—, Oidium lini on, 2234.

-, Phoma on, strs. of, 2287; strs. I, III, and IV assigned to P. exigua, 2287.

- exigua on, Phoma strs. I, III, and IV assigned to, 2287.

-, (?)— herbarum var. medicaginis on, in Canada, production of seed germination inhibitor by, 1225a.

-, Polyspora lini on, in Poland, control, 1335;

determination of, 1660; effect of seed treatment on yield of, 1934.

, Pythium (?)acanthicum can infect, 399.

Flit injury to papaw, 1367.

-, use of, against papaw damping-off, 1367. - 406, use of, against Glomerella cingulata on peach, 1359; Macrophomina phaseoli on jute, 1242b.

Flowers, virus diseases in, transmission of, by vectors, 1939.

Fluor-chrome-arsenate-dinitrophenol, degradation of, 1768.

Fluorine silicates, use of, as timber preservatives, 2436.

Fluoroacetate, effect of, on growth of Venturia inaequalis, 133.

Fluosilicic acid, effect of, on maize, 1629.

Fodder grasses, diseases of, description of, and key for identification of, by symptoms, 2301. Foeniculum vulgare, Erysiphe polygoni on, in Italy, 635.

- umbelliferarum on, 1842

---, Leveillula taurica on, in Portugal, 2234. Folpet, inhibition of Rhizopus stolonifer by,

injury to watermelon, 882d.

, use of, against Blumeriella jaapii on cherry, 2954; Corticium solani on cotton, 1653; Glomerella cingulata, 2954; Godronia cassandrae on stored cranberry, 1711; Mycosphaerella melonis on watermelon, 882d,

Puccinia pitteriana on potato, 822; Sclerotinia fructicola on peach, 2673; storage disorders of cranberry, 1711, 2348.

Fomes annosus, antagonism of Boletus variegatus to, 374; Peniophora gigantea to, 3382e;

Trichoderma viride to, 601.

- —, autumn and winter sporulation by, 884v. - -, effect of biotin and gibberellin on growth of, 268; micro-elements on growth of, in culture, 3331; on conifer seedlings, 2086; temperature on growth of, 601, 2751; of vitamin B on growth of, 268.

-, growth determination of, 1567.

— on Abies, 849.

- — on coniferae, 1164, 3023. — on pine, see Pine.

— on spruce, 2086, 2088. — on timber, 1175, 2087. — on trees, 840, 2416, 3024.

--, review of recent studies on, 1163a.

-, significance of moisture in development of, 3044.

-, spread of, in Ont., 1750c.

- caryophylli on Shorea robusta and timber, 593.

— fomentarius on beech, 842, 2076.

on timber, 1175.

- fraxineus on timber, 1767s. igniarius on poplar, 1757.

— on trees, 613, 840.

f.sp. tremulae on aspen, 2085.

- lamaensis, Fomes noxius on tea formerly identified as, 1739.

- lignosus on cacao, 1583.

— — on cassava, 1517.

-- on Hevea rubber, see Rubber.

- on pepper, black, 1518.

- marginatus, antagonism of Boletus variegatus to, 374.

- nigrolimitatus on timber, 1174b.

- noxius on Araucaria cunninghamii, 3103.

- on cacao, 1583.

- — on Hevea rubber, 3003.

— on tea, 558, 1739. — pini on pine, 271, 612, 1750c, 1763. — on timber, 1451.

- - on trees, 840. — pinicola, 1174b.

 roseus on timber, 1174a. — setulosus on timber, 3046.

- tremulae on trees, 840.

Fomesan, use of, against Fomes annosus and Peniophora gigantea on timber, 2087.

Forest plants, mycoflora of, control, 2493j. - products, research institutions, world directory of, 2414.

- trees, Armillaria mellea on, in Poland, 2416. - -, canker of, factors affecting, 2415a

— —, Corticium solani on, in Greece, 1436. --, Cronartium flaccidum on, in Italy, 3024.

-, damping-off in Czechoslovakia, 1435; Greece, 1436.

- diseases in U.S.S.R., 1420, climate in relation to, 1233c; Polish book on, 1419.

-, Endothia parasitica on, in Italy, 3024. -, Fomes annosus on, in Italy, 3024; Poland, 2416.

-, Fusarium on, in Greece, 1436.

-, lime chlorosis in, 2491f.

-, Lophodermium pinastri on, in Poland, 2416.

[Forest trees], Melampsora populnea on, in Italy, 3024

-, mycorrhiza, ectotrophic of, 374, 376.

-, Nectria galligena on, 2415d.

Phytophthora cambivora on, in Italy, 3024.

, Schizophyllum commune on, in Turkey, 3026.

, Scleroderris lagerbergii on, in Italy, 3024.

Forestry, Czechoslovak bibliography of, 1153. , importance of quarantine control to, 2105. Formaldehyde, action of vapour of, on Ustilago maydis, 455.

, effect of, on transmission of viruses by

Myzus persicae, 61, 3052.

, inhibition of Corticium solani and Pythium aphanidermatum by, 658a.

-, toxicity of, to tobacco, 3317a.

use of, against damping-off of papaw, 1367; spotted necrosis of vine, 1509; Tilletia foetida on wheat, 1294; tomato mosaic virus, 1218b; as soil fumigant, 1218b, 1435, 1795, 2102; for disinfecting tools against Fusarium oxysporum f.sp. cubense on banana, 804; against Phytophthora cinnamomi on Rhododendron, 2297; for fumigating lemon packing houses in U.S.A., 1641.

Forsythia, Arabis mosaic virus on, premunity

relationships in, 692.

Nectria radicicola on, in the Netherlands, 2927.

Fragaria ananassa, see Strawberry.

- virginiana, strawberry mild mottle virus on, latency of, 1712. veinbanding virus on, use of, as

indicator for, 1712

Frankliniella fusca and F. runneri transmitting tobacco ringspot virus, 3069.

Fraxinus, see Ash.

Frost injury in relation to cabbage and cauliflower virus diseases, 2117; Pseudomonas syringae on pear, 3261.

Fruit diseases in England, 1284k; Romania, 1368; books on (Czech), 1661; (Russian), 1062, 1347.

, glasshouse evaluation of fungicides against, 2501.

-, karathane residues in, 898.

tree virus diseases, 3379; in England, 2184k; Germany, 1968; India, 406e; Romania, 1274; review of, 2308a; technique for indexing, 125, 780b.

vars., register of, 1967.

Fuchsia, Pucciniastrum epilobii f.sp. palustris on, in U.S.A., 1948.

Fuclasin, use of, against Cercospora beticola on beet, 287e.

Fuclasin ultra, use of, against Polystigma rubrum on plum, 2341.

Fumaria officinalis, (?)Melampsora populnea on, in Italy, 255.

Fungal growth regulator, 1255.

Fungi, Advance of the, paperback edition of, 3113.

—, biochemistry of, 374, 379, 682, 2519b.

-, book on, antibiotic-producing, 1536; Czech., 1264; German edition of Lange's, 3155; Russian, 685.

, culture of, 3108; in Helianthus tuberosus medium, 950; in sea-water medium, 910; production of staling substances by, 3377e. [Fungi], decomposition of lignocellulose by, 3107; silicates by, 926; wood preservatives by, 1768.

—, genetics of, 891, 1217, 1233d, 2494c.

-, list of, in Brazil, 2569; New Hebrides, 3102; Northern Rhodesia, 1579; Portugal, 2831; Romania, 1577, 2543; Sabah, 3102; S.E. Asia and Pacific Region, 477, 2038; Transbaikal region of Siberia (U.S.S.R.), 686; Turkey, 63.

—, mycoparasitism by, 891.

-, review of physiology of germination of, 2218.

-, viruses in, review of work on, 956.

- Imperfecti in Cyrenaica, 3171; computer taxonomy in, 1558; study on marine, 3107b.

Fungicides, adhesion of, in presence of artificial rain, 2502; in relation to efficiency, 1243.

-, Australian review of, 894.

chemistry and physiology of action of, 1223e.

-, developments in research on, paper on, 1512a.

English handbook for crop protection by, 892.

-, evaluation of, 1244, 1532; for use against fruit diseases, 2501; in smoke generators, 895.

-, factors affecting toxicity of, 2211.

-, metabolism of, in plants and micro-organisms, 893g.

residues of, paper on determining and identifying, 1512f.

-, spray droplet size of, in relation to plant disease control, 2505.

-, studies on antagonism and synergism in, 1533.

-, ultra low volume technique of applying, 1217.

Fungilon residues, method of detecting, 504. Fungitox OR, use of, against Tilletia caries on cereals, 1592.

T, use of, against Tilletia caries on cereals, 1592; as seed treatment for bean, 2138.

Fusaric acid, action of, on Candida vulgaris and Saccharomyces cerevisiae, factors affecting, and production of, from Fusarium oxysporum f.sp. lycopersici, 1249.

Fusariol, use of, as seed treatment for wheat,

Fusarium acuminatum, inhibition of growth of Saccharomyces carlsbergensis by, 77.

- anguioides on barley, rye, and wheat, 1593.

- avenaceum on clover, 2655.

— — on flax, 1335. 2655. -- on lucerne, — — on lupin, 2306.

- var. herbarum on lupin, 2306.

— bucharicum on cotton, 696.

bulbigenum on strawberry, 1091.
var. blasticola on pine, 2428.
var. tracheiphilum on cowpea, 856b.

- caeruleum on potato, 348, 814, 2709, 2999. — on timber, 1769.

---, production of labile staling substance by, 1255.

— conglutinans on cabbage, 2126.

— culmorum, cellulose decomposition by, 1594. — —, effect of organic acids on, 3145b

- —, fungicidal action of crystal violet on, 3145a.

[Fusarium culmorum] on Agropyron cristatum, 1874.

— on barley, 1593.

— — on Bromus inermis, 1874.

— — on carnation, 343.

— on flax, 1335

— on maize, 457. — — on oats, 2595.

— — on rye, 1593.

-- on wheat, see Wheat.

—, strs. of, not pathogenic to aster, 1038. equiseti, inhibition of growth of Saccharo-myces carlsbergensis by, 77.

— on barley, 1593. — — on lupin, 1685.

— on rye and wheat, 1593.

— var. bullatum on strawberry, 1091.

\*-- iridis on Iris, 2542.

- javanicum var. ensiforme on cucumber, 2490h.

on Cucurbita ficifolia, gherkin, and melon, 2490i.

\*— lateritium on raspberry, 2972

— f.sp. cajani on pigeon pea, 3070.

- f.sp. pini on pine, 260. - lini on flax, 1934, 2286, 2508.

- moniliforme var. subglutinans on maize, 2597.

nivale, see Griphosphaeria nivalis.

— var. majus, antagonism of Actinomyces levoris to, 33.

— (?) orthoceras on cherry, 1083. on pine, 2428.

— (?)— on Prunus mahaleb, 1083.

— f.sp. ciceri on Cicer arietinum, 632, 2776.

var. longius on wheat, 427.

 oxysporum, antagonism of Actinomyces levoris to, 33.

- —, biology and control, 2102.

— —, degradation of simazine by, 931. ----, effect of buffers on pectolytic activity of culture filtrates of, 2529.

-, hosts of, 2530. —— in soil, 934, 1677.

-, inhibition of, by Streptomyces str. antibiotic, 3133; of Saccharomyces carlsbergensis by, 77.

— on Asparagus, 1813.

— — on cherry, 1083.

— — on clover, 2655. — — on coffee, 2915.

— on cotton, 2619

— — on groundnut, 313. — on lucerne, 2655.

— — on melon, 1512e, 2471.

— — on oak, 1425.

— — on oil palm, 2383, 2981.

— — on pine, 1163d, 2428.

— on potato, 2996.

— on Prunus mahaleb, 1083.

— — on safflower, 1814.

— — on soybean, 307, 856a.

\*\_\_ on strawberry, 1228.

— — on tree cuttings, 3330.

— — on vine, 1808.

— — on watermelon, 2170.

- , production of cellulolytic and pectinolytic enzymes by, 3096c.

- f.sp. asparagi on Asparagus, 2188f, 2465.

- - aurantiacum f 1 on pine, 2428.

—— batatas on sweet potato, 4h, 2037.

[Fusarium scirpi] on rye and wheat, 1593. [Fusarium oxysporum] f.sp. callistephi on aster, — var. acuminatum on pine, 2428. — semitectum on lemon, 2818. 96, 1037, 1038, 1039, 2625. \*\_\_ - carthami on safflower, 186, 530. \*— on Luffa cylindrica, 3088. - solani, effect of phosphorus and sulphur - - coffeae on coffee, 1649. compounds on growth and reproduction of, - - conglutinans in soil, 391. ---, inhibition of, by 2-phenylethyl -, non-antagonism of Actinomyces levoris isothiocyanate, 2530. to, 33. -— cubense, effect of nutrition sporulation of, 2528. - on Acer rubrum and A. saccharum, 2415f. — — on Cephaelis ipecacuanha, 3281. - - - on banana, see Banana. — on clover, 2655. - — — on Heliconia, 522 — on coconut, 191. ——— on *Musa*, 350h, 522. — — on flax, 2286. --- cucumerinum on cucumber, 869. — on ginger, 1519. \*— — — on Cucurbitaceae, 868. \*— — on Gladiolus, 483. \_\_\_ on melon, 870. — — on groundnut, 313. --- cumini on cumin, 179. - — on Liriodendron tulipifera, 1431. ——— dianthi on carnation, 2627, 2628a, — on lucerne, 2655. 2927. --- on lupin, 1685. *- elaeidis* on oil palm, 2981. — — on Nyssa sylvatica, 1431. — — gladioli on Gladiolus, see Gladiolus. — — on poplar, 1431. — — on timber, 1769. — lini on flax, 387, 2924. --- lycopersici, production of fusaric — —, vitamin requirements of, 2222. acid by, 1249. — f.sp. cucurbitae on cucumber, 2185a. — — , strs. of (?)identical with Fusarium - — medicaginis on lucerne, 2656. --- melonis in soil, 1835f. javanicum var. ensiforme, 2409i. \*— — — on Cucurbitaceae, 868. - - phaseoli, carbon metabolism and spore germination in, 913, 914, 915, 916. - effect of nutrition on sporulation — — niveum on Citrullus colocynthis, 3085. of, 2528. — — — on cucurbitaceae, 868. , factors affecting antagonism of — — — on melon, 870.
— — on watermelon, see Watermelon. bean rhizosphere micro-organisms to, 1474. ——— in soil, 43, 298, 391, 2539. – — perniciosum on Albizzia julibrissin, — — — on bean, 3149. 2418. - war. minus on Cephaelis ipecacuanha, - phaseoli on bean, 1472. 1101. – – pisi on pea, see Pea. - tricinctum f.sp. poae on carnation, 98, 757. - rauwolfii on Rauwolfia serpentina, – on *Ĉhrysanthemum*, 98. 3283. Fusicladium carpophilum on apricot, 3099. \_ \_\_ -- sesami on sesame, 810. - — on peach, 657. - tracheiphilum on bean and cowpea, --- see also Venturia carpophila. 1472. effusum on pecan, 2798a, 3032. - — wasinfectum, effects of culture filtrates Fusicoccum abietinum on Abies balsamea, 3327b. of, on seeds, 2856. - amygdali on almond, 510. ---, growth of, with polyphenols and on peach, 3265, glucosides, 3144. - malorum, conidial state of Diaporthe perni-, inhibition of, by Macrophomina ciosa, 2311. phaseoli, 45. Fytolan, tolerance of Sclerotium rolfsii to, — — on cotton, see Cotton. ——— on sesame, 2698, 2699. -, use of, against papaw damping-off, 1367. - — —, spectrophotometrical analysis of pigments produced by, 923. \*— — zingiberi on ginger, 1100.
— poae, inhibition of growth of Saccharo-Gamma radiation, effect of, on survival of fungi in soil, 1552. myces carlsbergensis by, 77. -, inhibition of Crotalaria juncea mosaic on maize, 457. virus by, 2925. — — on timber, 1769. — — on wheat, 3191. , mode of action against micro-organisms. 3105. - roseum, effect of penthaerythritol-substi-Ganoderma in C. Europe, distribution and imtuted compounds on, 1821. portance of, and key to spp. of, 1767f. — on Agrostis, 2946. - applanatum in the air, 13. — on cacao, 972. on beech, 842. — on carnation, 2629. --- on trees, 840. - on Festuca rubra, 2946. lucidum on areca palm, 2382. - f.sp. cerealis on maize, 1309. - pseudoferreum on Hevea rubber, 1396, 3003. Garlic (Allium sativum), Aspergillus niger and Botrytis allii on, in N.Z., control, 316. \*- sambucinum on hops, 2369. — on potato, 814. -, Cercospora duddiae on, in India, — on strawberry, 1091. - damping-off in N.Z., control, 316. - scirpi on barley, 1593. — diseases, 2146. - — on groundnut, 313. -, Helminthosporium allii on, in N. S. W., — on lupin, 1685. intercepted from Egypt and Mexico, 1868. [Garlic], onion yellow dwarf virus on, in N.Z., control, 316.

- Penicillium corymbiferum on, 2146.

-, Peronospora destructor on, in N.Z., control, 316.

-, Puccinia porri and Pyrenochaeta terrestris on, 2146.

--- root fungi, 2777b.

-, Sclerotinia porri on, in Brazil, 1512p.

-, Sclerotium cepivorum on, 2146; in N.Z., control, 316.

-, Urocystis cepulae on, in N.Z., control, 316. - juice, effect of, on Aspergillus niger and Corynebacterium rathayi, 2508; Glomerella cingulata, 3240; Penicillium italicum on orange, and Serratia marcescens, 2508.

-, use of, as seed treatment for bean, 1198. Gasteria, fungi on, cutinase activity in, 1542. Geotrichum candidum on tomato, 576, 1418.

Geranium carolinum, Phytophthora megasperma var. sojae on, resemblance of, to P. mega-sperma var. sojae on soybean, 1789.

\*Gerbera, Cercospora gerberae on, in Malaya, 347.

-, (?)tobacco rattle virus str. on, in U.S.A., 349.

Germisan, use of, as seed treatment for maize, 3205; onion, 3075; rice, 3212; soybean, 3360.

-dry, use of, as seed treatment for sorghum,

- nassebeize (wet), use of, against Fusarium sambucinum on hops, 2369. GF substance, production of, by Cercospora

beticola, 3059. Gherkin (Cucumis sativus), Fusarium javanicum

var. ensiforme on, 2490i.

-, Pseudomonas lachrymans on, in Switzer-land, 3099; W. Australia, 1797. -, Sphaerotheca fuliginea on, previously identi-

fied as Erysiphe cichoracearum, 2469. Gibberella cyanogena on potato, 348.

- fujikuroi, degradation of simazine by, 931. - in diesel fuel, 2512.

— on Asparagus, 1813. — on banana, 2005, 2975.

— on maize, see Maize.

— — on melon, 870. — on rice, see Rice.

— on sorghum, 1014, 1813.

- — var. subglutinans on Asparagus, 1813.

\*— pulicaris on oats, 2595.
—— perfect state of Fusarium sambucinum, 2369.

- zeae, effect of perfume oils on growth of, 366.

— on barley, 1593.

- on maize, 1306, 2257, 2597.

— on oats, 2595. -- on pea, 1829.

\*— — on rice, 1016. — — on rye, 1593.

- - on wheat, see Wheat.

Gibberellic acid, effect of, on Arabis mosaic virus on bean, 2448; Corticium solani on bean, 297; Crotalaria mosaic virus, 959; raspberry, 1219b; tobacco leaf curl virus, 1407; tobacco necrosis virus on bean, 2448.

-, use of, against Tilletia caries on wheat, 2793; as seed treatment for tobacco, 2404.

Gibberellin, effect of, on [cherry (sour)] vellows virus on cherry, 779z; growth of Fomes, annosus, 268; growth and yield of

mushroom, 3371; oospore germination of Sclerospora macrospora on rice, 2904f; on plant disease resistance, 2817; potato rugose mosaic, 196, 197; susceptibility of potato to Phytophthora infestans, 2027.

[Gibberellin], use of, against potato viruses S, X, and Y, 2390; for detecting potato viruses.

1379.

-like substances, extracted from Nicotiana sylvestris and tobacco not affecting tobacco mosaic virus or Nicotiana glutinosa necroses, 2052.

Gigantol, use of, as timber preservative, 1454. Ginger (Zingiber officinalis) bacterial rot in the Philippines, 182

-, Fusarium on, in Hawaii, 1519.

\*\_\_, \_\_ oxysporum f.sp. zingiberi on, in Hawaii, symptoms of, 1100

solani on, in Hawaii, 1519.

\*--, Pseudomonas solanacearum on, in W. hemisphere, 181.

Ginkgo biloba (?)virus diseases in Czechoslovakia and Hungary, 1438. yellow stripe mosaic (?)virus in Hungary,

1438. GKhTsG, use of, as seed treatment for maize,

\*Gladiolus, Agrobacterium tumefaciens on, in Hungary, 2566. ?\*-, aster yellows virus, western, in, in Israel,

1047. -, Botrytis on, in Israel, 1047.

-, cucumber mosaic virus on, freedom of corms from, 763.

- cultivation in Israel, F.A.O. report on, 1047.

-, Curvularia on, in Israel, 1047.

- diseases in France, symptoms of, 764. -, Fusarium on, in Israel, 1047.

- oxysporum f.sp. gladioli on, in France,

764; U.S.S.R., 478; symptoms of, 764. \*--, -- solani on, in India, 483. -, iron deficiency in, in Israel, causing chloro-

sis, 1047

-, Penicillium on, 478. Pseudomonas marginata on, in France, 764; (?)U.S.S.R., 478.

-, Puccinia gladioli on, in Portugal, 2831b. Sclerotinia draytonii on, in France, 764;

U.S.A., 349, 969, 2798c; symptoms of, 764. -, — gladioli and Septoria gladioli on, in France, 764.

Glaux maritima mycorrhiza in Germany, 374, Gliocladium, classification and morphology of,

*– fimbriatum* in soil, 43.

roseum, effect of, on Cochliobolus sativus on barley, 2886.

- on bean, 3358.

— on coconut, 2496.

- verticillioides on vine, 1808.

viride, inhibition of Polyporus hirsutus and Polystictus versicolor on timber by, 1174a.

Gliricidia die-back in India, Phoma and Phomopsis associated with, 1737a.

sepium, Corticium solani on, 1155; in India, 1737a.

Gloeosporium, taxonomy of, 941.

- acerinum renamed Discula acerinum, 941. alborubrum on Hevea rubber, 215, 1396, 2402.

- apocryptum on Acer rubrum and A. saccharum, 3327b.

[Gloeosporium] armeniacum on apricot renamed Dothiorella armeniaca, 941.

berberidis renamed Kabatiella berberidis, 941.

- diospyri renamed Phyllostictina diospyri, 941.
- kaki on persimmon, 806, 1369. - musarum, action of lagosin on, 523.
- -- on banana, see Banana. - - on Musa balbisiana, 803.
- on plantain in Colombia, 803.
- nobile on Laurus nobilis, 1670.
- olivarum, antibiotic from, in Japan, 900.

\*-- on olive, 177. - pestis on yam, 650.

Glomerella acaciae on Acacia, 2075.

- cingulata, action of calcium cyanamide on, 3129.
- -, differentiation of Colletotrichum phomoides from, 4a.

-, effect of polyphenols from Acacia catechu

and Cassia fistula on, 3141.

, inhibition of, by griseofulvin analogues, 2509; by soil fungi, 392; by Streptomyces str. antibiotic, 3133

\*-- on Allamanda, 2187.

- on aspen, 1430.
- on avocado pear, 882e.
- — on broad bean, 1829.
- — on Camellia sasangua, 756.
- — on Capsicum, 7.
- — on cherry, 2954. — on coffee, 744, 1332, 2277, 2278. — on laurel, 3240.
- — on mango, 173, 174, 3273. — on pea, 1829.
- --- on peach, 1359. -- on Piper betle, 2376.
- on poplar, 1430.
- — on raspberry, 2681. — on rose hips, 2185a.
- — on sugarcane, 1222.
- -- on tea, 756.
- — on turnip rape and Vicia sativa, 1829.
- on vine, 2788.
- ---, perfect state of Colletotrichum coffeanum, produced in culture, 744.
- -, resemblance of, to Colletotrichum lagenarium and C. piperatum, 4a.
- - synonym of G. acaciae, 2075.
- — var. orbiculare on Cucurbitaceae, 1208.
- races 1, 2, and 3 on Cucurbitaceae, 643.
- glycines on soybean, 3382h.
- gossypii on cotton, 1651, 1656.
- lagenaria on Cucurbitaceae, 643, 1208.
- magna, hosts of, 2168.
- on Cucurbitaceae, 643, 1208, \*2780.
- tucumanensis on sugarcane, see Sugarcane.
- -, vitamin requirements of, on graminaceous hosts, 911.
- vanillae var. pelargonii on Pelargonium, 966. Gloxinia (Sinningia speciosa), Nectria radicola on, in Netherlands, 2927.
- Glucose catabolism in fungus spores, respiratory activity and enzymes for, 380.
- Glutamic acid, inhibition of Crotalaria mosaic virus by, 959.
- Glycerine, use of with antibiotics, on apple, 146; mulberry, 3270; pear, 146.
- Glycine, effect of, on growth of sugarcane root tips, 3298.

- \*[Glycine] javanica, (?) Cercospora canescens on, in New S. Wales, 2797.
- max, see Soybean.
- Glyodin, use of, against Venturia inaequalis,
- \*Gnomonia fragariae on strawberry, 1088.
- fructicola, inoculum concentration and production of perithecia by, in culture, 2525. on strawberry, 801, \*1091.
- leptostyla on walnut, 594, 1162, 1578.
- Godronia cassandrae on stored cranberry, 1711. Gold chloride, use of, against Sclerotinia sclerotiorum on sunflower, 1376.
- Gomphidiaceae of Poland, 1265.
- Gomphrena globosa, apple latent virus on, 1971. apple Tulare mosaic virus can infect, 884k.
- -, Asparagus latent virus on, 3079.
- cucumber mosaic virus on, effect of, on multiplication rate of Myzus persicae, 413.
- —, Iris yellow mosaic virus can infect, 881e.
- —, potato K virus on, 1732.
- radish ringspot virus on, suceptibility to, 2119. use of, as indicator for potato viruses,
- 1378; tomato black ring virus, 2335.
- Gonatobotrys flava on apple, 3253.
- Gonatorrhodiella highlei, association of, with Nectria coccinea var. faginata on beech,
- Goodyera repens, Rhizoctonia goodyerae-repentis on, production of pectic enzymes by, 1257.
- Gooseberry (Ribes grossularia), Sphaerotheca mors-uvae on, 1842; in Belgium, 159; Netherlands, 2185a; control, 159, 2185a.
- veinbanding virus on currant, 2184h, 2352, on gooseberry, transmission of, by vectors, 2352.
- virus diseases in Czechoslovakia, 2351.
- Goplana dioscoreae on yam, 2496.
- Gossypium, see Cotton.
- Gramineae (see also Grasses), Cochliobolus heterostrophus and C. miyabeanus on, sexu-
- ality in, and synonymy of, 658f.
  -, sativus on, in Alaska, Canada, Mexico, Paraguay, and U.S.A., pathogenicity of,
- 768. -, Helminthosporium leersiae and H. sorghicola
- on, sexuality in and synonymy of, 658f.
- -, mycorrhiza of, 374.
- -, Phyllachora on, germination and liberation of ascospores of, 1961a; host invasion by, 1961b; spore types of, 1961c.
- ischaemia on, factors affecting life cycle of, 1961b.
- -, Pseudomonas oryzicola on, in China, 1019. -, Puccinia agropyri on, experimental hosts of, and susceptibility to, 2302
- -, Pyrenophora on, taxonomy of, 398.
- Ustilaginales on, list of, in Lithuania (U.S.S.R.), 2493d.
- -, virus diseases in Romania, 1274.
- Granogam and Granopera, effect of, on yield of cotton, 746.
- Granosan, effect of, on germination of wheat seed, 716; on potato flavour, 2995; on Ustilago nuda on wheat, 362.
  - more toxic than hexachlorobenzene, 3187.
- -, use of, against Fusarium oxysporum f.sp. gladioli and Penicillium on Gladiolus, 478; Peronospora farinosa on beet, 3126; (?)

Pseudomonas marginata on Gladiolus, and Sclerotinia on tulip, 478; Tilletia caries on wheat, 362; as seed treatment for barley, 3195; for beet, 287e, f; for broad bean, 1784; cucumber, 646; forest plants, 2493j; maize, 1310; pea, 1781; soybean, 625, 3360; sunflower, 3288; wheat, 716, 1613; as soil disinfectant, 284.

[Granosan] in combination, use of, as seed

treatment for sunflower, 3288.

- NIUIF-2, use of, against storage moulds of oak acorns, 1160.

Grapefruit (Citrus paradisi), citrus psorosis virus on, in Jamaica, 351.

strs. on, 349.

– tristeza virus on, 349; in Jamaica, 351; S. Africa, 465.

-, copper deficiency in, control, 2911.

—, Guignardia on, 1922b. —, impietratura-like symptoms on, in Turkey, may be due to boron deficiency, 464. -, (?) Physoderma on, in U.S.A., 658m.

pissiasma 'in Cyprus, similar to 'impietratura', 3380.

Rio Grande or Florida gummosis on, in Surinam, 2909

Grass, Guatemala, see Tripsacum laxum Grasses (see also Gramineae and Turf),

Cochliobolus sativus on, in Italy, 2647. Digitaria decumbens stunt virus on, in Surinam, 6.

-, Erysiphe graminis on, reaction to, 1676. -, fungi on ornamental, in U.S.S.R., 2643.

Helminthosporium on, in Netherlands, 3098.

—, — andersenii can infect, 944.

—, — dictyoides f.sp. perenne on, in Italy, 2647.

-, - festucae can infect, 944.

, - setariae, Helminthosporium triseptatum, and H. tritici-vulgaris on, in Italy, 2647.

-, mycorrhiza of, cytological study on endotrophic, 1549f.

—, Puccinia on, in U.S.S.R., 1560. —, Pyrenophora avenae and P. tritici-repentis on, in Italy, 2647.

-, Pythium aphanidermatum on, reaction to, 349.

-, Uromyces on, in U.S.S.R., 1560. -, (?)virus diseases of, in India, 65.

-, wheat striate mosaic virus on, var. reaction to, 429.

Grevillea robusta, Armillaria mellea on, in India, 558.

\*— —, boron deficiency in, in India, 584.

——, Cercospora on, in India, 558. Griphosphaeria nivalis, hosts of, 678, 1673.

-, inhibitory effects of griseofulvin analogues on, 2509.

— on Agrostis, 111. — on cereals, 72, 2860, 3098. \*— — on *Ipomoea carnea*, 1864.

— on rye, 2493k, 2860, 3100. — on turf, 2793.

- — on wheat, 1873, 2493k.

Griselinia littoralis, Rhizophagus populinus and R. tenuis on, forming mycorrhiza in N.Z., 1434.

Griseofulvin and its mode of action, 1512h. inhibition of basidiomycetes on timber by,

1767v; Marasmius oreades by, 1253. -, status of, in crop protection, 371b.

, use of, against Sclerotinia mali on apple, 1695, 1975.

Groundnut (Arachis hypogaea), Aspergillus on, in Portuguese Guinea, 1788.

-, — flavus on stored, effect of, on oil quality

and seed, 2461.

- niger on, in Portuguese Guinea, 1788; control, 2460; effect of, on oil quality and seed in storage, 2461; factors affecting, 3382f; sources of inoculum for, 3382f.

- tamarii on stored, effect of, on oil

quality and seed, 2461

- blight and pod rot, fungi in relation to, in Libya, control, 313.

- chlorosis virus in India, transmission of, by sap and vectors, 1223.

, Corticium solani on, nitrogen nutrition of, in relation to occurrence on root surfaces, 2224.

-, Crotalaria southern mosaic virus on, in India, 475.

-, fungi on, in Libya, 313.

— leaf mottling virus on groundnut in U.S.A., transmission of, 3382g.

-, Leptosphaerulina arachidicola on, in India, 3362.

—, Macrophomina phaseoti on, in Mauritius, 2187; \*Sardinia, 421; \*S. Africa, 2497.

, Mycosphaerella arachidicola and M. berkeleyii on, control, 3072.

—, Papulospora on, 753.

-, Penicillium meleagrinum on stored, effect of, on oil quality and seed, 2461.

\*—, Pestalotiopsis arachidis on, in India, 1483.

-, Pseudomonas solanacearum on, pathotype of, 669.

-, Puccinia arachidis on, in Venezuela, 314: control, 3072; var. reaction to, 314.

-, Rhizopus circinans on stored, effect of, on oil quality and seed, 2461.

- ring mottle virus in India, transmission of, by grafting, 1223.

rosette virus on groundnut in India, 1223; N. Nigeria, 312; Uganda, 2458; factors affecting, 312; transmission of, by grafting, 1223; vectors, 312, 2458.

Sclerotium rolfsii on, in \*Sardinia, 315; U.S.A., 628; control, 2459; var. reaction to,

628, 2459,

- storage disorders, 2461.

-, Syncephalastrum nigricans on stored, effect of, on oil quality and seed, 2461.

Guar, see Cyamopsis psoraloides.

Guava (Psidium guajava), Pestalotia cruenta can infect, 2008.

Guignardia aesculi on horse chestnut, 878.

citricarpa on citrus, 657.

on orange, 1923.

- populi, Septogloeum rhopaloideum imperfect state of, 3327b.

vaccinii on stored cranberry, 1711.

Gymnosporangium clavariiforme on Crataegus, 1514.

gracile on Amelanchier denticulata and Juniperus deppeana, 1845.

- sabinae on pear, 148.

Gypsum, effect of, on apple bitter pit, 1699.

H-35 polybutene in combination, use of, against Cladosporium fulvum, 2073.

Hadrotrichum phragmitis on Phragmites, 3156.

Halosphaeria mediosetigera, growth requirements of, 379

Hansenula capsulata and H. holstii on timber 1226a.

\*Haplobasidium musae on banana, 2496.

Harposporium dicorymbum on leaf mould, 672.

Hawthorn, see Crataegus. Hay, fungi in mouldy, effect of, on, 1539.

Heat treatment (see also hot air and hot water treatment), activation of latent virus infec-

tion by, 411. - against apple viruses, 1241h, 2661; carnation virus, 1668, 1945; Colletotrichum lindemuthianum on bean, 1198; mulberry

mosaic virus, 2080; plum and potato viruses, 1241h; Sclerospora macrospora on rice, 2904b; sugarcane ration stunting virus, 218, 1128; sugarcane white leaf disease, 1734; sweet potato internal cork and yellow dwarf viruses, 2712; as seed treatment for bean, 2138; for Matthiola incana, 1953.

, effect of, on sugarcane mosaic virus, 659c.

injury to onion, 319.

Hebeloma crustuliniforme on pine, forming mycorrhiza, 374.

hiemale on pine, forming mycorrhiza, 1761. sordidulum in soil under Abies, 3327g.

Hedera helix, see Ivy.

Hedysarum coronarium, Verticillium alboatrum and V. dahliae can infect, 1681.

Helianthus annuus, see Sunflower.

- tuberosus as a nutrient medium for fungi, 950.

Helicobasidium mompa in soil, 3151.

purpureum on beet, 287g, 2132a.

\*Helicoceras nymphaearum on rice, 1016. Heliconia, Fusarium oxysporum f.sp. cubense

race 3 on, in C. America, 522. Helicopter, see Aircraft.

Helicotylenchus nannus in relation to Pseudomonas solanacearum on tomato, 2074.

Heliopsis scabra var. patula, cucumber mosaic virus on, in Denmark, 1514.

Helipterum roseum, turnip mosaic virus str. on, in India, 2118.

Helminthosporal, production of, by Cochliobolus sativus, 893e.

Helminthosporium, effect of UV and visible radiation on sporulation of, 2526.

taxonomy of the genus, 943, 2288.

- allii on garlic, 1868.

andersenii, hosts of, 944. on Lolium perenne, 944.

— atrovirens on potato 1576, 1812f., 2032. — —, see also H. solani.

- avenaceum on wheat, 875.

- avenae on oats, 2595.

- cynodontis, Cochliobolus cynodontis perfect state of, 2239.

- dictyoides on Festuca pratensis, 398.

— on Poa pratensis, 2650.

- — f.sp. perenne on cereals and grasses, 2647.

\*— festucae, hosts of, 944.

\*— on Festuca arundinacea, 944.

\*— gibberosporium on banana, 2496.

- halodes on coconut, 2386, 2387, 2496.

— helianthi on sunflower, 531.

- heveae on Hevea rubber, 350l, 3160.

- leersiae on Gramineae, 658f.

- maydis considered to be type species of genus, 2238.

[Helminthosporium] papulosum on apple, 1697. rostratum, concentric zonation in colonies of, 1252.

-, survival of, in soil, 398.

- sacchari on sugarcane, see Sugarcane. -, survival of, in host tissue in soil, 1261.

- on cereals and grasses, 2647.

\* - solani on potato, 2792.

-, see also H. atrovirens.

- sorghicola on Gramineae, 658f. - triseptatum on cereals and grasses, 2647

- tritici-vulgaris on cereals and grasses, 2647. - turcicum, comparison of H. maydis and,

2240. vagans, Cephalosporium on, in Canada and

Israel, 2803. on Poa pratensis, 2651.

Hemileia coffeicola on coffee, 1267.

holarrhenae on Holarrhena antidysenterica, 3226.

- vastatrix on coffee, see Coffee.

wrightiae on Wrightia tinctoria and W. tomentosa, 3226.

Hemp (Cannabis sativa) breeding, research on, in Hungary, 1515.

Dendrophoma marconii on, in Bulgaria, 419.

—, Fusarium on, 1835c. —, Sclerotium rolfsii on, in Italy, 474.

Hendersonia graminicola on Panicum maximum, 112.

herpotricha, antagonism of Actinomyces levoris to, 33.

(?) Hendersonula toruloidea on banana, 1716.

-- on fig, 2007

on orange, 1716. — on walnut, 884u.

Heptachlor, effect of, on Rhizoctonia on potato,

Heracleum spondylium virus disease in N. Ireland, transmission of, (?) by aphids, 2793.

- yellow vein banding virus in Denmark, transmission of, to Chenopodium amaranticolor, 1514.

Herbicides, effect of, on soil microflora, 386b.

-, virus-like symptoms induced by, in E., Africa, 656.

Heterodera rostochiensis, effect of, alone and with Corticium solani on potato yields, 546.

-, interrelationship of Colletotrichum atramentarium, Corticium solani and, on tomato, 1416.

\*Heteropatella valtellinensis on carnation, 1946.

Heuchera sanguinea, Sphaerotheca fuliginea on, in U.S.A., 2631.

Hevea brasiliensis, see Rubber.

Hexachlorane, use of, as seed treatment for barley, 3195; wheat, 1613.

Hexachlorobenzene less toxic than granosan, 3187.

-, use of, against Tilletia foetida, 3187; as seed treatment for wheat, 713; soil fumigant, 713, 990.

Hexachlorophene, use of, against Xanthomonas vesicatoria on tomato, 4f.

-captan, deleterious interaction between insecticides and, on cotton, 2621.

Hexadec-l-ene and n-hexadecane in combination, effect of, on apple superficial scald, 2965.

Hibiscus, Phytophthora nicotianae var. parasitica on, in Hawaii, 1044.

- cannabinus anthracnose in India, 1337. \*--- , Corticium solani on, in Malaya, 1517;

Surinam, 7.

-, Macrophomina phaseoli and Phytophthora nicotianae var. parasitica on, in India, 1337.

---, Sclerotium on, in Surinam, 7.

- esculentus, cotton leaf curl virus main vein thickening str. on, in Sudan, transmission of, by vectors, 1650.

-, Ozonium texanum var. parasiticum on, in India, Meloidogyne associated with, 1213.

\*— —, Phytophthora nicotianae var. parasitica on, in U.S.A., sexual compatibility of str. with Citrus isolates, 2175.

\*---, Pythium aphanidermatum on, in India, Meloidogyne associated with, 1213.

--, Xanthomonas esculenti on, in India, 335.

- rosa-sinensis, Phytophthora nicotianae var. parasitica on, in W. Australia, 484.

Pseudomonas hibiscicola on, in India, 1237.

- sabdariffa anthracnose, immunity to, 1337.

-, Phytophthora nicotianae var. parasitica on, in India, 1337. Hippeastrum streak virus in Papua & New

Guinea, non-transmission of, to Solanaceae, transmission of, to Hippeastrum, 3103. Hirsutella besseyi and H. thompsonii associated

with insects and mites on citrus, 357. Holarrhena antidysenterica, Hemileia holarrhenae on, 3226.

Holcus, Tilletia contraversa on, 2948.

- mollis, Typhula incarnata on, in Scotland,

Holly (Ilex), Botryosphaeria ribis on, 2296, -, (?)Cuticularia ilicis on, in U.S.A., 884g.

-, Diplodia ilicicola on, in Portugal, 2831a. - diseases in U.S.A., fungi and nematodes associated with, 2294.

\*—, fungi on, in Romania, 2632.

-, Pestalotiopsis japonica and camarae on, in Portugal, 2831a. \*Strasseria

Honeysuckle (Lonicera), inhibition of tobacco mosaic virus by sap of, 55.

-, lilac leaf roll virus on, 2491c.

Hop (Humulus) 'black hill' disease in U.S.A., (?)identical with 'infectious sterility' [?hop nettlehead virus] in Europe, 2368. curl disease in Czechoslovakia, diagnosis of,

807

- 'false mildew' on hop in U.S.A., 2368.

Fusarium sambucinum on, in Bulgaria, 2369; Gibberella pulicaris perfect state of, 2369.

- 'intersexes' disease in U.S.A., 2368.

- latent virus X renamed hop line pattern virus, 3278.

- 'leaf and cone dwarf' disease in U.S.A., (?)identical with 'small hop disease' in England, 2368.

-line pattern virus on hop, formerly hop latent virus X, relationship of, to distribution and etiology of hop nettlehead virus, 3278.

- +hop split-leaf blotch virus on \_\_\_\_ hop, 3279.

+virus N on hop in England, causing hop nettlehead disease, 2184i.

[Hop] mosaic virus on hop in England, 2184i:

U.S.A., 2368; transmission of, by sap, 2184i. nettlehead virus on hop in England, 2184i; Poland, 1370; association of, with hop split leaf blotch virus, 3279; control, 1370; hop line pattern virus in relation to, 2184, 3278; hop split leaf blotch virus not a component of, 3279; transmission of, by soil, 2184i; viruses causing symptoms of, in England, 2184k.

Pseudoperonospora humuli on, in Argentina, 527; Czechoslovakia, 2370; Yugoslavia, 2372; control, 2370, 2372; factors affecting, and germination of, 2372; identification and persistence of, 2371; losses caused by, 527.

-, raspberry bushy dwarf virus on, 53.
- 'ring spot line' leaf pattern disease in

U.S.A., 2368.

 ringspot virus on hop in (?) Czechoslovakia, (?) England, Germany, and (?) U.S.A., hosts of, transmission of, by sap, 526.
- 'small hop disease' in England, 'hop leaf

and cone dwarf' in U.S.A. (?) identical with,

2368

-, Sphaerotheca humuli on, in Portugal, 2234.

- macularis on, 1842.

- split-leaf blotch virus on hop, association of, with hop nettlehead virus, not a component of hop nettlehead virus complex, 3279.

+hop line pattern virus on hop, 3279.

-, tolerant vars, at E. Malling, 2184k.
- 'unknown latent virus' on hop in U.S.A.,

-, Verticillium on, 2521; in England, 2184j, k. - alboatrum on, in England, 2184d; breeding against, 528.

- virus diseases in U.S.A., 2368.

- N + hop line pattern virus on hop in England, causing hop nettlehead disease.

- 'yellow leaf fleck' on hop in U.S.A., 2368. Hoplolaimus tylenchiformis in relation to Corticium solani and Pythium debaryanum on cotton, 469.

Hordeum, Lolium mosaic virus on, in Germany, properties of, 107.

hescalicow ssp. pyramidalum, oat sterile dwarf and wheat striate mosaic viruses can infect, 2857.

murinum, Puccinia graminis on, in Yugoslavia, 704.

vulgare, see Barley.

Horse chestnut (Aesculus hippocastanum), Guignardia aesculi on, in Canada, 878.

Horse-radish (Armoracia rusticana), Albugo candida on, physiologic races of, 1185.

- juice, effect of, on Aspergillus niger, Penicillium italicum on orange, and Phytophthora infestans, 2508.

Horticultural research in Netherlands, 344.

Host-parasite relations, review of, 2196. Hot air treatment (see also heat treatment)

against citrus yellow shoot disease, 740; sugarcane white leaf disease, 2046.

- water treatment (see also heat treatment) citrus yellow shoot disease, against 740; Glomerella cingulata on mango, 174; hop nettlehead virus, 1370; Leptosphaeria maculans on cabbage, 1774; mulberry mosaic virus, 2080; rice diseases, 1241j; sugarcane chlorotic streak virus, 217, 2715; sugarcane ratoon stunting virus, 217, 2046, 2713, 2715; sugarcane white leaf disease, 2046; Trichoconis padwickii on rice, 2274; Ustilago nuda on barley, 2491s; as seed treatment for Cyamopsis psoraloides, 3361; wheat, 1613.

[Hot water treatment] as a means for deter-

mining seed weakness, 401.

, effect of, on Alternaria cucumerina and Colletotrichum dematium on Cyamopsis psoraloides, 658p.

injury to sugarcane, 2046.

Humicola griseus var. thermoideus and H. insolens on mushroom compost, 2483.

- *lanuginosa* in mouldy hay, 1539.

nigrescens on mushroom compost, 1502a. Humulus, see Hop. Hyacinth (Hyacinthus), Uromyces muscari f.sp.

hyacinthi on, in Bulgaria, 2934.

Hyalesthes obsoletus transmitting tomato stolbur virus, 2562.

Hyalopterus pruni transmitting plum line pattern virus, 779y.

Hydnum imbricatum and H. repandum, cultural study on, 3137.

Hydrangea, effect of chemical fungicides in propagation medium on, 1942.

-ring spot virus, relationship of, to potato virus X, 693.

tobacco necrosis virus on, in Denmark, 1514.

- macrophylla, Nectria radicicola on, 2932. Hydrofluoric acid, effect of, on maize, 1629. Hydrogen cyanide, production of, by low-temperature basidiomycete, 1225q, 2822; by Marasmius oreades, 1253.

fluorides, use of, as timber preservatives,

2436.

m-hydroxyphenylacetic acid, production of, by Corticium solani, 921.

Hydroxytetracycline, effect of, on Agrobacterium tumefaciens on tomato, 21.

Hygroscopin, production of, from actinomycetes in Japan, 900.

Hymenomycetes, influence of slant orientation on fruiting in culture, 354.

Hyoscyamus niger, fungi on, 3282 - mosaic virus on tobacco, 2554.

-, serological study on, 2555. Hypericum, leaf spot and bark necroses in

Netherlands, *Pestalotia hypericiana* associated with, 2185d.

calycinum, Rosellinia necatrix on, in U.S.A.,

Hyperomyzus pallidus transmitting gooseberry veinbanding virus, 2352.

- staphyleae not transmitting beet mild yellowing virus, transmitting beet yellows virus, 3357.

Hypholoma capnoides in test disks exposed in spruce stands, 2107.

fasciculare in test disks exposed in spruce stands, 2107.

on timber, 2435, 3046.

Hyphomycetes, classification of, 938.

-, inhibition of Polyporus adustus, P. hirsutus, and Polystictus versicolor on timber by, 1174a.

- trapping nematodes, chemically defined medium for, 949; ecological characteristics of, 1527.

Hypoderma desmazierii on pine, 659g. Hypodermella ampla on pine, 3327b.

Hypomyces solani f.sp. cucurbitae, on vegetable marrow, 642.

- physiology of sexual reproduction in, 883a, 2824.

Hypoxylon atropunctatum on aspen, 2113.

on oak, 251, 2113. coccineum on beech, 842.

on timber, 1175.

- deustum on tea, 1739.

- fuscum, light and spore discharge in, 384. mediterraneum on aspen and oak, 2113.

- pruinatum, effect of poplar bark on, 256.

on aspen, see Aspen.

on oak, 2113.

— on poplar, 1225w, 2415c. punctulatum on oak, 251, 2113. — rubiginosum on timber, 1174a.

serpens on tea, 558.

Hysterangium clathroides on Tilia americana and T. europaea forming mycorrhiza, 1760b. Hysteroneura setariae transmitting cucumber and watermelon mosaic viruses, 1860.

Iconographia Meliolinearum (Hansford), 1559. Igel-Lange-Test, use of, for diagnosing potato leaf roll virus, 1221a.

Ilex, see Holly.

Imanin, use of, against potato virus Y, 2390. Imidazoline, use of, against Venturia inaequalis, 2662.

\*Impatiens balsamina, Xanthomonas balsami-vorum on, in India, 1237.

Imperial grass, see Axonopus scoparius.

Inazuma dorsalis transmitting rice dwarf virus, 460; rice orange leaf disease, 1631.

Indoleacetic acid, inhibition of tobacco mosaic virus by, 2051, 3305.

Indolebutyric acid, inhibition of tobacco mosaic virus by, 3305.

Indolyl-3-acetic acid methyl ester, effect of, on potato and tomato decay, 37.

Infra-red rays, mode of action of, against micro-organisms, 3105.

Inga, Maravalia ingae, Ravenelia ingae, and Uredinales on, in Venezuela, 2078b. , Uredo ingae on, in Venezuela, 2078a.

Inocybe on oak forming ectotrophic mycorrhiza, 2517.

Insecticides, systemic, use of, against vectors of potato leaf roll virus, 1731.

Insects, Aspergillus ochraceus and Beauveria bassiana on, in Hungary, 3120.

–, Deuteromycetes on, in U.S.S.R., 670.

-, fungi on, in Romania, 2204.

Isaria and Metarrhizium anisopliae on, in Hungary, 3120.

not transmitting peach necrotic ringspot virus, 2671.

, parasites and predators associated with, on citrus, 357.

-, plant viruses in, effects of, 891.

Scopulariopsis brevicaulis on, in Hungary, 3120.

Interferon, production of, in virus infected plant cells, 54.

Intration, use of, against vectors of beet yellows and beet mosaic viruses, 1463; of currant and gooseberry virus diseases, 2351.

Iodine, effect of, on growth of Fomes annosus in culture, 3331.

test, use of, for detecting citrus viruses, 3382a.

[Iodine] in combination, use of, as timber preservative, 611.

\*Ionidium heterophyllum, Xanthomonas ionidi on, in India, 1345.

Ipecac, see Cephaelis ipecacuanha.

Ipomoea, Albugo ipomoea-panduratae on, in India, 912.

-, Pythium (?)acanthicum on, 399.

- batatas, see Sweet potato.

- \*- carnea, Griphosphaeria nivalis on, in India, 1864.
- lacunosa and I. setosa, sweet potato russet crack virus can infect, 2036.
- triloba, cotton virus disease (new) on, in Philippines, 2280.
- Iris, Erwinia carotovora on, in U.S.A., Macronoctua onusta in relation to, 1048.
- \*-, Fusarium iridis on, in Romania, 2542. - 'grey disease' identical with Iris yellow mosaic virus, on Iris, in Israel, 881e.
- -latent mosaic virus on Iris in Israel, 881e.
- -, Macrosporium iridis on, in Romania, 2542.
- Mycosphaerella macrospora on, in Canada, 878; \*India, 1223.
- -, Puccinia iridis on, in \*New S. Wales, 1813; U.S.S.R., 1942.
- yellow mosaic virus on Iris in Israel, transmission of, by tissue and sap, 'grey disease' identical with, 881e. Iron chlorosis of fruit trees in Belgium, effect

of calcium on, 2312.

- deficiency in Gladiolus, 1047; oats, 1901; Phaseolus angularis, 861; rice, 89; strawberry, 1998.
- dimethyldithiocarbamate, use of, against Cylindrocladium scoparium on spruce, 1172.
- oxide, use of, against iron deficiency in rice, 89.
- sulphate, use of, against iron deficiency in oats, 1901, rice, 89; rice yellowing, 84; as timber preservative, 1176.

- in combination, use of, against vine spotted necrosis, 1509; as timber preservative, 611.

- tartrate, use of, against rice yellowing, 84. Irpex consors on Chamaecyparis obtusa, 1452. - flavus on pepper, black, 1518.

ISO, use of, against Polystigma rubrum on plum, 2341.

Isobutyl-o-coumarate, inhibition of Venturia inaequalis by, 2184b.

- in combination, use of, against V. inae-

qualis, 1691. Iso-propanol, effect of, on rhizomorph production by Armillaria mellea, 1544.

Isopropylamine, use of, against Penicillium digitatum on orange, 466.

Itersonilia perplexans on Chrysanthemum, 1218c, d.

\*Ivy (Hedera helix), Phyllosticta hedericola on, in Jersey, 2792.

Janthinellin, inhibition of basidiomycetes on timber by, 1767v.

\*Jasmine (Jasminum), Cercospora jasminicola on, in India, 1950.

-, Xanthomonas jasminii on, in India, 3116. \*Jatropha curcas, Oidium heveae on, 1399. Johnson grass, see Sorghum halepense.

Juglans, see Walnut.

Juniperus, Didymascella oxycedri, D. tetramicrospora, and D. tetraspora on, in U.S.A.,

-, magnesium deficiency in, resemblance of, to Phomopsis juniperovora, 3036.
- communis, inhibition of tobacco mosaic

virus on *Nicotiana glutinosa* by leaf sap of, 55.

deppeana, Gymnosporangium gracile on, in Mexico and U.S.A., 1845.

\*— virginiana, Cercospora sequoiae var. juniperi on, in U.S.A., 2427.

-, Chloroscypha sabinae on, in Netherlands, 262.

-, Phomopsis juniperovora on, factors affecting, 598.

Jute (Corchorus capsularis and C. olitorius), Colletotrichum on, in India, 1337.

—, fungi on, in S.E. Asia, 477.

Macrophomina phaseoli on, in India, 1242b, 1337; Orbilia obscura perfect state of, 1337.

-, Papulospora on, in China, 753. —, Phomopsis on, in India, 1337.

-, Rhizoctonia on, and root rot of, in U.S.S.R., control, 1338.

Kabatiella berberidis, Gloeosporium berberidis renamed, 941.

caulivora on clover, 875, 1055, 2493f.

-, technique for obtaining perfect state of, 6580.

- lini, taxonomy of, 941.

\*Kalanchoe, Stemphylium bolicki on, in U.S.A.,

- fedtschenkoi and K. laxiflora, Stemphylium on, in U.S.A., 2798d.

Kale (Brassica oleracea var. acephala), Alternaria, Cephalosporium, Cladosporium, Fusarium, Gliocladium, Mucor, and Penicillium in

rhizosphere of, in U.S.S.R., 2493g.

-, *Plasmodiophora brassicae* on, breeding against, 2123; var. reaction to, 343.

-, Rhizopus and Trichoderma in rhizosphere of, in U.S.S.R., 2493g.

Xanthomonas campestris on, in Portugal, 858.

-, Chinese (Brassica alboglabra), Peronospora parasitica on, in Hong Kong, 345.

Kanamycin inhibiting Xanthomonas, 3131.

Kaolin, use of, on cotton seed, 674.

Karathane, effect of, on germination of pollen of apple and pear, 2966.

- injury to apple, 3250.

-, use of, against Alternaria longipes on tobacco, 2497; Erysiphe cichoracearum on cantaloupe, 645; on cucumber, 24911; on tobacco, 570; E. polygoni on bean, 1532; Leveillula taurica on Capsicum, 333; Podosphaera leucotricha, 785, 1694, 3124, 3250; Sphaerotheca mors-uvae on gooseberry, 2185a; Uromyces appendiculatus, 1532.

- residues in fruit, 898.

- in combination, use of, against Diplocarpon rosae, 104; Podosphaera leucotricha, 3124; Spilocaea eriobotryae on loquat, 525.

- WP, use of, against Podosphaera leucotricha, 128.

Karbation, use of, as soil disinfectant, 284.

K.C.I. 911, use of, against Corticium sasakii on rice, 1913.

\*Kermococcus quercus, Sporotrichum lecanii on, in Romania, 2204.

Khaftvitigran blau, use of, against Plasmopara viticola, 340.

Khedolit, see DNOC.

Khuskia oryzae on maize, 3205.

on Vetiveria zizanioides, perfect state of

Nigrospora oryzae, 945.

Kinetin, effect of, on Pseudomonas tabaci on tobacco, 836; tomato aucuba mosaic on Nicotiana glutinosa, 1572; tomato spotted wilt virus on Petunia and tomato, 1862

Kleinia cylindrica, effect of sap of, on tobacco mosaic virus on Nicotiana glutinosa, 55.

Kok-saghyz (Taraxacum kok-saghyz), Puccinia levzeae and P. taraxaci f.sp. kok-saghyz on, in U.S.S.R., 696.

Kumulus, use of, against Podosphaera leucotri-

cha, 2960.

Kuprikol, use of, against fungus diseases and Microstroma juglandis on walnut, 595.

L-100, use of, against Erysiphe cichoracearum on cucumber, 1499.

Lablab niger, Dolichos enation mosaic virus on, physiology of, 2849; purification and spectrophotometric estimation of, 3073.

— halo blight in N. Rhodesia, (?) Pseudomonas causing, 1516.

- --, Ovulariopsis on, in India, 1484.

-—, (?) Pseudomonas on, in N. Rhodesia, causing halo blight, 1516.

-, Xanthomonas vignicola can infect, 1237. Laburnum mosaic virus on Laburnum, 2491c; in \*Romania, 1941.

Laccaria laccata on pine forming mycorrhiza, 266.

Lactarius on oak, forming ectotrophic mycorrhiza, 2517.

 deliciosus var. picei, cultural study on, 3137. - quercuum on oak forming ectotrophic mycorrhiza, 2517.

Lactuca sativa, see Lettuce.

Lagosin, action of, on Gloeosporium musarum,

use of, against Botryodiplodia theobromae, Gibberella fujikuroi, and Gloeosporium musarum on banana, 2975.

Lamarckia aurea, Erysiphe graminis on, 1676. Laminarin, use of, against Fusarium solani f.sp. phaseoli on bean, 3149; soil fungi,

Lamium bifidum, lucerne mosaic virus, potato calico str., on, 2695.

Landisan, effect of, on yield of cotton, 746. Lange's illustrations of fungi, German edition

of, 3155. Lanolin in combination, use of, as leather

preservative, 2510. Larch (Larix), Botrytis cinerea on, in Poland,

2416. - cankers in Japan, Trichoscyphella willkommii

causing, 850.

-, Cytospora on, in Canada, 1750b. \*— fungi in U.S.S.R., 1421.

-, Fusarium on, in China, 2089.

-, Leucostoma kunzei on, in Canada, 1750b. -, Melampsora on, in Germany, 3035.

-, Meria laricis on, control, 3339; geographical distribution of, and specific reaction to, 3037.

[Larch], Physalospora laricina on, in Japan, 1766a, b, 2742; dissemination, expulsion and germination of spores of, 599; review of, 1766a, b.

-, Pseudophacidium gaeumannii on, in Switzerland, 1439; Ceuthospora conidial state of,

Trichoscyphella willkommii on, in Japan, 850.

Lathyrus odoratus, see Sweet pea.

Laurel (Laurus), Colletotrichum lauri on, in U.S.S.R., 2633.

—, Glomerella cingulata on, in U.S.S.R., 3240.

Macrophoma nobilis, Oidium pascherinii, Phyllosticta, Sclerotium rolfsii, and Verticillium alboatrum on, in U.S.S.R., 2633.

\*Laurelia novae-zelandiae, Xanthomonas laureliae on, in N.Z., 585.

-, Gloeosporium nobile on, in U.S.A., Glomerella cingulata state of, transference of, to Colletotrichum nobile, 1670.

Lead, necessity of, for nutrition of Coniophora puteana and Serpula lacrimans, 1165.

arsenate, effect of, on absorption of streptomycin by apple, 1824.

-, use of, against Mycena citricolor on coffee, 1333.

-, red in combination, use of, against Diplodia rosarum on rose, 1956.

Leaf mould, Harposporium dicorymbum on, 672.

Leather, micro-organisms on, control, 2510. Lecythophora lignicola, morphology and taxonomy of, 2546.

\*Leek (Allium porrum), Leptotrochila porri on, in Netherlands, 1491.

-, Phytophthora porri on, in Netherlands, control, 2464.

root fungi, 2777b.

-, Sclerotinia porri on, in Belgium, 1512p.

-, tomato black ring virus on, in N. Ireland, 317, \*2793; transmission of, by vectors, 317. Legislation against plant diseases by African Phytosanitary Convention, 2215; in Australia, 1828; British Solomon Islands (amendment), 3136; Germany, 1826, 3135; Near East, 346; S. Africa, 1827; Spain, 1827; Turkey, 35; working group (E.P.P.O.) on, 3379.

Leguminosae, citrus Satsuma dwarf virus on. symptoms of, 1918.

- diseases in Canada, extension of survey on,

-, Erysiphe cichoracearum on, 1842. —, Leptosphaerulina briosiana on, 119.

-, Phytomyxa and Rhizobium in root nodules of, antigenic relationships in, 1488.

-, Pseudomonas aptata on, 3287.

-, pumpkin mosaic virus can infect, 856g.

-, Verticillium dahliae on, 1931. - virus diseases in Romania, 1274.

Lemon (Citrus limonia), citrus crinkly leaf virus on, 2614b; in Morocco, associated with citrus psorosis virus, 3220; (?)str. of citrus infectious variegation virus, 2906.

—, — false exanthema on, in Brazil, 742.

- latent virus on, in U.S.A., hosts of, 884d.

tristeza virus on, in Morocco, 3221; S. Africa, 465.

[Lemon], Deuterophoma tracheiphila on, in France, introduced from Italy, 2617.

—, Elsinoe fawcettii on, in Hong Kong, 345.

fungus on, in U.S.A., resemblance of, to Physoderma, 658m.

-, Fusarium semitectum on, in India, causing

rotting, study on, 2818.

-, Penicillium digitatum on, in U.S.A., 1644; control, 1643, 1644; effect of sodium orthophenylphenate on resistance of spores of to biphenyl, 1644.

-, Xanthomonas citri on, control, 1646.

Lens esculenta, see Lentil.

Lentil (Lens esculenta), Sclerotinia minor on, in Italy, 619.

-, Uromyces striatus on, in Pakistan, 3102. Lentinus edodes on timber, 275.

- lepideus, biological activity of metabolic

products of, 2115. — —, confusion of, with L. pallidus, 2434.

— on timber, 614, 1174a, 1175, 3048.

— pallidus on pine, 2434.

- shiitake, submerged culture of, 1503.

squamosus, effect of, on other house fungi in paired cultures, 273.

Lenzites on timber, 1177

- abietina on timber, 1175, 1767, 2435.

- saepiaria, effect of, on other house fungi in paired culture, 273.

on spruce, 2107.

on timber, 1174a, 1175, 1225y, 2435.

- trabea, effect of metabolic products of Lentinus lepideus on, 2115.

---, monocaryotization of cultures of, by chemical agents, 1178.

on timber, 855, 3051.

Lepidium lasiocarpum, beet western yellows virus on, use of, as indicator for strs. of, 3057.

- sativum, Fusarium and Zygorhynchus in rhizosphere of, effect of healthy and leached soils on infection by, 44.

Lepiota procera, submerged culture of, 1503. \*Leptodiscus terrestris on Crotalaria usaramo-

ensis, 2659.

Leptographium lundbergii on timber, 1456. Leptosphaeria avenaria on oats, 2595, 2793.

- citricola on citrus, 2909.

- coniothyrium on boysenberry, 798.

— — on oil palm, 1517. — on peach, 3265.

— — on *Prunus mume*, 345.

— — on rose, 2639.

- eustomoides on Panicum maximum, 112.

- filamentosa, association of with arborescens blight, 2944.

- maculans on cabbage, 1, 1774.

- — on Cruciferae, str. of, 1225a.

— — on flax, 2287.

— — on lucerne and Melilotus, 1225a.

- on rape stubble, str. of, 1225a.

\_\_\_\_\_, Phoma lingam incorrectly named pycnidial state of, 2120.

Plenodomus lingam pycnidial state of, 2120.

- nodorum, culture of, 714.

— on wheat, see Wheat.

- salvinii and L. s. var. irregulare on rice, 1911.

\*Leptosphaerulina arachidicola on groundnut, 3362.

[Leptosphaerulina] australis on cauliflower, 2187.

- briosiana on clover and Leguminosae, 119. — on lucerne, 118, 119, 495, 2953.

on Medicago falcata, M. sativa, and

Melilotus, 119.

- trifolii on clover, 1868, 2797.

\*— — on eggplant, 877.

Leptostromella, association of scolecospores of, with Phyllachora, 1961c.

\*Leptotrochila porri on leek, 1491.

Lettuce (Lactuca sativa), apple latent virus in,

aster yellows virus in, in Canada, 1812a.

, beet western yellows virus in, use of, as indicator for strs. of, 3057.

big vein virus on lettuce in U.S.A., 325, 856d, 2157; transmission of, by *Olpidium brassicae*, 856d, 2157, 2791d, 3081; var. reaction to, 325; weed spp. as infection reservoirs for, 2791d.

on Sonchus oleraceus, 856d.

, Botrytis cinerea on, in Austria, 3084;

control, 3083, 3084.

-, Bremia lactucae on, in England, 2791a, 3378; new str. of, 2791a; var. reaction to, 2791, 3378.

- brown rib in U.S.A., var. reaction to, 2159.

-- collar rot in Italy, control, 328. —, Corticium praticola on, 2192.

-, — solani on, in England, 1492; Netherlands, 865; effect of, on germination and growth of, 1581; of onion juice on, 2508; symptoms of, 1581; variation in pathogenicity of strs. of, 2192.

decay, no correlation between tipburn and,

-, mercury residues in, 1772.

mosaic virus on lettuce in Romania, 1274; U.S.A., 326; properties and purification of, 2156; transmission of, by pollen and ovules, 3082; by vectors, 326, 1860; mechanically, 3096h; variants of, var. reaction to, 326. necrotic yellows virus on lettuce in New S.

Wales, 1868; Queensland, 1228; Victoria, 327, 637; control, 637; transmission of, by

vectors, 327.

--- on Sonchus oleraceus, 637; in Australia, 327.

-, Pleospora herbarum on, in N.Z., 638; formerly confused with Marssonina panattoniana, 638.

russet spotting in U.S.A., factors affecting, 2158.

Sclerotinia minor on, 619; in Italy, control, 328.

sclerotiorum on, in Chile, 62; Italy, 328; W. Australia, 1773, 2756; control, 328, 1773, 3083; survival of, in soil, 2756.

tipburn, no correlation between decay and, 639

, tobacco necrosis virus on, transmission of, by Olpidium, 2182c.

rattle virus on, in U.S.A., associated with yellow spotting, (?) related to pea early

browning, 884w. , tomato black ring virus on, premunity relationships in, 692

virus diseases, serial testing for presence of, 1858.

\*-, Xanthomonas vitians on, in Victoria, 1493.

- yellow spotting in U.S.A., tobacco rattle virus associated with, 884w.

Leucodendron argenteum, Botryosphaeria ribis on, in S. Africa, transmission of, by (?) vectors, 1812g.

Leucaena glauca 'little leaf' in Papua & New

Guinea, not caused by virus, 3103.

Leucanthemum, Septoria on, key to, 761.

, — cercosporioides, S. chrysanthemi, S. chrysanthemi-indici, S. leucanthemi, S. rostrupii, and S. socia on, in U.S.S.R., distribution and hosts of, 761.

Leucostoma kunzei on larch, 1750b.

- persoonii on plum, 1708.

Leveillula taurica on Capsicum, 333.

— on crops, 1842.

— — on fennel and other plants, 2234. —, studies on, in France, 2839.

Levomycetin, effect of, on Corynebacterium michiganense, Erwinia carotovora, and Xanthomonas campestris, 1535b.

Light, effect of, on culture media, 909; on germination of uredospores of Puccinia recondita, 1834; on mycorrhiza, 374.

Lightning in relation to rubber bark or patch canker, 2040.

Ligustrum, see Privet.

Lilac (Syringa vulgaris) leaf roll virus on honeysuckle and privet, 2491c.

—, Phyllactinia suffulta on, in Romania, 2634. Phytophthora on, modes of infection by, 1951.

—, — nicotianae var. parasitica on, 1951. - ring mosaic virus on lilac, 2491c.

Lily (*Lilium*), effect of soil fumigants on bulb production by, 1671.

lithium toxicity in, causing leaf scorch,

1952

- of the Valley (Convallaria majalis), Mycosphaerella convallaria on, perfect state of Ascochyta maydis, 2935.

Lima bean, see Phaseolus lunatus.

Lime (Citrus aurantifolia), citrus tristeza virus on, in S. Africa, 465.

Rangpur disease virus on, in Surinam, (?)identical with citrus exocortis virus, 7. Lime chlorosis in forest nurseries, 2491f.

effect of, on apple bitter pit, 1699.

use of, against acid toxicity in rice, 84; Plasmodiophora brassicae on cabbage, 3381; Pseudomonas solanacearum on potato, 1224.

- in combination, use of, against Érwinia amylovora on pear, 147; Fusarium sambucinum on hops, 2369; Xanthomonas pruni on peach, 1987.

d-limonene in combination, effect of, on apple superficial scald, 2965.

Lindane, use of, against mites in fungus culture collections, 2513.

- in combination, use of, as timber preservative, 2109.

Linnaean system and plant virology nomenclature, 407.

Linospora tetraspora on poplar, 3327f.

Linseed (Linum usitatissimum), Melampsora lini on, in India, physiologic races of, 1662.

Mycosphaerella linorum on, in New S. Wales, 1813; N.Z., 1336; W. Australia, 476. - oil, effect of, on Peronospora tabacina on

tobacco, injury to tobacco, 832.

Linum, mycorrhiza on, 374.

- usitatissimum, see Flax, Linseed.

Liquidambar orientalis, Schizophyllum commune on, in Turkey, 3026.

Liriodendron tulipifera, Fusarium solani on, in U.S.A., pathogenicity of, 1431.

Lirothan, use of, against Colletotrichum lagenarium on watermelon, 867; Pseudoperonospora humuli, 2372; Puccinia graminis on wheat,

Lissapol, use of, on Hevea rubber, 215.

Litchi chinensis, bacteria, fungi, and yeasts on stored fruit of, associated with decay and fermentation in, 172. Lithium toxicity in lily, 1952.

chloride, use of, against Sclerotinia sclerotiorum on sunflower, 1376.

- sulphate, use of, against Erysiphe graminis on wheat, 2504.

\*Lobelia, Alternaria tenuis on, in England, 875. Locust, desert, see Schistocerca gregaria.

Lolium, Erysiphe graminis on, 1676. - mosaic virus on Hordeum, 107.

- on Lolium in Germany, properties of, 107.

, Podosporiella verticillata on, in New S. Wales, 1813.

virus on L. multiflorum and L. perenne in Germany, 108; (?) identical with Dactylis glomerata streak virus, 108.

- multiflorum, Erysiphe graminis on, 1676. - —, Griphosphaeria nivalis on, in Scotland,

1673.

-, Pyrenophora lolii on, 398. virus disease in Germany, 108, 109; (?)identical with Dactylis glomerata streak virus, 108; Festuca necrosis virus suggested as name for, 109.

-, wheat striate mosaic virus on, 429. - perenne, barley yellow dwarf virus on, factors affecting, 2945; symptoms of, and transmission of, by vectors, 1588.

-, Griphosphaeria nivalis on, in Scotland, 1673.

Helminthosporium andersenii on, 944. -, Pythium aphanidermatum on, in U.S.A., control, 349.

-, tomato black ring virus on, in N. Ireland, transmission of, by vectors, 317.

—, Trichoderma viride on, effect of, on germination and growth of, 772.

-, wheat striate mosaic virus on, 429. - temulentum, Puccinia graminis on, in Yugoslavia, physiologic races of, 704. , wheat striate mosaic virus can infect,

2857.

Lonacol, use of, as seed treatment for tobacco, 2406.

Longidorus attenuatus transmitting raspberry ringspot virus, 2852; tomato black ring virus, 2790g.

elongatus transmitting raspberry ring spot virus 1219a, 2852; tomato black ring virus, 317, 1219a, 2852.

macrosoma transmitting raspberry ringspot virus, 2852

Lonicera, see Honeysuckle.

Lophodermium pinastri on forest trees, 2416.

— on pine, 852, \*877, 2431, 2748. – septatum on spruce, 3327c.

Lophophacidium hyperboreum on pine, 1750b. Lophotrichus, monograph on, 690.

Loquat (Eriobotrya japonica), Spilocaea erio-botryae on, in Lebanon, 1578; Sardinia, causing scab, 525.

Lotononis bainesii, (?) Cercospora canescens on,

in New S. Wales, 2797.

\*Lotus corniculatus, Phomopsis loti on, in U.S.A., 499.

, Sclerotinia trifoliorum on, in Canada,

498; studies on, 497, 498.

-, Stemphylium loti on, studies on, 500. Lucerne (Medicago sativa), Cercospora zebrina on, 776. –, Colletotrichum destructivum on, in Italy

2657.

- trifolii on, in \*Italy, 2657; Mauritius, 2187; effect of, on and incidence of, 2952.

, Corynebacterium insidiosum on, in Canada, 1060, 1225m; U.S.S.R., 2656; antagonistic variant of, 2658; breeding against, 2656; C.M.I. description of, 2197; infection of and symptoms of, 120; transmission of, by vectors, 1225m; var. reaction to, 1060.

diseases in Canada, var. reaction to, 1060. -, effect of, on Macrophomina phaseoli on sunflower, 811; of streptomycin on epiphytic and root microflora of, 2231a.

-, Erysiphe pisi on, in Portugal, 2234.

-, fungi on, in U.S.A., factors affecting, 117. -, Fusarium on, var. reaction to, 3247.

-, - avenaceum and F. oxysporum on, study on penetration of, 2655.

oxysporum f.sp. medicaginis on, in U.S.S.R., breeding against, 2656.

solani on, study on penetration of, 2655.

— leaf curl virus on lucerne in Hungary, 1679. -, Leptosphaeria maculans on, 1225a.

-, Leptosphaerulina briosiana on, in U.S.A., 118, 119; studies on, 495; technique for inoculating, 2953.

- mosaic virus on Capsicum, 1798.

on clover, 202, 2950.

on lucerne in Hungary, 1679; \*Israel, 115; effects of photosensitizing dyes on, 1275; electron microscopy of, 3246; identification of, 115; properties of, 115, 116, 494; technique for assaying, 8831; transmission of, to bean, 775; var. reaction to, 1679.

- — on *Origanum*, 2375.

-- on peppermint, potato calico str., 2695.

— — on soybean in Japan, 1202.

- - on tobacco, method of measuring rate of movement from leaves to stem tips, 884r.

-, Papulospora on, 753.

-, pea mosaic and \*pea stunt viruses on, in Germany, 2950.

-, Peronospora aestivalis on, in Switzerland, 3099.

- trifoliorum on, in Sweden, 1057.

-, Phoma herbarum var. medicaginis on, 776, 1225a; in Sweden, 1057; in U.S.A., 118, 1059; U.S.S.R., 2656; breeding against, 2656; control, 118; factors affecting, 1057, 1059; inoculation of, 1225n.

-, Phomopsis on, in Mauritius, 2187.

- -, Phymatotrichum omnivorum on, in U.S.A., survey of, 884e.
- Phytophthora cryptogea on, in Queensland, 1765.
- —, Pseudomonas alfalfae on, 3247.
- -, radiciperda on, in U.S.S.R., 2656.
- -, Pseudopeziza medicaginis on, in Sweden, 1057; U.S.A., 118; rhythm of sporulation in, 1682.
- root rots in U.S.S.R., var. reaction to, 3247.

- [Lucerne], Sclerotinia trifoliorum on, in Germany, 2951; Sweden, 1057; var. reaction to, 3247.
- thin leaf virus on lucerne in Hungary, 1679.
  - tumours in U.S.A., Empoasca fabae causing,
- -, Uromyces anthyllidis on, non-occurrence
- of, in New S. Wales, 1868.
  -, striatus on, in New Hebrides, 3102.
- , Verticillium alboatrum on, in Poland, 1680; Sweden, 1057; U.K., 1225l, 1681; breeding against, 2183e; effect of, on 2952; on yield, 1681; factors affecting, 1680, hosts of, 1681; pathogenicity of, 1681; Phoma herbarum var. medicaginis associated with, 1680; spread and survival of, 1681; spread of, by air and machinery, 1057; var. reaction to, 2183e.

- dahliae on, other hosts of, 1681.

- , Xanthomonas phaseoli f.sp. alfalfae on, in Japan, 3248.
- Luffa acutangula, Pseudoperonospora cubensis on, in Hong Kong, 345.
- cylindrica, Fusarium semitectum on, other hosts of, 3088.

-, melon mosaic virus can infect, 1495. Lupin (Lupinus), Alternaria in rhizosphere of, in U.S.S.R., 2493g.

, bean yellow mosaic virus on, in Poland, 492, 3249; U.S.S.R., 2660; transmission of, by seed, 3249.

Botrytis cinerea on, in U.S.S.R., 2306.

- browning in Poland, pea mosaic virus str. causing, 491.

, Cephalosporium and Cladosporium in rhizosphere of, in U.S.S.R., 2493g.

-, cucumber mosaic virus on, in U.S.A., 3382d; U.S.S.R., 2660; browning caused by, 1683; transmission of, by seed, 3382d; var. reaction to, 1683.

Fusarium in rhizosphere of, in U.S.S.R., 2493g.

avenaceum and F.a. var. herbarum on, in U.S.S.R., 2306.

- equiseti and F. oxysporum on, in Poland,

transmission of, by seed and soil, 1685. -, — oxysporum f.sp. phaseoli can infect, 1472. transmission of, by seed and soil, 1685

-, Gliocladium in rhizosphere of, in U.S.S.R., 2493g.

- mosaic virus on lupin, hosts of and properties of, 1683.

Mucor in rhizosphere of, in U.S.S.R. 2493g.

'narrow leaf' virus disease in Poland, 491, 492; Phaseolus virus 2 [bean yellow mosaic virus str.] causing, transmission of, by sap, seed, and vectors, 492.

, pea mosaic virus str. on, in Poland, causing browning, 491.

Penicillium in rhizosphere of, in U.S.S.R., ., *Penic* 2493g.

Rhizopus in rhizosphere of, in U.S.S.R.,

-, Stemphylium solani on, genetics of, 2307. Trichoderma in rhizosphere of, in U.S.S.R., 2493g.

- virus diseases, effect of, on sporogenesis and gametogenesis, 1684.

Lychnis divaricata ring spot virus, serological relationship of, to barley stripe mosaic

virus, 75.

Microsphaera mougeotii, on, in U.S.S.R., 1942.

Lycopersicon, tobacco leaf curl virus on, var. reaction to, 2069.

esculentum, see Tomato.
hirsutum, effect of sap from, on tobacco mosaic virus, 962.

peruvianum, Phytophthora infestans on, in U.S.S.R., 2409.

--, tobacco mosaic virus on, genetics of resistance to, 659d.

Lygus lineolaris transmitting tobacco mosaic virus, 229.

'M' compound (new, at Wye), 1512a.

M-45 (carbamate), use of, against Peronospora tabacina on tobacco, toxicity of, 3317b.

Macadamia, Botrytis cinerea on, in Hawaii, 1519.

. Colletotrichum on, in Hawaii, var. reaction

2735 to, -, Phytophthora cinnamomi on, effect of,

2,4-D amine salt on, 843.

Macromycetes, Estonian manual of, 1266. Macronoctua onusta in relation to Erwinia carotovora on Iris, 1048.

Macrophoma conidial state of Botryosphaeria tsugae, 3043.

- mangiferae on mango, 1223, 2365. — nobilis on laurel, 2633.

— tumefaciens on aspen, 1750d.
— on poplar, 1750d, 2738, 3327e.

Macrophomina phaseoli, association of, with pine black root rot, 1163d.

-, effect of phosphorus and sulphur compounds on growth and reproduction of, 1833. , inhibition of Fusarium vasinfectum by,

145. — — on bean, 2497, 3065. - -- on cotton, 45, 746.

\*— — on cowpea, 421.

- on groundnut, \*421, 2187, \*2497.

— on *Hibiscus cannabinus* and jute, 1337. - — on maize, 1010.

— — on potato, 1517, 2031.

 on sesame, 187. — — on sorghum, 1813, 2897. — on soybean, 1813, \*2775.

— — on sunflower, \*421, 811, 881f, 1813. — — on tobacco, 2187. — — on tomato, 1535m.

----, vitamin requirements of, 2222. 

- var. indica on cotton and Paspalum scrobiculatum, 3231.

theicola, Hendersonia on tea formerly identified as, 1737a.

Macrosiphum ambrosiae transmitting sugarcane mosaic virus, 218.

-avenae transmitting barley yellow dwarf virus, 1892; beet ring mottle virus, 1468.

- barri transmitting beet ring mottle virus, 1468; lettuce mosaic virus, 326.

- euphorbiae, control of, with systemic insecticides, 2020.

- transmitting beet yellows virus, 2762; cucumber mosaic virus, 2162; tobacco mosaic virus, 229.

pisi transmitting banana viruses, leaf cage

for studying, 2553.

-rosae transmitting rose wilt virus, 657; strawberry veinbanding virus, 162.

\*Macrosporium iridis on iris, 2542.

Macrosteles fascifrons transmitting aster yellows virus, 1812a, 2285.

Magnesium deficiency in Eucalyptus gomphocephala, 1754a; Juniperus, 3036; Phaseolus angularis, 861; strawberry, 1998. effect of, on Corticium solani on cotton, 94.

- salts, use of, against hop curl disease, 807.

- sulphate, effect of, on germination of pollen of apple and pear, 2966.

use of, as seed treatment for barley. 3195.

Magnolia, Pseudomonas syringae on, in N. Ireland, 2793.

grandiflora and M. virginiana, Mycosphaerella milleri on, perfect state of Cercospora magnoliae, 2295.

Maize (Zea mays), Aspergillus restrictus on, influence of light on growth of, in culture, 658c.

barley stripe mosaic virus on, mutagenic effects of, 1009.

, basidiomycete on, in Egypt, causing root rot, 1010.

'black bundle' in Egypt, associated with wet rot, Cephalosporium acremonium associated with, 1010.

- breeding, research on, in Hungary, 1515. -, Calonectria graminicola on, control and var.

reaction to, 2270.

-, Cephalosporium acremonium on, in Egypt, associated with 'black bundle', 1010; in Yugoslavia, causing redness, 2597.

-, Cercospora sorghi on, in India, 2269.

-, Claviceps gigantea on, in Mexico, 2599. -, Cochliobolus carbonum on, stimulation and depression of cell-free carboxylating systems in relation to, 3204.

-cynodontis on, in U.S.A., perfect state of Helminthosporium cynodontis, 2239

- sativus on, Streptomyces inhibiting germination and growth of, 396.

-, cucumber mosaic virus on, variation in symptoms of, 641.

-, Diplodia on, in S. Africa, 1011.

- maydis on, in S. Africa, 2497; U.S.S.R., 78, 2493i; biological characteristics of, 2493i; factors affecting, 78, 456, 2497; var. reaction to, 2600. -, — zeae on, in Queensland, 1306; U.S.A.,

1309; effect of crop rotation on, 1309. -, effect of zinc seed treatment on, 2520.

-, Erwinia carotovora f.sp. zeae on, in Egypt and India, 2605; \*S. Africa, 2497; related morphologically to E. maydis on maize in U.S.A., 2605.

-, — lathyri on, in Egypt, 1010.

- maydis on, in U.S.A., should be named E. carotovora f.sp. zeae, 2605.

-, Erysiphe graminis on, reaction to, 1676. , fungi on, in U.S.A., effect of, on yeasts, 77

-, Fusarium on, in Mauritius, 2187; S. Africa, 1011, 2497; U.S.S.R., 1310; control, 1011, 1310; effect of Penicillium and Trichoderma on, 2497.

- culmorum on, pathogenicity of, 457.

– moniliforme var. subglutinans on, in Yugoslavia, causing redness, 2597.

—, — poae on, pathogenicity of, 457. —, — roseum f.sp. cerealis on, in in U.S.A., effect of crop rotation on, 1309.

[Maize], Gibberella fujikuroi on, in Queensland, 1306; S. Africa, 1011; U.S.A., 1309; control, 1011; 3203; effect of crop rotation on, 1309; genetics of, 457; pathogenicity of, 457; technique for studying, 3203; var. reaction to, 457.

-, — zeae on, in Queensland, 1306; Yugo-slavia, 2257, 2597.

- -, Helminthosporium on, in S. Africa, 2497; effect of Penicillium and Trichoderma on, 2497.
- cynodontis on, Cochliobolus cynodontis perfect state of, 2237.

-, Khuskia oryzae on, in Germany, 3205.

-, Macrophomina phaseoli on, in Egypt, 1010. - mosaic virus on maize in Queensland, 1306; see also maize stripe virus.

-, Nigrospora oryzae on, in U.S.S.R., 727. , Penicillium on, effect of, on seed germination, 2896; in rhizosphere of, effect of, on Fusarium and Helminthosporium, 2497.

- purpurogenum var, rubrisclerotium and P. urticae on, effect of, on seed germination,

2896.

-, Physoderma maydis on, genetics of, 1311.

-, *Physopella zeae* on, in Venezuela, 1904; C.M.I. description of, 1267.

-, Puccinia polysora on, in the Cameroons, 2893; E. Africa, 656, 3101; Guatemala, 2893; Kenya, 656; Mexico, Nigeria, 2893; Tonga, 3102; \*Venezuela, 1904; breeding against, 3200; C.M.I. description of, 1267; distribution of, 2002. distribution of, 2893; effect of, on yield, 3200; genetics of, 656, 3101; new race of, 656; physiologic races of, 3101; race EA 3 not yet recorded in Queensland, 1228; resistance of Central American vars. to race EA 3 of, 656; var. reaction to, 3200.

- sorghi on, in India, 1312; Mexico, 2893; Queensland, 1306; U.S.S.R., 696; Venezuela, 1904; C.M.I. description of, 1267; distribution of, 2893; genetics of, 79; non-inhibition of P. graminis on wheat by self-inhibitor of and self-inhibition of uredospore germina-

tion in, 1905.

-, Pythium on, in Queensland, 1306.

-, — (?)acanthicum can infect, 399. -, — aphanidermatum on, in Malaya, 2496. —, — butleri on, in India, 1906.

- ultimum on, in India, factors affecting, 3206.

- redness in Yugoslavia, fungi causing, 2597; losses caused by, 2597.

-, Rhizoctonia zeae on, in U.S.A., 1012.

rice black-streaked stunt virus on, in Japan, distinct from maize rough dwarf virus, transmission of, by vectors, 1902.

- rough dwarf virus on maize in Italy, maize stripe disease symptoms in Czechoslovakia similar to, 1902; polyphenol-oxidase activity

in, 2892.

—, Sclerospora on, reaction to, 2895.

-, Sphacelotheca reiliana on, in Hungary, 1835j, 2601; Mexico, 350d; Queensland, 1306; effect of, on chlorophyll content, 1013; factors affecting, 1835j; infectivity of chlamydospores to, 2858; physiologic specialization of, 82; var. reaction to, 350d.
- streak virus on maize in E. Africa, 3101; S.

Rhodesia, 427; genetics of, 3101; of resistance

to, 656; increase of, 427.

— on wheat, 427.

[Maize], Streptomyces in rhizosphere of, producing antibiotic, 396.

stripe virus [maize mosaic virus] on Axono-

pus compressus, 1903.

-— on maize in Czechoslovakia, 1902; Venezuela, 1903; similarity of symptoms of, to maize rough dwarf virus, 1902; transmission of, by vectors, 1903.

- on Rottboelia exaltata, 1903.

– – , see also maize mosaic virus

- stunt virus on maize in U.S.A., 724, 881d, 1624; symptoms of, 1624; transmission of, by vectors, 724, 881d; var. reaction to, 350e.

Trichoderma in rhizosphere of, effect of, on Fusarium and Helminthosporium, 2497.

-, Trichometasphaeria turcica on, in India, 1308; Laos, 1811; Mexico, 350f; Queensland, 1306; U.S.A., 458; U.S.S.R., 696, 1908; control, 458, 905, 2270; differential reaction to, 1626; effect of, on yield, 1308; factors affecting, 2270; factors affecting spore tion in 1907; genetics of, 80, 1307, Trichometasphaeria turcica on, in India, germination in, 1907; genetics of, 80, 1307, 1626; geographical variation in, 1908; losses caused by, 1308; spread of, 2894; var. reaction to, 350f, 459, 2270.

-, Ustilago maydis on, in Hungary, 2601; Papua and New Guinea, 1315; S. Africa, 2497; U.S.S.R., 81, 1314, 3126, 3201, 3202; control, 81, 582, 726, 1314, 1535i, 3126; effect of, on yield, 1314; effect of substance from chlamydospores of, on fertilization and yield of, 725; factors affecting, 1549e, 2601; host tissue and age specialization in, 3202; non-occurrence of, in New S. Wales, 657; Oscinella frit in relation to, 3202; reduction of infectivity in, 2858; studies on metabolism of, 2602, 2603; technique for studying, 3203; var. reaction to, 1314, 2497; viability of, 1625.

-, Verticillium dahliae on, 1931.

- virus diseases in Yugoslavia, 2596; U.S.S.R., 2550.

- wallaby ear in Queensland, 1306.

- wet rot in Egypt, a form of Cephalosporium maydis, 'black bundle' associated with, 1010.

wheat striate mosaic virus on, 429; in U.S.S.R., 697.

Xanthomonas holcicola on, in New S. Wales, 657.

- stewartii on, suggested transference to Erwinia stewartii, 1909. —, yeasts on, in U.S.A., 77

-, zinc deficiency in, in S. Africa, causing yellowing, 1316.

× Tripsacum floridanum, maize stunt virus can infect, 881d.

Makhorka, see Tobacco.

Malachite green in combination, use of, against Mycosphaerella musicola on banana,

Malathion, use of, against potato aphids, 2020. - in combination, use of, against vectors of Gloeosporium musarum on Musa balbisiana,

803. Malonate, effect of, on Venturia inaequalis, 133.

toxicity of, to apple, 133.

Malus platycarpa virus diseases in Canada, 1225r.

— pumila, see Apple.

[Malus] theifera immune from Podosphaera leucotricha, 1069.

Mancozeb, paper on, 1512u.

-, use of, against Mycosphaerella melonis on cucumber, 1795; Plasmopara viticola, 2954; Pleospora betae, 2132b; Venturia inaequalis,

Mandarin orange, see Orange.

Maneb, effect of, on Corticium solani, 2920; tobacco, 833, 1139.

ineffective against Sclerotinia fructicola, 895.

injury to watermelon, 882d.

— residues in spinach, 324.

-, use of, against Alternaria solani on potato, 2497; Botrytis on Gladiolus, 1047; Calonectria graminicola on maize, 2270; Cercospora beticola, 2132b; Cladosporium fulvum, 1146; C. variabile and Colletotrichum dematium f.sp. spinaciae on spinach, 3078b; Curvularia on Gladiolus, 1047; Didymella lycopersici, 1, 3096p; Elsinoe veneta on boysenberry, 798; Erwinia amylovora on apple and pear, 1979; Gladiolus diseases, 1047; Godronia cassandrae on stored cranberry, 1711; Leptosphaeria coniothyrium on boysenberry, 798; Leptosphaerulina briosiana on lucerne, 118; Mycosphaerella melonis on cucumber, 1795; Peronospora farinosa on beet, 1469, 2132a, b; P. rubi on boysenberry, 798, 1086; P. tabacina, 567, 833, 1228, 1409, 2059, 2066, 3317a; Phoma herbarum var. medicaginis on lucerne, 118; Phytophthora infestans on potato, 348, 2497, 2704, 2729, 3124; P. nicotianae var. parasitica on carnation, 758; P. palmivora, 1586a; Plasmodiophora brassicae on cabbage, 343; Plasmopara viticola, 2487, 3374; Pleospora betae, 2132a, b; P. herbarum on lettuce, 638; Pseudomonas lachrymans on cucumber, 1209; Pseudo-chrymans on cucumber, 1209; Pseu peziza medicaginis, 118; Puccinia asparagi, 3080; P. graminis, 1876; P. pitteriana on potato, 822; Pythium ultimum on beet, 2132b; speckle on stored cranberry, 1711; Sphaerotheca fuliginea on watermelon, 1228; spinach leaf diseases, 324; Stemphylium on Kalanchoe fedtschenkoi and K. laxiflora, 2798d; storage disorders of cranberry, 1711, 2348; Thielaviopsis basicola on Cyclamen, 3239a; Trichometasphaeria turcica on maize, 2270; Venturia inaequalis, 2315a; watermelon diseases, 882b; as seed treatment for beet, 2132a; as soil disinfectant, 481.

versus zineb, 3317c.

- in combination, use of, against Botrytis cinerea on tomato, 1747; Cercospora beticola, 3127; Diplocarpon rosae, 104; Erysiphe polygoni on beet, 3127; Mycosphaerella melonis on watermelon, 882d; Peronospora tabacina, 2064: Phytophthora infestans on tomato, 1747; Plasmopara viticola, 3374; Pseudoperonospora cubensis on watermelon. 882d; Puccinia graminis, 1876; P. striiformis on wheat, 1885; tomato storage rots, 1747; watermelon diseases, 882b.
- versus nabam-zineb, 360.

- aglukon and Bayer, use of, against Peronospora tabacina, 2406.

-toxaphene S, effect of electrostatic charging on, 882c.

Manganese deficiency in barley, 2491u; oats, 1225j; rye, 2491u; strawberry, 1998.

, effect of, on growth of Fomes annosus, 3331;

Streptomyces scabies, 210.

toxicity in soybean, 3382j.

chloride, use of, against Sclerotinia sclerotiorum on sunflower, 1376.

- superphosphate, use of, as soil treatment against Pleospora papaveracea, 1371.

Mangifera indica, see Mango.

Mango (Mangifera indica), Calonectria rigidiuscula on, in Venezuela, 3173c.

-, Cercospora mangiferae on, in Congo, 173. dieback in Mauritius, Thyronectria pseudo-trichia associated with, 2187.

-, Diplodia natalensis on, in India, 2977. diseases, including Elsinoe mangiferae on, ın Congo, 173.

-, Glomerella cingulata on, in Congo, 173; Guinea, 3273; U.S.A., 174.

Macrophoma mangiferae on, in India, 1223; var. reaction to, 2365.

malformation disease in India, role of mites in, 1223, 1365.

Oidium mangiferae on, in Congo, 173; \*Venezuela, 2009.

-, Physalospora perseae on, in Congo, 173. Stigmina mangiferae on, in \*Brunei, 2496; Guinea, 3273.

Thyronectria pseudotrichia on, in Mauritius, associated with dieback, 2187.

Manihot utilissima, see Cassava. Manila hemp, see Musa textilis.

Manuscripts, micro-organisms on, control, 2510.

Maple, see Acer.

Maranta arundinacea, see Arrowroot.

Marasmius equicrinus on Hevea rubber and tea, 2039c.

on pepper, black, 1518.

- oreades, formation of hydrogen cyanide by mycelium of, and inhibition of, by antibiotics, 1253.

on Agrostis, 658a.

- perniciosus on cacao, 6, 1584, 2570, 2572.

scandens on pepper, black, 1518. Maravalia crotalariae on Crotalaria, 2043.

- ingae on Inga, 2078b. Marigold, see Calendula officinalis.

Market garden plants, diseases of, book on, 1770.

Marrow, see Vegetable marrow.

Marssonina, similarity of symptoms of manganese deficiency in rye to, 2491u.

- brunnea on poplar, 3033.

panattoniana, Pleospora herbarum on lettuce formerly confused with, 638.

populi on poplar, 2793.

Massospora levispora on Okanagana rimosa, 29. Mastigosporium rubricosum on Agrostis alba and Dactylis glomerata, 771.

Matthiola incana, Corticium solani, Pythium, and Sclerotinia sclerotiorum on, in New S.

Wales, 1953.

turnip mosaic virus on, resistance to, 1049.

Xanthomonas incanae on, in New S. Wales, transmission of, by seed, 1953.

Medicago, Cercospora on, in U.S.A., hostparasite relationship, morphology and pathogenicity of, 114.

Uromyces anthyllidis on, in New S. Wales.

1868.

[Medicago] falcata, Leptosphaerulina briosiana on, 119.

- lupulina, bean yellow mosaic virus on, in Germany, 2950.

sativa, see Lucerne.

Mediocidin, production of, from actinomycetes, in Japan, 900.

\*Melampsora abietis-canadensis on Tsuga canadensis, 3327d.

- albertensis on pine and Pseudotsuga menziesii, 2103.

*-- allii-populina* on poplar, 255.

- *larici-populina* on poplar, 255, 1429, 2739, 3034.

- lini on flax, 402, 752, 1223, 1335.

— — on linseed, 1662.

- occidentalis on pine, 2103.

on poplar, 3327f.

- populnea on forest trees, 3024. (?)— on Fumaria officinalis, 255.

- — on pine, 604, 1764, 2103.

— — on poplar, 255.

- ricini on Ricinus communis, 1723.

Melampsoridium hiratsukanum on alder, 2732. Melandrium album, Plantago mosaic virus on, in Bulgaria, 2561.

Melanoplus differentialis transmitting pumpkin mosaic virus, 856g.

\*Melanospora interna on pine, 2541.

Melanosporaceae, factors affecting fruit-body formation in, 1250.

Melilotus, Cercospora on, in U.S.A., hostparasite relationship, morphology, pathogenicity of, 114.

-, *Leptosphaeria maculans* on, 1225a. -, Leptosphaerulina briosiana on, 119.

-, (?)Phoma herbarum var. medicaginis on, 1225a.

Melinis minutiflora, Fiji disease, false, on, in Madagascar, 966.

Meloidogyne in relation to Corticium solani and Pythium debaryanum on cotton, 469.

- hapla, association of, with Fusarium oxysporum f.sp. pisi on pea, 2443; Pseudomonas solanacearum on tomato, 2074.

incognita in relation to Fusarium oxysporum

f.sp. vasinfectum on cotton, 470.

- var. acrita, association of, with Fusarium oxysporum f.sp. pisi on pea, 2443; F.o. f.sp. vasinfectum on cotton, 750.

- var. acrita + Pseudomonas solanacearum on tomato, 2731.

Melon (Cucumis melo), Alternaria on, in U.S.A., associated with wilt, 881k.

-cucumerina on, form on Cyamopsis psoraloides distinct from, 658p.

-, Cladosporium cucumerinum on, in Mauritius, 2187.

, cucumber mosaic virus on, in France, 655, 2466; Hungary, 2163; transmission of, by vectors, 2163.

-, cucurbit latent virus on, in U.S.A., 2467. -, Erysiphe cichoracearum on, in Czechoslovakia, 1793; U.S.A., 330; genetics of, 2783; Oidium state of, 1793; physiologic races of,

2783. , Fusarium on, in U.S.A., associated with wilt, 881k.

–, – javanicum var. ensiforme on, 2490i.

- oxysporum on, factors affecting, 2471. use of, in testing soil fungicides, 1512e.

[Melon, Fusarium oxysporum] f.sp. cucumerinum on, mode of penetration by, 870.

-- f.sp. melonis on, in Armenia, 869; France, 655; U.S.A., 2784; associated with wilt, 2784; mode of penetration by, 870.

f.sp. niveum on, mode of penetration by, 870.

, Gibberella fujikuroi on, mode of penetration by, 870. mosaic virus on Cucurbita moschata and

Luffa cylindrica, 1495.

on vegetable marrow, 2165.

Mycosphaerella melonis on, in New S. Wales, 657.

Oidium on, in Czechoslovakia, 1793; France, 655.

-, Pseudomonas lachrymans on, in U.S.S.R., specialization in, 329.

Pseudoperonospora cubensis on, in U.S.A., 330.

, Sphaerotheca fuliginea on, in Czechoslovakia, 1793; U.S.S.R., 2166; Oidium state of, 1793; previously identified as Erysiphe cichoracearum, 2469.

, squash mosaic virus on, in Puerto Rico, symptoms of, 640.

Trichoderma and Verticillium on, in U.S.A., associated with wilt, 881k.

watermelon mosaic virus on, in U.S.A.,

1496, 2467; strs. of, 1496.

- wilt disease in U.S.A., 881k, 2784; fungi associated with, 881k; Fusarium oxysporum f.sp. melonis associated with, 2784.

Melprex 65, use of, against Venturia inaequalis, 2315a, b.

Memnoniella subsimplex, factors affecting spore discharge in, 2801.

Menazon, use of, as soil treatment for carrot motley dwarf virus, 1219a.

Mentha, Puccinia menthae on, C.M.I. description of, 1267; physiologic races of, 1102.

piperita, see Peppermint.

Mercaptophos, use of, against winter wheat mosaic virus on wheat, 1591.

Mercuran, use of, as seed treatment for barley, 3195; broad bean, 2446; forest plants, 2493j; soybean, 625, 3360; sunflower, 3288. Mercuric chloride, effect of, on soil respiration,

, use of, against Corynebacterium sepedonicum on potato, 2034; Fusarium oxy-sporum f.sp. carthami on safflower seed, 530; mites in fungal culture collections, 2513; Plasmodiophora brassicae on cabbage, 282, 348; as seed treatment for bean, 1198; as soil treatment, 343.

Mercurous chloride, use of, against Plasmodiophora brassicae on cabbage, 343; on cauliflower, 2792; as seed treatment for swede, and as soil treatment, 343.

Mercury, effect of, on Cercosporella herpotrichoides on wheat, 2874.

- residues in ground crops, 1772.

-, use of, against Cercospora beticola, 2763; Tilletia foetida on wheat, 1294; as seed treatment for cereals, 2861, 3098; for ginger, 182.

- in combination, use of, against Armillaria mellea on vine, 1512v; Cercospora beticola, 2763.

arsanilate, use of, as seed treatment for bean, 1198.

[Mercury] compounds, organic, in soil, degradation of, 3130.

--, -, effect of, on yield of cotton, 746. --, -, inhibition of ascospore discharge

in Nectria galligena by, 3250.

—, —, residues of, in apple, 2959. ——, —, toxicity of, to Capsicum, 1801.

- -, -, use of, against Colletotrichum atramentarium on potato, 1389; Corticium solani on potato, 2999; Fusarium on Asparagus, 1512w; on flax, 1335; Glomerella tucumanensis on sugarcane, 219; Leptosphaeria maculans on cabbage, 1774; Pleospora betae, 2132a, b; Pythium ultimum on beet, 2132b; Venturia inaequalis, 128, 2959; Xanthomonas malvacearum, 1656; as seed treatment for beet, 2132a; cotton, 746; flax and linseed, 476; oats, 1898; Pennisetum typhoides, 1319; sorghum, 1228; as soil disinfectant, 2927.

cyanide, use of, as seed treatment for sun-

flower, 1376.

-, Dupont organic, use of, against Pythium aphanidermatum on Lolium perenne, 349. Mercusan, use of, against carnation black

mould, 479.

- in combination, use of, against Alternaria dianthi on carnation, 479

Meria laricis on larch, 3037, 3339.

Mersil, use of, against Corynebacterium sepedonicum on potato, 2034.

Merulius lacrymans, see Serpula lacrimans. Mesembryanthemum caprohetum, inhibition of tobacco mosaic on Nicotiana glutinosa by leaf sap of, 55.

Mesulfan, use of, against Venturia carpophila on

peach, 1984.

Metals, fungicidal activity of, 894.

Metapolophium dirhodum transmitting barley yellow dwarf virus, 1588.

Metarrhizium anisopliae in relation to insect control, 27.

on Cleonus punctiventris, 287b.

— on insects, 3120.

Metasystox, effect of, on potato virus Y, 2388a. use of, against vectors of beet yellows virus, 3055; of cucumber mosaic virus, 1799; of potato leaf roll virus, 2016, 2983.

versus disyston, 3055.

-- R, use of, against vectors of beet viruses, 3056.

Metham-sodium, use of, against Nectria radicicola on Cyclamen persicum, 2932; Plasmodiophora brassicae on cauliflower, 2792: Thielaviopsis basicola on Cyclamen persicum, 2932; as soil fumigant, 1218b, c, 2927.

Methionine, use of, against Aphanomyces euteiches on pea, 3063.

- sulfoximine, effect of, on tobacco mosaic virus on Nicotiana debneyi, 563.

Methoxyethylmercury chloride, effect of, on length of wheat stems, 993.

-, use of, against Cercosporella herpotrichoides on wheat, 993.

-, see also Agallol.

Methyl alcohol, use of, as seed treatment for barley, 443.

- arsine oxide, inhibition of Corticium solani and Pythium aphanidermatum by, 658a.

-, use of, against Corticium solani on Agrostis, Curvularia in soil and on turf, and Marasmius oreades on Agrostis, 658a.

[Methyl arsine] sulphide, effect of, on soil respiration, 2503.

-, use of, as seed treatment for beet, 343.

-, see also K.C.I. 911.

- aspartic acid, use of, against Aphanomyces euteiches on pea, 3063.

- bromide, effect of, on avocado pear, 805; Penicillium islandicum on rice, 1914a, b; Phytophthora nicotianae on tobacco, 2407.

-, use of, against Absidia on rice, 1328; Cryptodiaporthe populea and Valsa sordida on poplar, 2422, as soil fumigant, 181, 1038, 1089, 2407.

- in combination, effect of, on bulb pro-

duction by lily, 1671.

-, use of, as soil fumigant, 1671. 6-methyl-2,3-dithiolcarbonate, use of, against Erysiphe cichoracearum on cucumber, 24911. 2,2'-methylenebis (3,4,6-trichlorophenol), see

hexachlorophene.

Methylhydrazone, inhibition of Cronartium fusiforme by, 1424.

-, use of, against Cronartium comptoniae on pine, 2430.

- p-hydroxy-benzoate, use of, against moulds in liquid paraffin, 906.

Methylisothiocyanate, use of, as a soil fumigant, 1038, 1218b, c.

- in combination, effect of, on bulb pro-

duction by lily, 1671. Methyl mercuric chloride, use of, against Ceratocystis paradoxa on sugarcane, 1129.

-dicyandiamide, use of, against Corticium solani on pea, 2210; Fusarium on wheat, 2208; Pythium irregulare on pea, 2210; Ustilago avenae on oats, 2208.

--p-methoxycinnamate, production of, by

Lentinus lepideus, 2115

3-methyl-6-methoxy-8-hydroxy-3,4-dihydroisocoumarin, production of, by carrot root tissue, 1791.

N-methyl-N-naphthylcarbamate in combination, use of, against Armillaria mellea on vine, 1512v.

Methylolmelamine resins, use of, micro-organisms on fabrics, 2510.

6-methyl-quinoxaline-2,3-dithiolcarbonate, use of, against Podosphaera leucotricha, 1068.

MH-30 injury to tobacco, use of, against Alternaria longipes on tobacco, 834.

Miconia, greenpoint cushion gall on, in Costa Rica, 350a.

Micraspis acicola on spruce, 1173.

Microbiology, analytical, book, on, 665. -, Annual Review of, Vol. 17,

-, Canadian Symposium on, 386.

recent progress in, 386. Micromycetes in Romania, 1840.

Micronectriella stoveri associated with Mycosphaerella musicola on banana, 939, 1093.

Micro-organisms in museums, 2510.

- in plant life, 386f.

-, mode of action of different kinds of rays on, 3105.

— on books, leather, and manuscripts, 2510. production of growth-regulating substances by, 893b.

industrial, biochemistry of, book on, 666. Microsphaera alphitoides on oak, \*845, 2234.

betae on beet, 1842.

— mougeotii on Lycium, 1942.

Microstroma juglandis on walnut, 595.

- lini syn. of Kabatiella lini, 941.

Milk, effect of, on tobacco mosaic virus on tomato, 1143.

, use of, to prevent contact transmissions of

tobacco mosaic virus, 3321.

-, skimmed, use of, against potato leaf roll virus, 1730.

Millet, see Pennisetum.

\*Millettia dura, Cephaleuros parasiticus on, in India, 1737b.

Mineral oil, use of, against Mycosphaerella musicola on banana, 359e.

Mint, see Mentha.

\*Mirabilis jalapa, Phytophthora infestans f.sp. mirabilis on, in Mexico, 350k.

Mirid damage associated with cacao swollen

shoot virus in Nigeria, 424.

Miscanthus, Sclerospora miscanthi on, in Formosa, comparative study of S. sacchari and, 2718.

Mites infestation in culture collections, control, 403.

- not transmitting peach necrotic ringspot virus, 2671. -, parasites and predators associated with, on

citrus, 357.

, role of, in mango malformation disease, 1223, 1365.

- transmitting pigeon pea sterility mosaic virus, 1480; (?)poplar mosaic virus, 2082.

Mollisia cryptomeriae on Cryptomeria japonica, 2741.

Molybdenum deficiency causing cauliflower

'whiptail', 285.
-, effect of, on growth of Fomes annosus in

culture, 3331. -, use of, as seed treatment for Ornithopus

sativus, 1966; against hop curl disease, 807. Monilia roreri on cacao, see Cacao.

Moniliaceae in soil, 1552

Monilin, production of, from actinomycetes in Japan, 900.

Moniliopsis aderholdii on cedar, 1535m.

Monochaetia compta var. ramicola and M. depazeoi on rose, 2640.

- unicornis on Cupressus, 2797. - on C. arizonica, C. sempervirens, C. torbessi, and C. torulosa, 263.

– on *C. lindleyi*, 877.

Monofluoride, use of, as timber preservative, 2436.

Monopetalanthus, ectotrophic mycorrhiza of, in Congo, 1758.

Monotropa hypopitys on tree roots, 374. Morchella esculenta, submerged culture of, 1503.

Morestan injury to apple, 3250.

-, use of, against Alternaria longipes on tobacco, 2497; (?) Erysiphe cichoracearum on cucumber, 2490a; Podosphaera leucotricha, 1534, 2490a, 3250.

Mortierella, antagonism of, to Corticium solani

on apple, 1698.

-vinacea associated with Tricholoma matsutake, 2749.

Morus, see Mulberry

Mucochloric anhydride, use of, against Plasmodiophora brassicae on cabbage, 348.

Mucor hiemalis on Sclerotinia sclerotiorum and S. trifoliorum, 3150.

on tomato, 576.

- pusillus in mouldy hay, 1539.

[Mucor] ramannianus on pine, 2429.

silvaticus on coniferae, 3337.

Mucorales in soil in France, 338.

Mucuna deeringiana, citrus variegation virus can infect, 2798a.

-, Phytophthora drechsleri on, in Queensland, 1129.

–, soybean mosaic virus on, 622.

Mulberry (Morus), Aecidium mori on, in India, 3329.

mosaic virus on mulberry in India, \*1362, 2353; Japan, 2080; control, 2080; distinct from mulberry yellow net vein, 1362; effect of temperature on, 1157; factors affecting, 3333; relationship between time of cutting back of trees and symptoms of, 844, transmission of mechanically, 1362; by vectors, 1362, 2353.

-, Phyllactinia moricola on, outbreak and

spread of, 1158.

-, Pseudomonas mori on, control, 3270.

Schizophyllum commune on, in Turkey, 3026.

- yellow net vein virus distinct from mulberry mosaic in India, 1362.

Murraya exotica, Phyllosticta murrayae on, symptoms of, 2936.

Musa, Fusarium oxysporum f.sp. cubense on, physiologic races of, 350h, 522.

- acuminata, F. o. f.sp. cubense on, var. reaction to, 350h.

Pestalotia palmarum on, in Honduras, Orbignya cohune source of inoculum of, 170. - balbisiana, Gloeosporium musarum on, in Colombia, hosts of, 803.

-, Pestalotia leprogena on, in Jamaica, resemblance of lesions of, to Cordana musae,

1717.

- palmarum on seedlings, in Honduras, Orbignya cohune source of inoculum of, 170. - cavendishii, Gloeosporium musarum on, in Colombia, 803.

- nana, see Banana.

- paradisiaca, see Plantain.

- var. sapientum, see Banana.

 textilis in the sea, fungi on, 3107c. - mosaic virus, relationship of, with viruses

from Canna indica and arrowroot, 1854. Musaceae, Pseudomonas solanacearum on, C.M.I. description of, 2197.

Museums, micro-organisms in, effect of p-chloro-m-cresol aerosols on, 2510.

Mushroom (Agaricus), Chaetomium on compost of, 1502a.

- olivaceum on beds of, in N. Ireland 2793.

-, character transmission by, 1502e.

-cultivation, in Czechoslovakian mines, 337; Conference on scientific aspects of, 1502; effects of ventilation on, 1218f.

dieback virus on mushroom, 651, 652; in England, 1502q; control, 651; transmission of, by spores, 856i; var. reaction to, 651.

- disorder in the Irish Republic, similar to 'La France-watery stipe-brown disease complex', 342.

growth studies on, 382, 1502, 1503, 1543,

2482, 3371.

-, Humicola griseus var. thermoideus and H. insolens on compost of, 2483.

- nigrescens on compost of, 1502a. identification of strs. NRRL. 2334, 2335. 2336 as Beauveria tenella, 1502g.

[Mushroom], international centre (proposed) for investigating strs. of, 1502h.

, 'little atlas of' (French), vols. I and II,

1556; vol. III, 2540.

-, Pythium artotrogus in compost of, in U.S.A., 1504.

Thermomonospora curvata on compost of, 2483.

\*--, Trichoderma viride on, in New S. Wales, 1813.

-, Trichothecium roseum on, in New S. Wales, 1868.

- virus 1, distinct from mushroom virus 2,

'X-disease' in U.S.A., 1502p.

Muskmelon, see Melon. Mustard, Chinese (Brassica juncea), Albugo candida on, biological race of, 1185.

-, mosaic virus in India, transmission of,

by vectors, 1281.

-, Indian (Brassica campestris var. sarson), Erysiphe polygoni on, in India, 1458.

-, white, see Sinapis alba.

, yellow (Brassica campestris), cabbage mosaic virus str., effect of temperature on transmission of, by vectors, 3352.

-, Erysiphe (?)polygoni on, 1458. Mycena citricolor on coffee, 1333. Mycology, history of Scottish, 11.

- in relation to agriculture, 3104.

-, morphological and anatomical illustrations

of (Birkfield et al.), 397.

Mycoparasitism, 2519c; presidential address to the American Mycological Society on, 2189.

Mycorrhiza in litter, 374.

in relation to Boletaceae classification, 374; to crop plant development, 374; humus in forests, 374, 378; light, reforestation, and soil depth, 374.

-, International symposium on, Weimar, 374.

-, knowledge of, before 1885, 374. -, morphology and systematics of, 374. — of Afzelia bella in the Congo, 1758.

of Agathis australis, 1448.
of Anthonotha macrophylla in the Congo, 1758.

- of apple, 145.

- of beech, 374, 2514, 2515, 2516.

— of Brachystegia laurentii in the Congo, 1758.

- of broad bean, 2771.

— of *Dacrydium*, 1448. — of Ericaceae, 374.

of forest trees, 374, 376, 1750c, 2518.

— of fruit trees and Glaux maritima, 374. - of Gramineae, 374, 1549f.

— of Griselinia littoralis, 1434. - of herbs in S. Africa,

- of Hevea rubber in Malaya, 1396.

— of Linum, 374.

of Monopetalanthus in the Congo, 1758.

— of oak, 374, 2517. — of oats, 374.

— of Paramacrolobium coeruleum and P. fragrans in the Congo, 1758.

of Phyllocladus, 1448.

- of pine, 374, 1446, 1447, 3136; \*Amphinema byassoides, Boletus bovinus, and B. granulatus forming, 1761; B. luteus forming, 374, 1761; Cenococcum graniforme forming, 265. 266; Hebeloma crustuliniforme forming, 374;

Laccaria laccata forming, 266; Polyporus tomentosus and P. t. var. circinatus forming, 1226b; Rhizopogon roseolus forming, 266, 1541; Scleroderma bovista forming, 374; Tricholoma aggregatum and T. matsutake forming, 1445; \*Tuber maculatum forming, 1761; in relation to pole blight disease in Canada, 374.

[Mycorrhiza] of Podocarpus, 1448.

of Pseudotsuga menziesii, 374, 1447b, 2094, 2432.

of P. m. var. glauca, Cenococcum graniforme forming, 265.

of Salix in Italy, 1759.
of spruce, 374; Cenococcum graniforme forming, 378; factors affecting, 2514; Polyporus tomentosus and P. t. var. circinatus forming, 1226b; types of, 2433.

of Tilia americana and T. europaea, Hysterangium clathroides forming, 1760b.

- of Tilia tomentosa, Balsamia platyspora, Boletus subtomentosus and Russula grisea

forming, 1760b.

of wheat and woody plants, 374. structure and mycorrhizogenic fungi, 374. -, synthesis of growth-substances by, 374.

, vesicular-arbuscular, studies on, 375. Mycosphaerella aleuritidis on Aleurites, 246, 658v, \*877.

- arachidicola on groundnut, see Groundnut. - berkelevii on groundnut, see Groundnut.

- brassicicola, Asteromella brassicae imperfect state of, 2120.

-, imperfect state incorrectly known as Phyllosticta brassicicola, 2120. on cabbage, 2831a.

- carinthiaca on clover, 2493f.

- citrullina, see M. melonis. - convallaria on lily of the valley, 2935.

- cucumis, see M. melonis.

fragariae on strawberry, 801, 1092, 1995. -ligulicola on Chrysanthemum, see Chrysanthemum.

on C. rotundifolium, 2543.

— linorum on flax, 402, 476, 1660.
— on linseed, 476, 1336, 1813.
— macrospora on iris, 878, \*1223.

— macrospora on iris, 878, \*1223. — melonis on cucumber, \*657, 1795, \*3366.

on watermelon, 882d.

- milleri on Magnolia grandiflora and M. virginiana, 2295.

- *minima* on banana, 1093.

- musicola on banana, see Banana.

- personata, nutritional requirements of, 2179.

- pinodes on bean, 2496.

on pea, see Pea.

- rabiei on Cicer arietinum, 1485.

- ribis on currant, 157.

- rosigena on rose, 2185b.

\*— sentina on apple, 1223.

on pear, 1064.

Mycostatin, toxicity of, to Pythium, 1837.

, use of, against Mucor and Rhizopus stolonifer on strawberry, 2683; for measuring population of *Pythium* in soil, 1837.

, see also Nystatin.

Myiophagus associated with insects and mites on citrus, 357.

Mylone, use of, against Alternaria tenuis and Colletotrichum atramentarium on tobacco, 1145; Plasmodiophora brassicae on cabbage, 859; as soil fumigant, 1224, 1519.

[Mylone], see also Dazomet.

Myo-inositol, effect of, on susceptibility of plum to Rhodosticta quercina, 3267.

\*Myrothecium roridum on coffee, 350g.

\*— — on cotton, 3382b.

- - on tomato, 1151.

- verrucaria, decomposition of cellulose by, 615.

— on sisal, 2288.

Myzocallis asclepiadis transmitting cucumber mosaic virus, 2162.

Myzus ornatus transmitting beet ring mottle virus, 1468.

- persicae, control of, with systemic insecticides, 2020.

-, effect of formaldehyde and UV light on transmission of cabbage mosaic virus by, 3052

, failure of, anaesthetized, to transmit henbane mosaic virus, 2554.

-, studies on acquiring and transmitting potato virus Y by, 1118.

- transmitting banana viruses, leaf cage for studying, 2553; beet mild yellowing virus, 1465, 3355a; beet mosaic virus, 417; beet ring mottle virus, 1468; beet western yellows virus, 860, 1860; beet yellows virus, 860, 1860, 2762, 3355a; cabbage mosaic virus, 3052, 3351, 3352; cabbage and cauliflower virus diseases, 2117; cucumber mosaic virus, 1799, 1860, 1955, 2162; *Dactylis glomerata* (cocksfoot) streak virus, 107; lettuce mosaic virus, 326, 1860; mulberry mosaic virus, 2353; papaw virus, 1366; pea mosaic virus, 417, 1192; potato leaf roll virus, 58, 1729, 1730, 1731, 2015, 2984; potato virus diseases, 1725; potato virus Y, 61, 1800, 2984; soybean stunt virus, 1202; tobacco mottle virus, 828; tobacco mottle + tobacco veindistorting viruses, 3302; tobacco yellow net virus, 1810; turnip latent virus, 58; watermelon mosaic virus, 1860, 2164.

- -, unsuitable hosts for, 413. -, 'virus-like bodies' in salivary glands of, not connected with potato leaf roll virus, 819.
- porosus transmitting strawberry mottle virus, 162.
- NAA synthetic phytohormone inhibiting germination of Protomyces macrosporus chlamydospores, 2693.

Nabac, use of, against Corticium solani on

cotton, 1653.

Nabam, effect of, on growth of Botrytis allii and Sclerotinia sclerotiorum, 1247, 2213.

-, ineffective against Pythium, 27901.

-, use of, against Erwinia amylovora on apple and pear, 1979.

- in combination versus dithane-maneb, 360. - in soil, production of carbonyl sulphide by, 2507.

\*Naemacyclus niveus on pine, 877.

Nafun, use of, against Venturia inaequalis, in combination; effect of, on apple; versus zineb, 785.

Naphthalene derivatives, anti-fungal, paper on, 1512g.

2-naphthoxyacetic acid, effect of, on growth of sugarcane root tips, 3298.

α-naphthyl acetic acid, inhibiting Crotalaria mosaic virus, 959.

Narcissus, Arabis mosaic virus on, in England,

-, Stagonospora curtisii on, in England, 1218c.

- virus diseases in England, 1218b.

- yellow stripe virus on Narcissus, study of, 3241.

Nardus stricta, Typhula incarnata on, in Scotland, 1673.

Nasonovia lactucae transmitting lettuce necrotic yellows virus, 327.

ribis-nigri transmitting gooseberry veinbanding virus, 2352.

\*Nectandra, Uredo nectandrae on, in Venezuela, 2079.

Nectarine (Prunus persica), Sclerotinia on, var. reaction to, 1967.

, Tranzschelia pruni-spinosae var. discolor on, in W. Australia, control, 507.

Nectria cinnabarina on elm, 2077.

- coccinea var. faginata on beech, 2415e.

- galligena on apple, 2318, 3250.

— on birch, 582.

— — on forest trees, 2415d.

— —, perithecial production in culture, 1565.

— radicicola, hosts of, 2932. — on Cyclamen, 2927, 2932.

— on Forsythia and gloxinia, 2927.
—, perfect state of Cylindrocarpon radicicola, 1344.

Nematodes, activity of Catenaria anguillulae against, 883d.

- (?) associated with cotton 'leaf roll' disorder, 2618.

-, host response to infection by, 1233k. - in fresh water and soil, book on, 1236.

in relation to Erwinia parthenii var. dianthicola on carnation, 1; fungal diseases, 3106; Pythium and Rhizoctonia on cherry, 1083. -, predaceous fungi on, 1527, 2807, 2808.

- transmitting plant viruses, 3170; vine virus

diseases, 1505h. (?)\*Neocosmospora africana in soil, 2836.

vasinfecta on tropical plants in Japan, 2836. Neomycin inhibiting Xanthomonas, 3131.

Neovossia barclayana on rice, 729, 2612.

— horrida on rice, 1866, 1911, 3213.

— indica on wheat, 991, 1849.

Nephelium lappaceum, Dolabra nepheliae on, in Malaya, 3274.

- -, Ophioceras on, in Malaya, 347.

Nephotettix bipunctatus transmitting rice yellow dwarf virus, 460.

cincticeps transmitting rice dwarf and rice yellow dwarf viruses, 460.

Nerium oleander, see Oleander. Netzmittel-Wolfen as surface agent fungicides, 1243.

Neurospora crassa, apparatus for sequential ascus collection in, 1851.

, dodine acetate uptake by, 1512i.

- sitophila, inhibition of, by rimocidin, 3132.

– — on timber, 1767o.

Niacin in relation to Puccinia graminis on

wheat, 2583. Nicandra physaloides, potato virus Y (Lima da

Silva and Piedade strs.) on, cross protection tests with other viruses, 414.

-, tobacco mottle + tobacco vein-distort-

ing viruses on, reaction to, 3302.

, tomato ringspot and tomato spotted wilt viruses on, cross protection tests with other viruses, 414.

[Nicandra physaloides], Xanthomonas vesicatoria on, in N.Z., 3326.

Nickel, necessity of, for nutrition of Coniophora putcana and Serpula lacrimans, 1165.

- , use of, against Exobasidium vexans on tea. 558, 561; Puccinia graminis and P. recondita on wheat, 2497.
- chloride, use of, against Exobasidium vexans on tea, 560, 561.

- in combination, use of, against Puccinia psidii on pimento, 351.

- sulphate in combination, use of, against Puccinia graminis on wheat, 1876; P. striiformis on wheat, 1885.

Nicotiana, Cercospora kikuchii and C. nicotianae on, 3318.

-, lucerne mosaic virus str. can infect, 2375.

, Peronospora tabacina on, in Australia, 1227b; breeding against, 3312; spec. reaction to, 225, 3312.

-. Plantago mosaic virus can infect, 2561.

, raspberry dwarfing [bushy dwarf virus] on, in U.S.S.R., similarity of symptoms of, to raspberry yellow dwarf, 1992.

-, tobacco mottle + tobacco vein-distorting virus on, reaction to, 3302.

- tumours, genetics of, 385.

-, use of, as indicator plant for Arabis mosaic, raspberry ring spot, tobacco and tomato ring spot and tomato black ring viruses, 692.

- affinis, Peronospora tabacina on, in Lithuania, 2061.

- amplexicaulis, Peronospora tabacina on, reaction to, 3312.
- clevelandii, hop mosaic virus can infect, 2184i.

lemon latent virus can infect, 884d.

- debneyi, Peronospora tabacina on, genetics of, 2060; reaction to, 225, 831.

, potato spindle tuber virus on, symptom-

less host of, 658y

-, potato virus Y on, symptoms of, 3016. ---, tobacco mosaic virus on, effect methionine sulfoximine on strs. of, 565.

- excelsior and N. exigua, Peronospora tabacina on, reaction to, 3312.

glauca, Peronospora tabacina on, in Australia, 1227b.

-, symptomless carrier of potato yellows type III virus, 2019.

-, tobacco mosaic virus on, strs. of, 1404. - glutinosa, cabbage black ring spot virus can infect, 857.

-, cucumber mosaic virus on, differentiation of, strs. of, 1495.

— necroses, gibberellin-like substances not affecting, 2052.

-, Peronospora tabacina on, reaction of, to, 1227d.

---, potato corky ringspot virus on, 2991. - N-virus on, elimination of K, M, & S viruses from, 1732.

- yellows type III virus can infect, 2019.

—, tobacco mosaic virus on, course of infection by, 3009; detection of, by fluorescent antibody, 1136; effect of Capsicum annuum extracts on, 2848; Phalangium opilio extracts on, 227; UV pre-inoculation treatment of leaves on, 884s; inhibition of, by B-indole acetic acid, 2051; plant sap, 55;

plant growth regulators, 3305; mitochondrial activity in, 3010b; particulate fractions and substrates in, 3010a; separation of virus inhibitor from, 3011; strs. of, 1404.

[Nicotiana glutinosa, tobacco] yellow net virus

can infect, 1810.

-, tomato aucuba mosaic on, effect of kinetin and pancreatic ribonuclease on, 1572. - —, turnip mosaic virus on, 857, 958, 1181.

- cabbage str. on, causing severe

mosaic, 1181.

-—, use of, as indicator for tobacco mosaic virus, 563, 3320.

goodspeedii, N. gossei, N. ingulba, and N. megalosiphon, Peronospora tabacina on, reaction to, 3312.

- quadrivalvis, beet mosaic virus on, effect of, on lipids, 2130.

rustica, Peronospora tabacina on, in Lithuania, 2061. potato corky ringspot virus on, 2991.

---, potato parastolbur virus on, in Czechoslovakia, 1277.

- spindle tuber virus on, symptomless host of, 658y.

-, - yellow dwarf virus on, effect of host components and sucrose on infection by, 2018.

- sylvestris, tobacco mosaic virus str. on, 231.

 tabacum, see Tobacco.
 tomentosa, Peronospora tabacina on, reaction to, 1227d. velutina, Peronospora tabacina on, in New

S. Wales, 1227b. Nigrospora oryzae in air over rice fields, 1017.

-, Khuskia oryzae perfect state of, 945. on maize and sorghum, 727.

- sphaerica on pineapple, 3277.

Nitrafen, use of, as soil disinfectant, 2321. Nitraphen, use of, against Verticillium on apple, 3254.

2-nitrofuran-5-amidoxime, see UC 19297.

Nitrogen deficiency in Phaseolus angularis, 861; strawberry, 1998.

-, effect of, on Botrytis cinerea on Chrysanthe-mum morifolium, 3238; Corticium solani on cotton, 94; Crotalaria mosaic virus, 1339; resistance of wheat to Puccinia striiformis, 1560; Sclerotinia homoeocarpa on Agrostis, 2644.

in combination, use of, against Cephaleuros parasiticus on tea, 1737b; Xanthomonas vesicatoria on Capsicum, 3087

compounds, heterocyclic fungicidal activity of, 894.

, liquid, use of, in studying potato spindle

tuber virus, 2563.
- nutrition of Colletotrichum phomoides, 3142; higher fungi, 374.

salts, use of, against hop curl disease, 807. 2-nitro-1-phenyl-1-phenylthioalkanes, toxicity of, to Botrytis cinerea, Cladosporium fulvum, Sclerotinia fructigena, and Venturia inaequalis, 676.

Nitrosan, use of, against Microstroma juglandis

and other fungi on walnut, 595. NIUIF-1, use of, as seed treatment for barley,

3195; lupin, 2306. Norleucine, use of, against Aphanomyces

euteiches on pea, 3063. Novozir L, use of, against Didymellina dianthi

on carnation, 1043.

[Novozir L], see also Ziram.

- N, use of, against Didymellina dianthi on carnation, 1043; Plasmopara viticola, 2487.

---, see also zineb.

Nurelle, toxicity of, to Cruciferae, 617.

-, use of, against Fusarium oxysporum f.sp. gladioli on Gladiolus, 349; as seed treatment for Cruciferae, 617.

-, see also 2,4,5-trichlorophenol. Nut varieties, register of, 1967.

Nyssa sylvatica, Fusarium solani on, in U.S.A., 1431.

Nystatin, use of, as seed treatment for pea, 1781.

-, see also Mycostatin.

Oak (Quercus), Armillaria mellea on, in Canada, 1755; Sardinia, 845; morphology and symptoms of, 845.

-, Colpoma quercina and Coniothyrium quercinum on in Czechoslovakia, 1425.

-, Ceratocystis fagacearum on, in Canada, 3327d; U.S.A., 251, 252, 253, 1427, 2081; effect of deep-girdle treatment on, 251; (?)of nutritional competition between Hypoxylon atropunctatum and H. punctulatum, 251; of other fungi on, 252; factors affecting, 1427, 2081; susceptibility to inoculation, 3029a; forms of, 252; fumigation of timber in relation to embargo on, 1426; incidence of, 3029e; infection by, 3029b; by grey and white isolates of, 253; losses caused by, 2081; rate of spread of, 3029d; source of incoulum for spread of, by insect vectors,

-- chlorotic leaf mottle virus in Denmark, transmission of, by budding, 1514.

\*--, Coryneum foliicolum on, in Sardinia, 845. -, Cronartium fusiforme on, \*2420; effect of cycloheximide on spore germination of, 1424; Sporobolomyces associated with, 586. - quercuum on, in Sardinia, 845.

Cryptodiaporthe densissima on, in Canada,

3327d.

-, Cylindrocarpon radicicola on, in Czecho-

slovakia, 1425.

-, Cystodendron dryophilum and Dendrophoma myriadea on, in Sardinia, study of, 845.

Diaporthe fasciculata and D. taleola on, in

Czechoslovakia, control, 1425.

- dieback in Canada, Diatrypella quercina and Pseudovalsa longipes associated with, 1755.

-, Discula quercina on, in Sardinia, study of, 845.

-, Dothiorella quercina on, in Canada, 3327d. , Elsinoe quercus-ilicis on, in Sardinia, study of, 845.

-, fungi on, effect of, on forms of Ceratocystis fagacearum on, 252; list of, in Pakistan, 1159.

—, Fungi Imperfecti on, in U.S.A., 1428.

-, Fusarium oxysporum on, in Czechoslovakia,

control, 1425.

, Hypoxylon atropunctatum and H. punctulatum on, nutritional competition between Ceratocystis fagacearum and, 251.

Microsphaera alphitoides on, in Portugal,

2234; \*Sardinia, 845.

Colombia, 2517; , mycorrhiza on, in U.S.S.R., 374.

[Oak], Oidium quercinum on, in Portugal, 2234, —, Ophiostoma valachium on, 3025.

-, Penicillium on acorns of, effect of, on, 846.

-, Pestalotia quercina on, in Czechoslovakia, control, 1425.

\*--, Pleospora ilicina on, in Sardinia, study of, 845

-, Pleurotus ostreatus on, effect of height of tree on progress of, 3031.

Rhacodiella castaneae on, in U.S.S.R., 1510.

-, Sclerotinia on acorns of, control, 1160; effect of, on, 846.

\*--, Septogloeum dryophilum on, in Sardinia,

study of, 845.

Strumella coryneoidea on, cankers identical with Urnula craterium, 587.

Trichothecium on acorns of, effect of, on, 846.

-, Urnula craterium on, identity of cankers of, with Strumella coryneoidea, 587.

Verticillium kubanicum on, 3025. Oats (Avena spp.), barley yellow dwarf virus on, accumulation of nitrate in, 1617; diphenylamine colour reaction of, 658w; early mild infection protecting from later infection, 1004; effect of, on livestock, 1617; on yield, 450; Hill technique for evaluating resistance to, 64; symptoms of, 1588; transmission of, by vectors, 64, 450, 1588; var. reaction to, 450.

barley yellow dwarf virus str. on, var.

reaction to, 2183b.

Cladosporium macrocarpon on, in Germany, 718.

\*--, Cochliobolus sativus on, in Germany, 2595; morphology and physiology of, 2888. victoriae on, effect of leaching on res-

piration of, 5a; of victorin upon permeability of, 452; morphology and physiology of, 2888; pathogenicity and toxin production in, 2889; var. reaction to, 2888.

Corticium solani can infect, 426, 1219b, 2182a.

—, Curvularia lunata on, 221.

-, effect of sap of, on formation and growth of galls of Agrobacterium tumefaciens on sunflower, 3119.

\*—, Epicoccum on, in Germany, 2595.

Erysiphe graminis on, 2891; in England, 2183b; var. reaction to, 2183b, 2890. -, Festuca necrosis virus can infect, 109.

Fusarium on, in Germany, 2595; Netherlands, 3098.

- culmorum, \*Gibberella pulicaris, and G. zeae on, in Germany, 2595.

- grey speck in Canada, manganese deficiency in relation to, 1225j.

-, Griphosphaeria nivalis on, in England, 698. —, Helminthosporium on, technique for detecting, 2862.

avenae on, in Germany, 2595.

-, inhibition of germination of, by cauliflower seed extract, 617.

-, iron deficiency in, in W. Australia, 1901. Leptosphaeria avenaria on, in Germany,

2595; N. Ireland, 2793. -, manganese deficiency in, in Canada, 1225j.

- mosaic virus, soil-borne on oats, properties and transmission of, 2592 -, mycorrhiza on, ecology of, 374.

\*—, Ophiobolus graminis on, in Norway, 454.

\*[Oats]. Pseudomonas coronafaciens on, in E. Germany, 3199; Japan, 1900; inheritance of

resistance to, 2891.

- striafaciens on, in E. Germany, 3199. -, Puccinia coronata on, in Canada, 701; breeding against, 3196; genetics of, 1620, 3196; photosynthetic phosphorylation by chloroplasts isolated from, 1005; physiologic races of, 701, 1620, 1621, 3196; relationship between precipitation of leaf sap and resistance to, 1623; var. reaction to, 451, 701, 1619, 1620, 1621.

451, 701, 1619, 1620, 1621.

-, — graminis on, in Canada, 701; Kenya, 1596; breeding against, 1225h; factors affecting, 2593; genetics of, 1225h, 1618; mutagenic effect of diepoxybutane on, 1619; physiologic races of, 596, 701, 2593; 1618; physiologic races of, 596, 701, 2 var. reaction to, 451, 1618, 1225h, 2593

Pyrenophora avenae on, in Germany, 2595;

Netherlands, 3098.

-, rice hoja blanca virus on, 2900.

- sterile dwarf virus on oats in Finland, 926; transmission of, by vectors, 976, 2857; var.

reaction to, 2857.

, Ustilago avenae on, biology of, 1007; breeding against, 3197; control, 1007, 2208, 2887; effect of, on growth, 1006; genetics of, 3198; method of inoculation, 1007; physiologic races of, 1006, 2594, 3198; physiologic studies on, 2594; var. reaction to, 1006, 3197.

,—hordei on, control, 1899; physiologic races of, 2594; physiological studies of,

wheat striate mosaic virus on, in U.S.S.R.,

697; var. reaction to, 429.

yellow-leaf in Canada and U.S.A., 2266. Odonaspis ruthae, association of, with new disease of Cynodon dactylon, 1960b.

Odontia bicolor on Abies and A. lasiocarpa,

1750f.

Odontoglossum ringspot virus (str. of tobacco mosaic virus) on orchids, 2636.

Oidium begoniae on Begonia, 2234.

chrysanthemi on Chrysanthemum, 2509, \*2792.

- ericinum on Erica gracilis, 1341.

- euonymi-japonici on Euonymus japonica,

heveae on Hevea rubber, 212, 1399, 1517, 2403a, b.

\*— — on Jatropha curcas, 1399.

— lini on flax, 2234.

- mangiferae on mango, 173, \*2009.

- pascherinii on laurel, 2633. - quercinum on oak, 2234. - tabaci on tobacco, 2234.

- tingitaninum on citrus, 2496. Oil injury to banana, 1097, 2002; (?)to other

crops, 2684b; to tomato, 575.

use of, against banana black leaf streak, 2974; Mycosphaerella aleuritidis on Aleurites, 658v; M. musicola on banana, 2002, 2359, 2799d; Sphaerotheca pannosa on rose, 2298; Xanthomonas vesicatoria on Capsicum, 3087; as timber preservative, 277.

in combination, use of, against banana black leaf streak, 2974; Mycosphaerella musicola on banana, 1228; Phragmidium mucronatum on banana, 1228; Phragmidium mucronatum on rose, 2298; Xanthomonas vesicatoria on

Capsicum, 3087.

, perfume, effect of, on growth of some fungi, 366.

[Oil] wrappers, use of, against apple scald, 3256; apple superficial scald, 2668.

- palm (Elaeis guineensis), Armillaria mellea

on, control; symptoms of, 2981.

- blast disease in W. Africa, breeding against, 1111; symptoms of, 2981.

- bud rot, control; symptoms of, 2981. —, Ceratocystis paradoxa on, in W. Africa,

genetics of, 1111. Cercospora elaeidis on, in W. Africa,

1111; symptoms of, 2981.

- confluent orange spotting in W. Africa, var. reaction to, 1111. - crown disease in Ivory Coast, 1112;

symptoms of, 2981.

— crusty spot, symptoms of, 2981. - diseases, book on, 2981.

-, Erwinia (?)lathyri on, 2384.

-, Fusarium oxysporum on, control, symptoms of, 2981; technique for testing for resistance to, 2383.

- f.sp. elaeidis and Ganoderma on,

symptoms of, 2981.

-, Leptosphaeria coniothyrium on, in N. Borneo, 157.

- little leaf and orange spot, symptoms of,

poppy (Papaver somniferum ssp. hortense), Pleospora papaveracea on, control, 2378. pumpkin (Cucurbita pepo var. oleifera),

Fusarium on, 1835c. Okanagana rimosa, Massospora levispora on, in

Canada, 29. Olea europaea, see Olive.

Oleaginous plants, Czechoslovakian atlas of

diseases and pests of, 808.

Oleander (Nerium oleander), Pseudomonas savastanoi on, morphological study on, 2806; systemic invasion of, 3117

-, — var. nerii on, in U.S.S.R., 696.

-, — tonelliana on, identical with P. stanoi on olive, 26; symptoms of, 1954. sava-Oleocuivre, use of, against *Phytophthora* palmivora on cacao, 966,

Olive (Olea europaea) apoplexy in Greece, 783. -, Capnodium elaeophilum on, in Greece, effect of pesticidal killing of olive fly on,

2367. \*--, Cercospora cladosporioides on, in Portugal; world distribution of, 2689.

-, Cycloconium oleaginum on, in Italy, 2690. \*--, Gloeosporium olivarum on, in Sardinia, symptoms of, 177.

-, Polyporus oleae on, description of, 1722.

, Pseudomonas savastanoi on, in Lebanon, 1578; morphological study on, 2806; systemic invasion of, 3117; P. tonelliana on oleander identical with, 26.

-, Verticillium dahliae on, in Cyprus, 2796.

- oil, Aspergillus and Paecilomyces variotii in, in Nigeria, 906.

Olivea tectonae on teak, 3329.

Olpidium + tobacco necrosis virus on Phaseolus aureus, 1573.

- brassicae, chemicals prolonging the motility and virus transmitting ability of, 883f.

on Agrostis palustris, 1675.

- transmitting lettuce big vein virus, 856d, 2157, 2791d, 3081; tobacco necrosis virus, 1219a, 1406, 2055, 2182c. Omadine copper salt (OM 1562), in combination, use of, against Erwinia amylovora on pear, 147.

Oncidium virus in Denmark, transmission of to Chenopodium amaranticolor, 1514.

Onion (Allium cepa), Alternaria porri on, in U.S.S.R., 1771; breeding against, 2146.

-, Aspergillus niger on, in N.Z., 316; breeding

against, 2146.

, *Botrytis allii* on, 3096k; in Finland, 2148; Netherlands, 319, 3097; N.Z., 316; U.S.A., 318; breeding against, 2146; control, 316, 319, 3097; effect of, on ectodesmata, 969; factors affecting, 1248; method of testing sensitivity of, to, 320; pathogenesis of, 318; study on, 319; var. reaction to, 320.

318; pathogenesis of, 318.

- squamosa on, in U.S.A., pathogenesis of, 318.

\*—, Cercospora duddiae on, in India, 1517. -, Colletotrichum circinans on, control, 2146. - dematium f.sp. circinans on, in Germany, 2149.

-, damping-off of, in Germany, 2149; N.Z., 316; control, 316.

 decay, factors affecting, 2148. - diseases and their control, 2146. -, effect of dithiocarbamates on, 3096k.

-, Fusarium oxysporum f.sp. cepae on, in Hungary, 3075; \*India, 1489; breeding against, 2146.

- juice, effect of, on bacteria in soil, Corticium solani on lettuce, Corynebacterium rathayi, Erwinia carotovora, and Fusarium lini on flax, 2508; germination of bean, 1198; Phytophthora infestans and Serratia marcescens, 2508.

, *Peronospora destructor* on, in Bulgaria, 321, 2462, 2795; N.Z., 316; breeding against, 2146; control, 316, 1243, 2462.

Pyrenochaeta terrestris on, in Queensland, 1228; U.S.A., 2463, 3074; breeding against, 2146, 3074; use of UV-induced sporulation for identification of, 2150; var. reaction to, 2463.

—, root fungi on, 2777b.

-, Sclerotinia squamosa on in U.S.A., 318. Sclerotium cepivorum on, in \*Canada, 878; England, 2151; Netherlands, 1; N.Z., control, 1, 316.

smudge disease in Germany, 2149.
tomato black ring virus on, in N. Ireland,

-, tomato black ring virus on, in N. Heland, 317, \*2793; transmission of, by vectors, 317. -, *Urocystis cepulae* on, in \*Egypt, 2152; India, 1490; N.Z., 316; U.S.S.R., 696; breeding against, 2146; control, 316, 1490; var. reaction to, 1490.

- yellow dwarf virus on chive, garlic and shallot, 316.

on onion in (?)India, 2147; N.Z., control, 316; electron microscopic measurement of, 3363; var. reaction to, 2147.

Onobrychis viciifolia, Verticillium alboatrum on, 12251.

- dahliae on, 12251.

Ononis repens yellow mosaic virus in England, relation of, to wild cucumber mosaic virus, transmission of, by sap, 2790b.

Ophiobolin, production of, in Japan, 900. Ophiobolus graminis, cellulose decomposition by, 1594.

— on Agropyron repens, 1555.

[Ophiobolus graminis] on barley, 343, 1555.

on cereals, 2575

on wheat, see Wheat.

(?)Ophiostoma causing birch slimy flow in Poland, 2416.

valachium on ash, oak, and pine, 3025. Opium poppy (Papaver somniferum), Erysiphe

polygoni can infect, 1341.

2)——, Peronospora arborescens on, in Germany, 2795.

— —, *Pleospora papaveracea* on, in (?)Germany, 2795; U.S.S.R., 1371.

Opuntia virus disease, proteinaceous spindles

and other symptoms associated with, 485.

Orange (Citrus aurantium, C. nobilis, C. sinensis, etc.), Alternaria citri on, in New S. Wales, 2616.

- cancroid spot in U.S.A., resembling bacterial

canker, 349.

, citrus concave gum virus on, use of, as indicators for, 1638, 2908; str. of citrus psorosis virus, 1638.

-, — crinkly leaf virus on, 2614a, b. -, - false exanthema on, in Brazil, 742

infectious variegation virus on, 2614a. - psorosis virus on, detection of, by

iodine test, 3382a. - str. on, effect of light on symp-

toms of, 741.

— A virus on, comparison of vars. of, as indicators for, 1638. —, — stem pitting virus on, in Corsica, 2907.

-, — tristeza virus on, 349; in Jamaica, 351; Japan, 3219; Morocco, 3221; S. Africa, 465; tolerant strs. of, 1329.

- vein enation virus on, in Japan, 3219. –, — xyloporosis virus on, in Turkey, 464.

—, Clitocybe tabescens on, in Morocco, 3222. -, copper deficiency in, control, 1924.

\*—Deuterophoma tracheiphila on, in Italy, 90. -, Diplodia natalensis on, in India, 2977. -, Eutypella russodes on, in Hong Kong,

transmission of, by pruning cuts, 345.
-, fungus on, in U.S.A., resemblance of, to *Physoderma*, 658m.

Guignardia citricarpa on, in New S. Wales,

1923. -, Hendersonula toruloidea can infect, 1716.

, impietratura-like symptoms on, in Turkey, (?) due to boron deficiency, 464.

-, Penicillium digitatum on, control, 368, 466. - italicum on, effect of garlic and horse-

radish volatile constituents on, 2508. Phytophthora nicotianae on, in Malaysia,

2496. - var. parasitica on, pathogenicity of, 882a.

-, Sclerotinia sclerotiorum on, in Sardinia, 2910.

-, Thielaviopsis basicola on, in U.S.A., 91. Orbignya cohune, Pestalotia palmarum on, in

Honduras, 170. Orbilia obscura perfect state of Macrophomina phaseoli, 1337.

Orchid, chemical defence against infection in, 2635.

- mosaic virus on orchid in U.S.A., 2798a.

- ringspot virus, use of, to calibrate electron micrographs, 2850.

-, tobacco mosaic virus on, in U.S.A., 2798a.

-viruses, control, importance, and recognition of, 1672.

Orchis purpurella, Rhizoctonia repens on, production of pectic enzymes by, 1257.

Origanum, lucerne mosaic virus str. on, in Germany, hosts of, 2375.

vulgare, peppermint pale spot virus on, in Czechoslovakia, 183.

Ornamentals, diseases of, in Canada, 880; India, 1036; book on, 2289.

-, Oidium on, control, 675.

-, tobacco mosaic virus, green and yellow strs. on, difference in virulence between strs. of, 1940.

virus diseases of, transmission of, by vectors,

1939.

Ornithopus sativus, Colletotrichum trifolii on, transmission of, by seed, 1966.

Orobanche cumana, Ustilago maydis on, in

U.S.S.R., 2604.

Ortho V-G, use of, against Erysiphe cichoracea-

rum on cantaloupe, 645. Orthocide, use of, against Botrytis cinerea on Eucalyptus, 2734; Stigmina carpophila on apricot, 1705; Venturia inaequalis, 785.

- 50, effect of, on germination of pollen of

apple and pear, 2966.

-, use of, against Polystigma rubrum on plum, 2341.

Oryza sativa, see Rice.

Oscinella frit in relation to Ustilago maydis on maize, 3202.

Osmoporus odoratus, antagonism of Boletus variegatus to, 374.

(?)Ovulinia azaleae on Rhododendron, 349. Oxalis, Puccinia sorghi on, physiologic races of, 79.

- corniculata, Puccinia sorghi on, in Nepal, aecial state of, 1313.

Oxycoccus macrocarpus and O. palustris, see Cranberry.

Oxygen concentration, effect of, on apple superficial scald, 1700.

Oxyquinoline benzoate, synergism between

copper oxychloride and, 1533.

- sulphate, use of, against Corynebacterium fascians on Pelargonium, 1, 3097; Septoria minimum on Anthurium, 3096j.

Oxytetracycline inhibiting Xanthomonas, 3131. Ozone injury to tobacco, 1141, 1415, 2067.

\*Ozonium texanum var. parasiticum on Hibiscus esculentus, 1213.

'P' compound (new, Wye), 1512a.

Pachyrrhizus tuberosus, Pseudomonas pachyrrhizus on, in China, 627.

Paecilomyces variotii on olive oil and liquid paraffin, 906.

Paeonia, see Peony.

Paint, mercury, use of, against Nectria galli-

gena on apple, 2318. Pancreatic ribonuclease, effect of, on tomato

aucuba mosaic on Nicotiana glutinosa, 1572. Panicum, Fiji disease, false, on, in Madagascar, 966.

- maximum, Curvularia lunata on, 221.

---, fungi on, in Brazil, 112

sugarcane grassy shoot virus on, in India, symptomless carrier of, 1222.

- miliaceum, Sphacelotheca destruens on, antagonism of, to, 1535j; infectivity of chlamydospores to, 2858.

wheat striate mosaic virus on,

U.S.S.R., 697.

Panogen, toxicity of, to man, 2887.

-, use of, against Aspergillus niger on groundnut, 2460; Ustilago avenae on oats, 2887. - in combination, use of, against Aspergillus

niger on groundnut, 2460.

- 15, use of, as seed treatment for cereals, 425; for groundnut, 3382f.

Pantothenic acid in relation to Puccinia graminis on wheat, 2583.

Pantothenin, effect of, on Stemphylium sarciniforme on Cicer arietinum, 1486.

Papaver somniferum, see Opium poppy. - ssp. hortense, see Oil poppy

Papaw (Carica papaya), Colletotrichum papayae on, in India, 175; effect of carbon and nitrogen nutrition on growth and sporulation of, 175.

-, Curvularia carica-papayae on, symptoms

of, 1721.

 damping-off in India, control, 1367. - mosaic virus on Cucurbitaceae,

- on papaw in Hawaii, 1519, 1719; India, 1222; Maracay, 2688; Puerto Rico, 1719; Carica cauliflora sap inhibiting in Maracay, 2688; differentiation of, in Hawaii from other papaw viruses elsewhere, but identified with mosaic in India, 1719.

-, Phytophthora nicotianae var. parasitica on, effect of, on growth, 1720; of radiation on

production of sporangia by, 176.

, Pythium aphanidermatum on, effect of, on growth, 1720.

ringspot virus on papaw in Hawaii, papaw mosaic in Hawaii different from, 1719.

- virus in India, transmission of, by grafting and aphids, 1366; (?)in Surinam, symptoms of, 7.

Paper, fungi on, 2511.

mill slime fungi in Canada, 908; factors affecting, 1538; nutritional requirements of, 3134.

Paradichlorobenzene, see PDB.

Paraffin, liquid, Aspergillus and Paecilomyces variotii on, in Nigeria, 906.

Paramacrolobium coeruleum and P. fragrans, ectotrophic mycorrhiza of, in the Congo,

Parandra thunbergii in relation to Botryosphaeria ribis on Leucadendron argenteum, 1812g.

Parathion, effect of, on absorption of streptomycin by apple, 1824; on Rhizoctonia on potato, 348.

, use of, against Streptomyces scabies, 348. Parsley (Petroselinum crispum), Erysiphe polygoni on, in Italy, 635.

Phytophthora nicotianae var. parasitica on, in Hawaii, 636, 1044; factors affecting, 636. Parsnip (Pastinaca sativa) canker in England,

factors affecting, 2153.

-, Centrospora (?)acerina on, in England, 875. - mottle virus on parsnip, transmission of, by vectors, 2790c.

virus disease on parsnip in N. Ireland, transmission of, (?)by aphids, 2793.

Parthenolecanium rufulum, Beauveria bassiana on, in Romania, 2204.

Parzate in combination, use of, against Melampsora lini and Puccinia graminis, 1223.

Paspalum dilatatum and P. distichum, Claviceps paspali on, 2305.

- galmarra, sugarcane chlorotic streak virus on, 553.

[Paspalum] membranaceum, Dactylis glomerata streak virus on, 107.

notatum, Sclerotinia homoeocarpa on, in U.S.A., 349, 2645.

- scrobiculatum, Macrophomina phaseoli var. indica on, in India, 3231

Passiflora, Alternaria passiflorae and A. tenuis on, pathogenicity of, 1519.

-, cucumber mosaic virus on, in U.S.A. transmission of, mechanically and by vectors, 1955.

- latent virus on Passiflora caerulea and P. suberosa, properties, serology, and transmission of, to Chenopodium, 2366.

- caerulea, cucumber mosaic virus on. symptoms of, 3275.

- edulis, see Passion fruit.

- foetida, Stemphylium (?)solani on, pathogenicity of, 1519.

Passion fruit (Passiflora edulis), Alternaria passiflorae and A. tenuis on, pathogenicity of, 1519.

- tomato on, factors affecting sporulation of, 2823a,b.

---, cucumber mosaic virus on, in Victoria, and passion fruit virus on, in Queensland, causing woodiness disease, 884m.

Pastinaca sativa, see Parsnip. \*Patella abundans in soil, 1554.

factors affecting formation of, by Patulin, Penicillium expansum on apple, 2322

- injury to symbiotic associations of basidiomycetes, 374.

Paxillaceae of Poland, 1265.

Paxillus atrotomentosus, antagonism of Boletus variegatus to, 374.

panuoides on timber, 1175.

PCNB, see Quintozene.

PCNP, use of, as timber preservative, 2436. PCP, use of, against Phyllactinia moricola on mulberry, 1158.

PDB, effect of, on growth of tobacco, and use of, against *Peronospora tabacina* on tobacco, 3317a.

Pea (Pisum sativum), Aphanomyces euteiches on, control, 3063.

-, Ascochyta on, in the Netherlands, 3098; germination and seedling evaluation of, 296.

- pinodella on, in Germany, 2795; estimat-

ing infection by, 2765.

-, — pisi on, in Germany, 2795; the Netherlands, 3098; control, 1781; phytoalexins from, 1829.

-, Corticium solani on, effective fungicide dosage against, in relation to inoculum concentration in soil, 2210.

-, Crotalaria mosaic virus on, 1938.

- early browning virus on pea in England, related to pea early browning virus in the Netherlands, 2790f; differentiation of, from, and serological relationship to, tobacco rattle virus, 694, 884w; non-transmission of, by seed, 3061.

- enation mosaic virus on pea, comparisons of isolates of, 295.

, Erysiphe polygoni on, effect of, on yield,

2444. -, Fusarium oxysporum f.sp. pisi on, in Belgium, 1512n; England, 2790m, 3378; \*the Netherlands, 1; control, 2790m; effect of root damage on development of, 1194; infection of, 1195; pathogenicity of, 1512n; physiologic races of, 2766, 3378; reaction to, 1, 1512n, 2766, 3064, 3378.

[Pea, Fusarium oxysporum f.sp. pisi] race 1 on, in Canada, 1193; Meloidogyne hapla and M. incognita acrita associated with, 2443; variant of, 1193.

Gibberella zeae and Glomerella cingulata on, phytoalexins from, 1829.

, melon mosaic virus can infect, 2165. - mosaic virus on broad bean, transmission

of, by vectors, 417.

on clover and lucerne, 2950.

- — on pea in Romania, 1274; transmission of, by vectors, 1192.

str. on lupin, 491.

, Mycosphaerella pinodes on, in Germany, 2795; ascospore discharge in, 1782; control, 1781; estimating infection by, 2765. -, Oidium on, in Hong Kong, 345.

-, Peronospora viciae on, in England, 3061. - plasmodial parasite of, affinity of, to Labyrinthulales and Plasmodiophorales, 2445.

-, Pythium (?)acanthicum on, 399.

- irregulare on, effective fungicide dosage against, in relation to inoculum concentration in soil, 2210.

- ultimum on, control, 364.

, red clover vein mosaic virus str. on, in U.S.A., resembling pea streak virus, 2764.

- root rot and wilt in Hong Kong, 345. -, Sclerotinia minor on, in Italy, 619.

-, Stemphylium on, in the Netherlands, 3098. - streak disease in U.S.A., unrelated to pea streak virus, red clover vein mosaic virus str. causing, 2764.

virus on pea in U.S.A., 658i; correlation of symptoms of, with time of virus infection, 3062; new str. of, serological relationship of to red clover vein mosaic virus, 658i.

, Verticillium alboatrum and V. dahliae can infect, 1681.

yellows (?)virus on pea in Hong Kong, 345. Peach (Prunus persica) anthracnose in Yugoslavia, 2311; Cytosporella, Diaporthe perniciosa, and Physalospora obtusa associated with, 2311.

- apoplexy in Greece, 783.

- asteroid spot virus in Prunus andersonii,

-, Bacillus mesentericus on, 2337. bacterial spots in Bulgaria, 508.

canker in Canada, fungi associated with, 3265; Stereum hirsutum associated with, 795.

-, cherry green ring mottle virus + peach necrotic ring spot virus on, effect of, on growth and yield, 2672.

- tatter-leaf on, causing leaf spot and stunt, 2332

-chlorotic leaf curl (roll) in Yugoslavia, resemblance of, to peach yellow leaf roll [peach western X disease virus (str.)] in U.S.A., 779v, 2336.

Fusicladium carpophilum on, in New S. Wales, 657.

—, Fusicoccum on, in Canada, 879.

- amygdali on, in Canada, not involved in canker, 3265.

-, Glomerella cingulata on, in India, 1359.

- green mottle virus on peach, identification of, 779h.

[Peach], Leptosphaeria coniothyrium on, in Canada, associated with canker, 3265.

 mosaic virus on peach, indicator for, 780a.
 mule's ear virus [almond bud failure virus] on peach in U.S.A., (?)different strs. of, resembling almond calico virus, (?)sometimes also present, 2969.

- necrotic ring spot virus on cherry, 516, 8840; comparison between cherry rasp leaf virus and, 2670; less influence than prune dwarf virus on effect of arabis mosaic and

raspberry ring spot viruses, 2184f.

on peach, effect of, on growth and yield, 2672; indicator for, 780a; non-transmission of, by insects and mites, 2671; separation of antigenic plant protein from, 2557; transmission of, by pollen, 8840, 2671.

- + cherry green ring mottle virus and/or sour cherry yellows and prune dwarf viruses on peach, effect of, on growth, 2672.
- + plum dwarf viruses causing sour cherry yellows, 2184f.
- , see also Cherry necrotic ringspot virus and Peach ringspot virus.

-, Penicillium on, 1986.

-, plum pox virus on, 1360, 2334.

- premature wilting in Romania, etiology of, 1357.
- , prune dwarf virus on, transmission of, by pollen, 884o.

-, Pseudomonas can infect, 1374.

- -, Rhizopus arrhizus on, in U.S.A., 796. - stolonifer on, in U.S.A., control, 796, 2673.
- [-] ring spot virus, biophysical properties and purification of, 1970.

[—] — — on plum, 2308b.

- ----+ rose yellow mosaic virus on rose, symptoms of, 2940.
- -, see Cherry and Peach also necrotic ring spot viruses.
- (?)—ring spot type virus on apricot, 1349. Sclerotinia fructicola on, in New S. Wales, 657; control, 1816, 1983, 2673; factors affecting, 657.

-, sour cherry yellows + peach necrotic ring spot viruses on, 2672.

, Sphaerotheca pannosa f.sp. persicae on, in Lebanon, 1578.

-, Stereum purpureum on, 3263.

- Stigmina carpophila on, 2674; in U.S.S.R., 3262
- Taphrina deformans on, in Lebanon, 1578; Portugal, 794; W. Australia, 507; biology of, 3264; control, 507, 794, 1983; var. reaction to, 1967.

, tomato black ring virus str. on, identification of, 2335.

- ring spot virus on, causing peach yellow bud mosaic, 1219a.
- —, Tranzschelia pruni-spinosae var. discolor on, in New S. Wales, 657; W. Australia, 507; control, 507, 657, 1983.
- -, use of, as indicator for cherry leaf roll virus, 152; for cherry (sour) yellows virus, 2309; for plum pox virus, 779q.
- -, Valsa on, in Canada, 879; China, 1985.
- -, cincta on, in Canada, 879, 3265; associated with canker, 3265.

- [Peach, Valsa] leucostoma on, in Canada, 879, 3265; associated with canker, 3265.
- Venturia carpophila on, control, 1984.
- Verticillium alboatrum and V. dahliae on, 2675.
- virus diseases, determination and diagnosis of, 780d.
- western X disease virus on peach in U.S.A., 779v.
- -1--, peach yellow leaf roll str. on celery, 59.
- X-disease virus, resemblance of Prunus virginiana virus symptoms to, 1750a. Xanthomonas pruni on, 2337; control, 4d,
- 1987; var. reaction to, 1967. - yellow bud mosaic caused by tomato ring
- spot virus, 1219a. -leaf roll virus, see Peach western X
- disease. Pear (Pyrus communis), Alternaria tenuis on, 2381.
- -, apple rubbery wood virus on, 779m.
- blister canker virus on pear, 2308e; in Denmark, 1514; Switzerland, 3099; transmission of, by budding, 1514.
- -, Corticium salmonicolor on, in U.S.A., 1562.
- decline, 2308e; in U.S.A., 149, 1814, 2967; association of pear red leaf disorder with, 1982; pear 'moria' in Italy identical with, 2967; pear red leaf curl not associated with, 1982; reversibility of, by top-grafting, 1981; transmission of, 149; by vectors, 2330a; virus causing, 2330b.

- diseases in U.S.A., review of, 792.

- , effect of plant protectives on germination of pollen of, 2966.
- Erwinia amylovora on, in N.Z., 146; U.S.A., 792; antibiotic activity towards of leaves of, 1980; arbutin-hydroquinone complex in relation to, 3258; comparison of symptoms of, with *Pseudomonas syringae*, 2329; control, 146, 147, 792, 1702, 1979; epiphytotic development and susceptibility to, 2327; factors affecting, 2328; resistance of, to, 1703.
- -, Fabraea maculata on, in Romania, 1064; control, 1701; var. reaction to, 1064, 1701.
- flat limb [?apple flat limb virus] on pear in Denmark, var. reaction to, 1514.

-, Fusarium on, in U.S.S.R., 2331.

- -, Gymnosporangium sabinae on, in Italy, 148.
- latent viruses on pear in Switzerland, 3099. 'leaf curl' in U.S.A., 1814.

- line mosaic virus on pear, identification of, 779h.
- mild mosaic in India, resembling that described from England, 1349.
- 'moria' in Italy, identical with pear decline in U.S.A., ?virus origin of, 2967.
- -- mosaic virus on pear, 2308e.
- -, Mycosphaerella sentina on, in Romania, var. reaction to, 1064.
- -, Pestalotia and Phomopsis on, in U.S.S.R., symptoms of, 2331.
- Phyllactinia suffulta f.sp. pyri on, in U.S.S.R., 3260.
- Phytophthora cactorum on, factors affecting, 1077; inducing infection of, by sprinkler irrigation, 1355.

[Pear], Podosphaera leucotricha on, non-occurrence of, in Norway, 2961.

-, Pseudomonas syringae on, comparison of symptoms of, with Erwinia amylovora, 2329; frost injury in relation to, 3261.

-, quince sooty ring spot and stunt viruses on, 779n.

- viruses on, in England, latent infection of, 1350.

— red leaf curl in U.S.A., not associated with pear decline, 1982.

- — disorder in U.S.A., association of, with pear decline, 1982.

- red mottle virus on pear, 2308e; in \*Germany, 2309.

ring mosaic virus on pear, identification of, 779h.

-, Sclerotinia fructigena on, factors affecting resistance to, 1974.

stony pit virus on pear, 2308e.

- storage disorders, 2326a, b.

-, use of, as indicator plant for apple latent viruses, 779i.

- vein yellows virus on pear, 2308e; in \*Germany, 2309; effect of, on growth, 779n. Venturia nashicola on, in Japan, taxonomy

of, unable to infect European vars., 3259. -, — pirina on, in Lebanon, 1578; Nether--, — pirina on, in Lebanon, 1578; Netherlands, 129, 130; Romania, 1064, 1075; W. Australia, 1076; ascospore discharge of, 1075; conidial viability of, 1075; control, 129, 1076; factors affecting, 129; radio warning service for, 130; research on, 129;

unable to infect Japanese vars., 3259; var. reaction to, 1064, 3259.
- virus diseases, 2308e; in Czechoslovakia, 1061; England, 1350; control, 1061; determination and diagnosis of, 780d; distribution of, in Germany, 781; relationships and serology of, 53; symptoms of, 781; transmission of mechanically, to herbaceous plants, 779k.

virus-like disorders in England, 1350. Pecan (Carya pecan), Fusicladium effusum on, in U.S.A., 2798a; control, 2798a, 3032.

Pelargonium, Botrytis cinerea on, causing 'fall-away', 2490b.

, Corynebacterium fascians on, in Netherlands, 1, 3097; causing 'fall-away', 2490b; control, 1, 3097; symptoms of, 2490b.

cucumber mosaic virus on, in Denmark,

1514.

Glomerella vanillae var. pelargonii on, in Réunion, 966.

- leaf curl virus, carnation I.R. virus related

to, 1218b. Puccinia pelargonii-zonalis on, in Italy, 2937; previous non-occurrence of, in Italy,

Thielaviopsis basicola on, pathogenicity of, 103.

, use of fungicides in propagation medium for, 1942.

- virus diseases in Italy, 101; differentiation of, 1050.

viruses A, B, and C in Italy, transmission of mechanically, 101.

-, Xanthomonas pelargonii on, var. reaction to, 2188b.

grandiflorum, Botrytis cinerea, and Corynebacterium fascians on, causing 'fall-away 2490b.

Pellicularia koleroga on coffee, 743. Peltaster intermedius on pineapple, 2541.

Penicillin, 3131.

-, cephalosporin C in relation to, 372 —, effect of, on growth of tomato, 1535g.

in relation to symbiotic associations of basidiomycetes, 374. , use of, against Protomyces macrosporus on

coriander, 1241d.

Penicillium ammoniophilum and P. brevicaule on timber, 1769.

- citrinum in soil, 2376.

— claviforme in soil, 1535h. - commune on timber, 1769. corymbiferum on garlic, 2146.

- cyclopium in soil, 1535h.

- digitatum, apparent absence of parasexual cycle in, 2835a.

-, ethylene production by spores of, 2219.

-, haploid mutants of, 2835b. - — on lemon, 1643, 1644.

on orange, 368, 466.

divergens on timber, 1769.
expansum on apple, 136, 138.
frequentans, utilization of beta propiolactose as a carbon source by, 2821. - funiculosum in soil, 2233.

- glaucum, action of coumarin on, 901.

griseofulvum, formation and nature swollen hyphae in, 919

- islandicum on rice, 1914a, b.

- italicum, haploid mutants of, 2835b.

on orange, 2508.

- —, parasexual cycle in, 2835a.

— , use of, as test organism, 2211.

— janthinellum, culture liquid from, effect of, on Plasmodiophora brassicae on cabbage, 15351.

on bean, 3358.

(?)luteum on timber, 3047.

- meleagrinum on groundnut, stored, 2461.

- and P. nigrum on timber, 1769. - palitans in soil, 1535h.

– *puberulum* on rice, 88.

- purpurogenum, degradation of simazine by, 931.

- — in soil, 1535h, 2233.

- var. rubrisclerotium on maize, 2896.

- spinulosum on potato, 1542.

urticae on maize, 2896.

Peniophora gigantea, antagonism of, to Fomes annosus on pine, 269, 600, 3382e.

-, growth determination of, 1567.

on pine, 2752.

on timber, 614, 2087.

- phlebioides on timber, 1225y.

pseudo-pini on pine, 271.

Pennisetum, Puccinia penicillariae on, CMI description of, 1267.

- purpureum disease in Uganda, similarity of symptoms of, to Sclerophthora on sugarcane,

, Fiji disease, false, on, in Madagascar, 966.

Puccinia chaetochloae on, in Mauritius, 2187.

typhoides, Curvularia lunata on, 221.

, Puccinia penicillariae on, in India, control, 1241n.

, Sclerospora graminicola on, in India, 1318, 1319; artificial inoculation of, 1630; infectivity of oospores, 1319.

-, sugarcane chlorotic streak virus on, 553.

[Pennisetum typhoides], Tolyposporium penicillariae on, method of inoculation, 2608.

Pentachloronitrobenzene, see Quintozene. Pentachlorophenate, use of, as timber preservative, 855.

Pentachlorophenol, degradation of, by ascomycete or imperfect fungus, 1767.

—, detoxification of, by basidiomycetes, 278.
—, permeation of, into wood tissue, 2112.

-, uptake of radioactive, by Polystictus versicolor, 1767t.

-, use of, as timber preservative, 1175.

- in combination, permeation of, into wood tissue, 2112; use of, as timber preservative, 2109.

Pentaerythritol-substituted compounds, fungicidal effects of, 1821.

Pentalonia nigronervosa transmitting cardamom 'foorkey' disease, 1222, 3280; cucumber mosaic virus str., 2357.

Pentatrichopus fragaefolii transmitting beet

ring mottle virus, 1468.

Peony (Paeonia), Cladosporium paeoniae on, in Argentina, 3242.

-, Rosellinia necatrix on, in Scotland, 2853b. -, tobacco rattle virus [str. of potato stem mottle virus] on, in Denmark, 1514.

\*— virus 1 [peony ringspot virus] on, in Romania, 1941.

Pepper, black (Piper nigrum), Colletotrichum piperis, Corticium solani, and Fomes lignosus on, in Sarawak, 1518.
-, —, foot rot, *Phytophthora* causing,

Sarawak, transmission of, by vectors, 2696. -, \*Irpex flavus, Marasmius equicrinus,

and M. scandens on, in Sarawak, 1518. , Phytophthora on, in Sarawak, 1104,

1518, 2696; transmission of by snails, 2696. Peppermint (Mentha piperita), lucerne mosaic

virus, potato calico str. on, in Italy, transmission of, by grafting, 2695.

- pale spot virus on peppermint and Origanum vulgare in Czechoslovakia, non-transmission of, by sap and vectors, Puccinia menthae in relation to, 183.

-, Puccinia menthae on, in U.S.A., overwintering of, 529.

-, Verticillium alboatrum on, Pratylenchus penetrans in relation to, 1103; virulence of, to tomato, 52.

- - var. menthae on, alteration of pathogenicity in, 184.

Peregrinus maidis transmitting maize stripe virus [maize mosaic virus], 1903.

Perenox, use of, against Gloeosporium alborubrum on Hevea rubber, 215; Pseudomonas desaiana and Ustilago scitaminea on sugarcane, 219.

Periconia circinata on sorghum, 83.

Peridermium harknessii on Castilleja coccinea, 2430.

on pine, 1750e, 2430. — pini on pine, 2182b, 2743.

- stalactiforme on pine, 1750e.

Perigum, use of, as timber preservative, 1454. Periperidium acicola (?) conidial state of Micraspis acicola, 1173.

Permidin II (captan), use of, against Septoria helianthi on sunflower, 2014.

Peronospora aestivalis on lucerne, 3099.

- anemones on Anemone, 2623.

[Peronospora] arborescens on (?)opium poppy,

- destructor on chive and garlic, 316.

— on onion, see Onion.
— on shallot, 316.

\*— echinospermi in Norway, 2834.

— effusa, see P. farinosa.

- farinosa on beet, see Beet.

on spinach, 324.

- ficaria on Ranunculus ficaria, 2623. — galligena on Alyssum saxatile, 1343.

— manshurica, inhibition of oospores of, 308.

– on soybean, 624, 1477. structure of, resembling Albugo candida,

2760. - melampyri, distribution of, in Norway, 2834.

- parasitica on cabbage, Chinese, 1184.

on cauliflower, 2853a.

on kale, Chinese, 345.

- rubi on boysenberry, 798, 1086.

— schachtii, see P. farinosa. — sparsa on rose, 2298, 2639.

- tabacina, effect of stem injections of, on tobacco mosaic virus on tobacco, 566.

——, germination of conidia of, 1227c.
—— on Capsicum, 568.

— — on *Nicotiana*, 225, 1227b, 3312.

— on N. affinis, 2061.

— on N. debneyi, 225, 831, 2060. — on N. glauca, 1227b.

— — on N. rustica, 2061.

— on N. velutina, 1227b. — on tobacco, see Tobacco.

- trifoliorum on clover, white, 62.

— on lucerne, 1057.

- viciae on broad bean, 616. – on pea, 3061.

Peronosporales in U.S.S.R., factors affecting occurrence of, 940.

Persea americana, see Avocado pear. — indica, Corticium solani on, 2363.

-, Phytophthora cinnamomi on, control, 1364.

Persimmon (Diospyros kaki and D. virginiana), Cephalosporium diospyri on, in U.S.A.,

-, Gloeosporium kaki on, effect of, on tissuesoftening enzymes in, 1369; enzymes in relation to, 806.

Pestalotia cruenta on guava and \*Phyllanthus emblica, 2008.

- hypericina on Hypericum, 2185d.

- leprogena, hosts of, 1717.

, resemblance of lesion of, to Cordana musae, 1717.

palmarum on Musa acuminata, M. balbisiana, and Orbignya cohune, 170.

- quercina on oak, 1425.

\*Pestalotiopsis arachidis on groundnut, 1483.

- japonica on holly, 2831a.

- versicolor on Eugenia jambolana, 2819.

Pesticides, American Handbook on (Frear), 16th edition of, 3121.

-, recommended methods for residue analysis of, 3122.

— residue problems, 3379.

—, soil application of systemic, 1512b.

Petrocoptis grandiflora, Verticillium cinerescens on, 760.

Petroleum in combination, use of, as leather preservative, 2510.

derivatives, effect of, on potato flavour, 2995.

- oil, use of, against Mycosphaerella musicola on banana, 2001.

in combination, use of, against Stagonospora curtisii on Narcissus, 1218c.

Petroselinum crispum, see Parsley.

Petunia mosaic virus on Petunia, deformation of flower by, 1665.

necrotic leaf banding, atmospheric aldehydes in relation to, 2938.

, potato spindle tuber virus on, symptomless host of, 658y.

-, — virus Y on, multiplication of, 1378.

- yellows type III virus can infect, 2019. —, tobacco mosaic virus on, 1144.

- ring spot virus str. on, 629.

-, tomato spotted wilt virus on, effect of kinetin on, 1862.

-, use of, as indicator plant for Arabis mosaic raspberry ring spot, tobacco and tomato ring spot, and tomato black ring viruses,

- hybrida, hop ringspot virus can infect, 526. -, poplar mosaic virus on, electron microscope study on, 254.

-, raspberry dwarfing [bushy dwarf virus] on, in U.S.S.R., similarity of symptoms of to raspberry yellow dwarf, 1992.

Peyronellaea glomerata on rape, 1225b. Pezicula alba on apple, 128, 1977, 2185c, 3255.

malicorticis on apple, see Apple.

Phacidium abietis on Abies balsamea, 1750b. infestans on pine, 603, 853,

\*Phaeoseptoria on banana, 1718.

Phakopsora gossypii on Azanza garckeana, 1516.

- gossypii on cotton, 1811. - sojae on soybean, 1204.

Phalaenopsis, Cymbidium mosaic virus on, inactivation of, 2636b.

Phalangium opilio extracts inhibiting tobacco mosaic virus, 227.

Phalaris arundinacea, Rhynchosporium secalis f.sp. phalaridis on, in Japan, 722.

Phaltan, effect of, on growth of Botrytis allii and Sclerotinia sclerotiorum, 1247, 2213. , evaluation of, for use in smoke generators,

895. - (?)injury to rose, 2185a.

-, use of, against Cercospora beticola, 1778; Diplocarpon rosae, 104, 105, 349; Glomerella vanillae var. pelargonii on Pelargonium, 966; Leveillula taurica on Capsicum, 333; Lophodermium needle cast disease of pine, 2188e; Plasmopara viticola, 1506.

- in combination, use of, against Cercospora beticola, 1778; Glomerella cingulata on rose,

2185a.

+ zinc coposil, see ortho V-G.

Phaseolus, Pseudomonas phaseolicola on, in U.S.S.R., var. reaction to, 1786.

-, Verticillium alboatrum can infect, 1681. -virus 2 [bean yellow mosaic virus str.] on lupin, 492.

-, Xanthomonas phaseoli on, in U.S.S.R., var. reaction to, 1786.

- var. fuscans on, in U.S.S.R., var. reaction to, 1786.

- angularis, calcium, iron, magnesium, nitro-

gen, phosphorus, potassium, and sulphur deficiencies in, symptoms of, 861.

[Phaseolus] aureus, Olpidium + tobacco necrosis virus on, 1573.

, tobacco necrosis virus on, transmission of, by Olpidium, 1573, 2182c.

-, use of, as indicator plant for tobacco necrosis virus, 1573.

lunatus, Colletotrichum truncatum can infect, 778, 3382h.

-, Phyllosticta phaseolina on, in U.S.A.,

Phytophthora phaseoli on, in U.S.A., 1787; factors affecting, 1787, 2143; forecasting of, 1787.

-, — — str. A on, in U.S.A., 4i.

Pseudomonas syringae on, in U.S.A., 2453.

—, soybean mosaic virus on, 622.

\*— mungo, bean common mosaic virus in, in India, 2144.

-, Xanthomonas vignicola on, 1237.

- vulgaris, see Bean, French and Runner. Phellinus hartigii on, antagonism of Boletus variegatus to, 374.

Phellodendron, Coleosporium phellodendri on, in Japan, 2744.

Phenacridane chloride, use of, as seed treatment for cotton, 2916.

Phenococcus madeiriensis not transmitting

cacao viruses, 1582. Phenol, effect of, on infectivity of RNA of beet mosaic virus, 1188.

-, fungicidal activity of, 894.

, use of, for diagnosing potato leaf roll virus, 818.

- formaldehydes, resistance of, to Polystictus versicolor, 1454.

Phenolic compound, factors affecting formation of, by Penicillium expansum on apple, 2322

2-phenylethyl isothiocyanate, inhibition of Fusarium oxysporum f.sp. conglutinans by, 2530.

Phenyl mercury acetate, see PMA.

- bromide, see agronal. - - chloride, see PMC.

- nitrate, inhibition of Phytophthora palmivora on cacao by, 1586a.

-, use of, against P. palmivora, 1586a. o-phenylphenol, use of, against micro-organ-

isms on inks and wax seals, 2510. - acetate injury to apple and pear, 368.

- -, use of, against Botrytis cinerea on tomato, 2498f.

- esters, use of, against storage disorders of citrus and tomato, 368.

Phialophora atra and P. lagerbergii on apple, 2546.

· lignicola, the name Lecythophora lignicola preferred to, 2546.

- obscura on apple, 2546.

radicicola, imperfect state of str. of Ophiobolus graminis identical with, 1607.

-, morphology of, 2546.

- richardsiae on carnation, 2546. verrucosa, morphology of, 2546.

Phleomycin, use of, against Puccinia striiformis on wheat, 1886.

Phleum asperum, Erysiphe graminis on, 1676.

pratense, effect of residues of, on wheat,

[Phleum pratense], Griphosphaeria nivalis on, in Scotland, 1673.

Phloridzin, effect of, on resistance of apple to Venturia inaequalis, 132.

\*Phlox, Septoria drummondii on, in Jersey,

- paniculata, Oidium on, in Germany, 1341. Pholiota adiposa on beech, 842, 2076.

- aegerita on poplar, 3033.

— destruens on poplar, 1757

- squarrosa, submerged culture of, 1503. Phoma acicola on pine, 2431.

– betae, see Pleospora betae.

— destructiva on Capsicum, 1868. — on tomato, 1745.

- exigua on flax, 2287.

- herbarum, selection of type for, and redescription of, 2241.

—, synonymy of, 2241.

- var. medicaginis, association of, with Verticillium alboatrum on lucerne, 1680. heterokaryosis and parasexuality

in, 51.

(?)—— on flax, 1225a.

- — — on lucerne, see Lucerne. (?)———— on Melilotus, 1225a.

(?)——— on rape, 1225a.

hibernica and P. ligulicola, synonyms of P. herbarum, 2241.

- lineolata on pine, 2428.

- lingam incorrectly named pycnidial state of Leptosphaeria maculans, 2120. - oleracea synonym of P. herbarum, 2241.
- var. helianthi-tuberosi on sunflower, 2700.

— pomorum on apple, 2831b.

- solanicola on potato, 657, 1124, 2999, 3290.

- tuberosa as component of dry rot, 2030.

on potato, 2030.

- urticae synonym of P. herbarum, 2241.

\*- uvicola on vine, 3092.

- violacea synonym of P. herbarum, 2241. Phomopsis, association of, with Gliricidia dieback, 1737a.
- juniperovora, magnesium deficiency in Juniperus resembling, 3036,

- — on Juniperus virginiana, 598.

- \*- loti on cowpea, Lotus corniculatus, and Vicia, 499.
- mali conidial state of Diaporthe perniciosa, 2311.
- tirrenica on poplar, 258.
- vexans on eggplant, 2174.

— on Solanum indicum, 2187. - viticola, see Cryptosporella viticola.

Phorate, use of, against potato aphids, 2020; vectors of beet curly top virus, 2768, 2782; as soil treatment for carrot motley dwarf virus, 1219a.

Phorodon humuli transmitting plum pox virus,

Phorsphotion, use of, against vectors of currant and gooseberry virus diseases, 2351.

Phosdrin, use of, against vectors of beet curly top virus, 2768.

Phosphate, effect of, on sporulation of Sclerospora macrospora on rice, 2904g.

Phosphorobacterin, effect of, on resistance of wheat to Puccinia striiformis, 1560.

- in combination, use of, as seed treatment for sunflower, 3288.

Phosphorus deficiency in cotton, 472; Phaseolus

angularis, 861; strawberry, 1998.

-- resembling turnip mild yellows virus, 2790c.

-, effect of, on Corticium solani on cotton, 94. - compounds, effect of, on growth and reproduction of Botryodiplodia ananassae, Fusarium solani, and Macrophomina phaseoli,

, organic, use of, against vector of barley yellow dwarf virus, 441.

Phragmidium mucronatum on rose, 2298, 2639.

subcorticium on rose, 766, 1942.

Phragmites communis, Hadrotrichum phragmitis on, type of the genus, 3156. Phthalan, use of, against Phytophthora infestans

on potato, 2994; Plasmopara viticola, 1506. Phthalimide, use of, against Plasmopara viticola, 3374.

Phycomycetes, action of calcium cyanamide on some, 3129

, register of cultures of, 684.

Phygon, resistance of Puccinia graminis to, 362. , use of, against Alternaria tenuis on areca palm, 2381; Cercospora beticola, 287e; Colletotrichum lindemuthianum, 2138; Glomerella cingulata on laurel, 3240; Lophodermium needle cast disease of pine, 2188e; Phytophthora infestans on potato, 2393; Plasmopara viticola, 1506, 1507; Pyricularia oryzae, 3211; Stigmina carpophilum on plum, 3262;

Uncinula necator, 1506. versus Bordeaux mixture, 1507.

Phyllachora ischaemi on Gramineae, 1961b. musae on banana, 3103

Phyllactinia moricola on mulberry, 1158.

- suffulta on lilac, 2634. on trees, 1842.

f.sp. pyri on pear, 3260.

\*Phyllanthus emblica, Pestalotia emblica on, in India, 2008.

Phyllobius calcaratus, Beauveria bassiana on, in Romania, 2204.

- corni, Sporotrichum lecanii on, in Romania,

Phyllocladus, mycorrhiza of, in N.Z., 1448. Phyllosticta, growth response of some, in different nitrogen media, 2221.

\*— in U.S.S.R., 1269.

 antirrhini on Antirrhinum, 1516. - *artocarpicola* on breadfruit, 2361.

- brassicicola, Mycosphaerella brassicicola imperfect state incorrectly known as, 2120.

hedericola on ivy, 2792.

- hispida on Panicum maximum, 112. – murrayae on Murraya exotica, 2936.
- pandanicola, physiologic study on, 2221. phaseolina on bean and Phaseolus lunatus,
- in U.S.A., 1473. Phyllostictina diospyri, Gloeosporium diospyri

renamed, 941. Phylloxera associated with vine dieback, 1806.

Phymatotrichum omnivorum on cotton and lucerne, 884e.

Physalis floridana, beet western yellows virus on, use of, as indicator for strs. of, 3057. , potato leaf roll virus on, 1113, 2015;

availability to aphids of virus in different parts of leaves, 957; diphenylamine colour reaction of, 658w.

virus Y on, symptoms of, 3016.

, tobacco ringspot virus on, cross-protection between strs. of, 1574.

[Physalis floridana] turnip latent [P. floridana | yellow net] virus on, availability to aphids of virus in different parts of leaves, 957.

- peruviana, potato spindle tuber virus on,

symptomless host of, 658y.

wrightii, beet western yellows virus on, use of, as indicator for various strs. of, 3057. Physalospora laricina on larch, 599, 1766a, b,

2742.

— obtusa on apple, 2311, 3253, 3380.

— on peach and plum, 2311.

— — on vine, 2787.

perseae on mango, 173.

Physarum cinereum on tobacco, 1743.

Physoderma, resemblance of fungus on grapefruit, lemon, orange, and Poncirus trifoliata to, 658m.

maydis on maize, 1311.

Physopella zeae on maize, 1267, 1904.

Phytoactin, use of, against Cronartium comptoniae on pine, 2430; C. ribicola on pine, 3041; Rhabdocline pseudotsugae on Pseudotsuga menziesii, 1444.

Phytoalexins from broad bean, pea, turnip rape, and Vicia sativa, 1829.

-, review of, 1233p.

Phytobacteriomycin, purification and separation of, from streptothricin group, 1535f.

-, use of, against *Pseudomonas mori* on mulberry, 3270; *Xanthomonas malvacearum* on cotton, 1535e.

versus Bordeaux mixture, 3270. Phytolacca americana, aphids on, 2162.

-, cucumber mosaic virus on, serology of, 60.

Phytopathology, Annual Review of, 1233; bibliography of Reviews, 1961–1962, 888.

Phytophthora, relationships between spp. of, as measured by oospore formation in intraand interspecific crosses, 49.

—, transmission of, by snails, 2696.

—, variation in the genus, 1233q.
— arecae on sisal, 228, (?)754, 1663.
— boehmeriae on pine, \*1228, 1765.

- cactorum, differentiation of P. syringae

from, 2319. -, non-occurrence of on conifers, in Queensland, 1765.

- on apple, see Apple.

- on Clematis, wilt disease attributed to, 2490d.

on pear, 1077, 1355. — on soybean, 4e, 1205.

- var. applanata synonym of P. citricola, 1353.

— cambivora on cacao, 3174.

— on chestnut, 1752

on forest trees, 3024.

- capsici, cytological and genetical studies on, 2799a.

-, inhibition of, by culture media exposed to light, 907.

— — on tomato, 2825.

- cinnamomi in soil, pathogenicity of, 2753. --, inhibition of growth of, by soil, 658e.

\*- on Abies fraseri, 596.

-- on avocado pear, 883j, 1364, 2364. — — on Chamaecyparis lawsoniana, 880.

— — on chestnut, 1752. — — on *Erica*, 2297.

— on Macadamia, 843.

— — on Persea indica, 1364.

[Phytophthora cinnamomi] on pine, 605, 1765, 3038.

— on Pseudotsuga menziesii, 1163c.

\*- on Rhododendron, 2297.

– — on Vaccinium australe, 2679 — — on Vaccinium corymbosum, 2349.

— on yew, 880.

--, production of oospores in paired culture of, with other P. spp., 49.
- citricola in soil, P. cactorum var. applanata

synonym of, 1353.

-, non-occurrence of, in Queensland on conifers, 1765.

-colocasiae on Colocasia, 2479 — — on C. antiquorum, 345, 650.

- cryptogea, non-production of oospores in dual culture between P. cinnamomi and, 2349.

— on lucerne, 1765. — drechsleri on Mucuna deeringiana, 1129.

on safflower, 186.

-, production of oospores in paired culture of, with other P. spp., 49.

— fragariae on Potentilla, 658q, 1997. — on P. glandulosa, 1997.

--- on strawberry, see Strawberry.

- heveae on Hevea rubber, 2039a.

- infestans, effect of plant juices on, 2508; streptomycin on growth of, 373.

-, non-inhibition of, by Actinomyces levoris, 33.

-, not a vector of potato virus X, 343. -, nuclei in, 350j, 2489d; pathogenic mutant not detected in spores of, 2489d.

— on eggplant, 2392.

— on Lycopersicon peruvianum, 2409.

— — on potato, see Potato.

— — on Solanum bulbocastanum and S. verrucosum, 540.

-- on tomato, see Tomato.

----, oogonium germination in, 544.

— —, pectolytic enzyme of, 1259.

---, physiological changes associated with adaptation to fungicides, 2531.

, release of amino acids and ribonucleic acid by, 541.

- -, study on germination of, 1225u. -, synthetic liquid medium for, 1119.

\*— — f.sp. mirabilis on Mirabilis jalapa, 350k. - lateralis on Chamaecyparis lawsoniana, 880.

\*- megasperma on broccoli, 2794.

— on soybean, 4e.

- var. sojae on Geranium carolinum, 1789.

--- on soybean, see Soybean.

- nicotianae in soil, 226. — on orange, 2496.

— on tobacco, see Tobacco.
—, production of oospores in paired culture of, with other P. spp., 49.

-var. parasitica, growth of, on fats and fatty acid derivatives, 658d.

----, hosts of, in Hawaii, 1044.

-, inhibition of growth of, by soil, 658e.

--- on carnation, 636, 758, 1044, 1519.

\_\_\_\_ on citrus, 2175

——— on coriander, 636.

– – – on Hibiscus cannabinus, 1337.

--- on \*H. esculentus, 2175

\*\_\_ \_ on \*H. rosa-sinensis, 484. - — — on H. sabdariffa, 1337.

- — — on lilac, 1951 — — — on orange, 882a. [Phytophthora nicotianae var. parasitica] on papaw, 1720.

--- on parsley, 636.

--- on Piper betle, 2376. — — — on Sechium edule, 2187.

- — — on tobacco, 223.

----, production of oospores in paired culture of, with other *P.* spp., 49.

- palmivora on cacao, see Cacao.

on coconut, 1397.

- on Hevea rubber, see Rubber.
   on pepper, black, 1104.
   , survey of distribution of strs. of, 1846.
  - parasitica, see P. nicotianae var. parasitica. - var. nicotianae, see P. nicotianae.
- phaseoli on Phaseolus lunatus, 1787, 2143.

– str. A on *Phaseolus lunatus*, 4i.

- porri on leek, 2464.

- syringae, non-occurrence of on conifers, in Queensland, 1765.

on apple, see Apple. - vignae on cowpea, 2797.

Phytoptus ribis transmitting black current

reversion virus, 1084, 2680.

Phytostrept, effect of, on bean moulds, 2142; use of, against Peronospora farinosa on beet, 3097; Pseudomonas phaseolicola on bean, 2142.

Picea, see Spruce.

Pichia pini on timber, 1226a.

Pigeon pea (Cajanus cajan), Fusarium lateritium f.sp. cajani on, presence of fusaric acid in, 3070.

-— sterility [mosaic virus] in India, transmission of, by vectors, 1480.

witches' broom in Papua & New Guinea, 3103.

Pimaricin, use of, for measuring toxicity of Pythium in soil, 1837.

Pimento (Pimenta officinalis) dieback in Jam-

aica, Valsa eugeniae and, 351. -, Puccinia psidii and V. eugeniae on, in Jamaica, 351.

Pine (Pinus), Alternaria tenuis on, 2428.

, Amylostereum on, in Tasmania, Sirex noctilio in relation to, 2750.

Armillaria mellea on, in Brazil, str. of, 2095;

Canada, 3327f.

- Atropellis piniphila on, in Canada, 1750e; development rate, etiology, and symptoms of, 1168.
- basidiomycetes on, in Canada, 1750e.
   black root rot, in U.S.A., association of Fusarium oxysporum and Macrophomina phaseoli with, 1163d.
- Boletus luteus on, forming mycorrhiza, in Poland, 1447a.
- -, Caliciopsis pseudotsugae on, 3338.
- -, Cenangium abietis on, in Poland, 2416.

- ferruginosum on, in Japan, ascospore discharge of, and synonymy of, 2096.

- Cenococcum graniforme on, in U.S.A., 265, 266; distribution, ecology, and inherent variation in, 265; forming mycorrhiza, 265, 266.
- -, Ceratocystis huntii on, in Canada, Dendroctonus monticolae associated with, 2746.
- ips and C. minor on, pathogenicity of, 884t.
- -chlorotic decline in U.S.A., (?)ozone in smog causing, 606.
- —, dwarf disease, not caused by virus, 659h.

- [Pine], Coleosporium eupatorii on, inoculation experiments with, 2745; range of sporidia infection of, 851.
- \*-, petasitis var. yamabense and C. phellodendri on, in Japan, 2744.
- -, Coniophora puteana on, in Canada, 1763.
- -, Corticium solani on, 2428; in Queensland, pathogenicity of, 3038.
  - -, Coryne on, in Canada, 271.

- sarcoides on, in Canada, 1750e.

- -, Cronartium asclepiadeum on, in Italy, alternate host and host range of, 2098.
- comandrae on, first report of artificial infection of, 659f.
- ,—comptoniae on, in U.S.A., 839, 2430; infection by, 3341; leaflet on characteristics and control of, 839.

- fusiforme on, in U.S.A., 2097; albino

form of, 3340.

- quercuum on, in U.S.A., leaflet on

characteristics and control of, 839

, — ribicola on, in Canada, 602, 1750c, 3041, 3327e; U.K., 1169, 2182b; U.S.A., 2798a; control, 2798a, 3041; effect of, on yield, 602; reappraisal of importance of, 1169; (?) relationship between resistance to and osmotic pressure of host, 1750c; transmission of, by grafting, 2099.

Crumenula sororia on, in Great Britain,

3342.

—, damping-off of, in Queensland, 3038. —, Dasyscypha pini on, in Norway, in relation

to girdling, 2743.

diseases, monograph of, 261.

, Dothistroma pini on, in Kenya, 2100; U.S.A., 2101. , —— (?)var. linearis on, in U.S.A., 2101.

effect of seed treatment on emergence of, 1750d.

-, Flammula alnicola on, in Canada, 1763. Fomes annosus on, in Denmark, 2747; Netherlands, 269; U.S.A., 267, 659i, 1441, 1442, 2097, 2747; U.S.S.R., 1170; antagonism of Peniophora gigantea and Trichoderma viride to, 600; biology of, 1440; control, 267, 269, 600, 659i, 1442; effect of inoculum on colonization of, 659j; of *Peniophora* gigantea on, 270, 3382e; factors affecting, 267, 1170, 1441, 1442, 2747; infection, growth rate and competitive ability of, 2752;

study on root infection by, 1441. , — pini on, in Canada, 271, 1763; technique for obtaining favourable moisture contents

for development of, 612.

—, fungi on in U.S.S.R. (E. Siberia), 1421.

—, Fusarium on, in China, 2089; Queensland, 3038; control, 1823; factors affecting, 2089; pathogenicity of, 3038.

+ Macrophomina phaseoli complex on,

in U.S.A., 259.

-, - bulbigenum var. blasticola on, 2428. ,—lateritium f.sp. pini on, in U.S.A., incidence of, 260.

-, — orthoceras on, 2428. -, — oxysporum f. 2, var. aurantiacum f.1, and scirpi var. acuminatum on, in Poland, 2428.

girdling in Norway, fungi in relation to, 2743.

Hypoderma desmazierii on, comparative development of, differentiation of, from Lophodermium, 659g.

Hypodermella ampla on, in Canada,

, isolation of mycorrhizal fungi from roots of, 3138.

, Laccaria laccata on, forming mycorrhiza,

in U.S.A., 266. -, Lentinus pallidus, Lentinus lepideus confused with, 2434.

-, Lophodermium on, differentiation of Hypoderma desmazierii from, 659g.

- needle cast disease on, in U.S.A., control, 2188e.

- hyperboreum on, in Canada, causing

'spring scorch', 1750b.
-, — pinastri on, 2431; in Azores and Portugal, 2748; Germany, 852; \*Nyasaland, 877; control, 2748; factors affecting, 852; var. reaction to, 2748.

-, Macrophomina phaseoli + Fusarium com-

plex on, in U.S.A., 259.

-, Melampsora on, in Germany, 3035.

- albertensis on, in Canada, erroneously identified as M. populnea, 2103.

-, - occidentalis on, in Canada, 2103.

,— populnea on, factors affecting, 1764; infection of, 604; M. albertensis erroneously identified as, 2103.

\*—, Melanospora interna on, in U.S.A., 2541.
—, Mucor ramannianus on, factors affecting

growth of, 2429

mycorrhiza in Canada, 1226b; Italy, 1761; Kenya, Poland, and U.S.S.R., 374; \*Amphinema byssoides, Boletus bovinus, and B. granulatus forming, 1761; B. luteus forming, 374, 1761; effect of nutrients on development of, 1446; factors affecting, 1447a; Hebecrustuliniforme forming, 374; H. hiemale forming, 1761; Polyporus tomentosus and P. t. var. circinatus forming, 1226b; Rhizopogon roseolus forming, role of, in nitrogen fixation, 1541; Scleroderma bovista forming, 374; Tricholoma aggregatum and T. matsutake forming, 1445; \*Tuber maculatum forming, 1761.

\*—, Naemacyclus niveus on, in Nyasaland, 877. -, Ophiostoma valachium on, resistance to, 3025.

, ozone injury to, in U.S.A., resemblance of symptoms of, to chronic decline, 606.

, Peniophora gigantea on, competing with Fomes annosus, 2752.

–, – pseudo-pini on, in Canada, 271. –, Peridermium on, in Canada, 3327c.

- harknessii on, in Canada, 1750e; U.S.A., 2430; comparison of nuclear phenomena in life cycle of P. stalactiforme and, 1750e; confusion of, with Cronartium quercuum, 2430.

pini on, Norway, in relation to girdling,

2743; in U.K., 2182b.

- stalactiforme on, in Canada, 1750e; comparison of nuclear phenomena in life cycle of P. harknessii and, 1750e.

Phacidium infestans on, in Sweden, 603; U.S.S.R., booklet on, 3039; control, 853; transmission of, by infected needles, 3039. -, Phoma acicola on, 2431.

lineolata on, 2428. Phytophthora boehmeriae on, in \*Queens-

land, 1228, 1765.

,— cinnamomi on, in Queensland, 1765, 3038; geographical distribution of, 605; pathogenicity of, 3038.

[Pine], Pisolithus tinctorius on, (?) forming mycorrhiza, in U.S.A., 1171.

, pole blight disease in Canada, effect of on mycorrhiza, 874.

Polyporus tomentosus on, in Canada, 271, 1763

-, Pythium on, in Queensland, pathogenicity of, 3038.

-, Rhizopogon roseolus on, forming mycorrhiza, in U.S.A., 266.

-, root morphogenesis of, in presence of mycorrhizal fungi or auxins, 374.

-, Schizophyllum commune on, in Turkey, 3026.

—, Scirrhia acicola on, control, 3040.

-, Scleroderris lagerbergii on, in Norway, in relation to girdling, 2743.
- seed microflora in Canada, 2090.

-, Septobasidium pinicola on, in Canada, 3327c.

-, Septoria acicola on, in Chile, 62.

-, soil fungi in relation to seedlings of, 374. - tipburn, atmospheric constituents in rela-

tion to, in U.S.A., 2104.

Trichoderma viride on, competing with Fomes annosus, 2752.

-, Tricholoma aggregatum on, forming mycorrhiza, in Japan, 1445.

- matsutake on, in Japan, 1445, 2749; forming mycorrhiza, 1445.

Tympanis hypopodia on, in Canada, 276, 1750e

Pineapple (Ananas comosus), Nigrospora sphaerica on, in Ivory Coast, 3277

, Peltaster intermedius on, in Cambodia, renamed Pycnoseynesia intermedia, 2541. , Phytophthora nicotianae var. parasitica on,

in Hawaii, 1044. Pinus, see Pine.

Pinus (sulphur-lime mixture) in combination, use of, against Podosphaera leucotricha, 1973.

Piper betle, Colletotrichum capsici on, antagonism of actinomycetes, bacteria, and fungi from soil to, 2376; var. reaction to, 3284.
---, Gloeosporium on, 3284.

-, Glomerella cingulata, Phytophthora nicotianae var. parasitica, and Sclerotium rolfsii on, antagonism of actinomycetes, bacteria, and fungi from soil to, 2376.

nigrum, see Pepper, black. Piricularia, see Pyricularia.

Pisolithus tinctorius on pine, (?) forming mycorrhiza, 1171.

Pisum sativum, see Pea.

Pithomyces chartarum on cover plants in Malaya, 2043.

on turf and vine, 657.

Pittosporum tobira, Alternaria tenuissima on, in U.S.A., 2637.

Plant diseases, advances in concepts of resistance to, 2519a.

-, aerial photography in the study of, 1217.

-— control, book on, 1818; by chemotherapy, 363, 1241i; by crop rotation, 1231.

- -, dictionary of (10 languages), 3111. ——, growth regulators for, 1233b. ——, guide (popular) to, in Texas, 10.

-, handbook (popular, Russian) on resis-

tance to, 1235.

in America, 2246; Bulgaria, 2494k; Cambodia, 1865; Canada, 878; Cyrenacia, 967; Czechoslovakia and Germany, 2494k; Greece, 876; Hong Kong, 345; Hungary, 2494k; India, 1863; Lebanon, 1578; Papua and West New Guinea, 968; Poland, 2, 2494k, 2567; Romania, 2494k; Samoa, 1580, 2246; Sarpayek, 1575; S.F. Sarawak, 1575; S.E. Asia, 660; Thailand, 965; U.S.S.R., 2493b, 2494k.

[Plant diseases], microbial toxins in, review of,

891.

immunity, biochemistry and physiology of, English translation of Russian book, on, 890.

- pathogens, bacteriophages of, 1233r.

- pathology, experimental techniques and methods in, 1217; future of, 1233a; investigations on host parasite relations in, 2196, 2520; review of work on, in Lyngby, 887; West Virginia, 2499; training for, 1815

— physiology, 3rd volume of treatise on, 17.
— protection in Austria, 2207, 2500; Germany, 34, 680, 1826, 2216, 2491; Hungary, 1515; Madagascar, 2568; U.S.A., 679; chemicals for, effect of, on soil microflora, 30; equipment for, 3123, literature, bibliography of (1958, pt. II), 2193; present state of proceduring time, of chemical mothods, for mechanization of chemical methods for, 361; problems of, in nurseries, 2491a.

Plantago mosaic virus, hosts of, 256.

— lanceolata and P. major, tobacco mosaic virus str. on, in Germany, (?)identical with Tropaeolum ring mosaic virus, 1099.

- major, Plantago mosaic virus on, in Bulgaria,

2561.

Plantain (Musa paradisiaca), Alternaria dianthicola and Cercospora musae var. paradisiaca on, in Brazil, 688.

Gloeosporium musarum on, in Colombia,

803.

-, Pestalotia leprogena on, in Jamaica, resemblance of lesions of, to Cordana musae, 1717.

Plasmodiophora brassicae in Canada and U.S.A., 348; control, 3096r; hosts of, 2121.
— on cabbage, see Cabbage.

\*— — on crucifers, 1866. — — on kale, 343, 2123.

- on rape, 343.

— on Sinapis alba, 1835h.

— on swede, 343, 348. — on turnip, see Turnip.

pathological specialization of, in N.Z., 2122.

Plasmopara in Norway, 2834.
— cyamopsicola on Cyamopsis psoraloides, 1237.

- halstedii on Eupatorium purpureum, 1106. on sunflower, 696, 1106, 1225t, 2011.

 helianthi ff.sp. helianthi, patens, and perennis on sunflower, 2011.

- madrasensis on Amaranthus viridis, 1237.

viticola on vine, see Vine.

Platycodon grandiflorum, cucumber mosaic virus on, in Japan, previously listed as a non-host, 3365.

Plenodomus lingam pycnidial state of Lepto-

sphaeria maculans, 2120. Pleospora betae, P. bjoerlingii proposed as name for, 1779.

- on beet, see Beet.

- bjoerlingii proposed as name for P. betae. 1779.

- herbarum on lettuce, 638.

\*— ilicina on oak, 845.

[Pleospora] papaveracea on oil poppy, 2378.

on opium poppy, 1371, 2795 trichostoma, study on nuclei of, 3157.

Pleosporaceae, factors affecting fruit body formation in, 1250.

Pleurotus ostreatus on oak, 3031.

Plum (Prunus domestica) anthracnose in Yugoslavia, Cytosporella, Diaporthe perniciosa, and Physalospora obtusa associated with, 2311.

Aspergillus mangini on stored, control,

3104.

- bacterial spots in Bulgaria, 508.

- bark split virus on plum, control, 2308b; effect of, on growth, 779n; review of, 2308b. canker, Stereum hirsutum associated with,

, Ceratocystis fimbriata on, symptoms of, compared with other canker diseases, 1704. -, [cherry] tatter leaf [peach ring spot virus

str.] on, causing prune dwarf, 2332. Dibotryon morbosum on, in Newfoundland,

3327a

- dwarf + raspberry ring spot viruses on cherry, causing Pfeffinger disease in England, 1284f.

virus, see also Prune dwarf virus.

Leucostoma persoonii on, causing silverleaf symptoms, 1708.

line-pattern virus on apricot, apricot oak

leaf pattern virus similar to, 1349.

——— on plum in Czechoslovakia, 779y; Europe, 2308b; India, 1241h; control, 1241h, 2308b; effect of, on growth and yield, 779n; review of, 2308b; transmission of, by vectors,

-, see also Apple mosaic virus. 'ochre mosaic' virus on plum, use of root

fragments for testing, 2310.

- [peach] ring spot virus on plum in Europe, review of, 2308b.

- physiological silver leaf, factors affecting, 1708.

, Podosphaera oxyacanthae var. tridactyla on, in Yugoslavia, 2340.

-, Polystigma rubrum on, in Bulgaria, 1079, 2341; Romania, 1080; U.S.S.R., 511; ascospore discharge of, 1079; biology of, 1080; control, 1707, 2341; factors affecting ascospore discharge, 2968; resistance to, 2342; var. reaction to, 511, 1079, 1361.

pox virus on apricot, 2334.

- on peach, 779q, 1360, 2334.

—— on plum in the Balkans, 1079; Bulgaria, 1706, 3266; Czechoslovakia, 779y; Europe, 2308b; Germany, 1360, \*2309, 3266; breeding against, 1361; control, 2308b; effect of, on, 2339; English form of, should be called plum pseudo-pox virus, 1078; field experiments with, 7790; greenhouse tests for determining, 7790, 1360; hosts of, 3266; not transmissible mechanically to *Cucurbita* maxima, 3266; properties of, 3266; review of, 2308b; transmission of, by vectors, 779p; to peach, 2334; to Prunus japonica, 779y; use of root fragments for testing for, 2310; var. reaction to, 1361, 2339.

premature wilting in Romania, etiology of, 1357.

prune dwarf virus on, in Europe, 2308b; U.S.A., 514; control, 2308b; effect of, on growth and yield, 779n; groups of, 151; review of, 2308b; variability in movement rates of str. S of, 514.

[Plum] Pseudomonas mors-prunorum on, Switzerland, 3099; host selectivity of, 2184a. - pseudo-pox virus, English form of plum

pox virus should be called, 1087.
-, Rhodosticta quercina on, 3267; effect of myoinositol on susceptibility to, 3267.

- sarka, see plum pox virus.

-, Sclerotinia laxa on, factors affecting, 2343. -spoilage, moulds and yeasts associated with, 513.

-, Stereum purpureum on, causing silver leaf symptoms, 1708; inoculation experiments on, 3263.

Stigmina carpophila on, in Bulgaria, 2341; U.S.S.R., 3262; control, 2341.

, strawberry latent ring spot virus on, in Scotland, 1219a. - stripe mosaic [?plum line pattern virus] on

plum, transmission of, to Prunus, 2491c. stunt virus on plum, effect of, on growth,

Tranzschelia pruni-spinosae var. discolor on, in W. Australia, 507.

-, Valsa cincta on, in U.S.A., 512

Verticillium alboatrum and V. dahliae on, 2675.

- virus diseases in Czechoslovakia, 1061; Europe, 2308b; control, 1061; determination and diagnosis of, 780d; distribution of, in Germany, 781; review of, 2308b; symptoms of, 781.

-, Xanthomonas pruni on, 2337; in N.Z.,

control, 1063.

PMA, degradation of, in soil, 3130.

-, detoxication of, with rice plant juice, 1820.

-, residues of, in apple, 2959.

, use of, against Botrytis cinerea on strawberry, 1092; micro-organisms on leather bindings, 2510; Mycosphaerella fragariae on strawberry, 1092; Pyricularia oryzae, 893f, 3128; Sclerotinia borealis on wheat, 1873; Venturia inaequalis, 2959; as soil disinfectant,

- in combination, effect of, on apple yield, 1070.

——, use of, against Alternaria dianthi on carnation, 479; Venturia inaequalis, 1070.

PMC, effect of, on Venturia inaequalis, 2184b. -, use of, against *V. inaequalis*, 1813; *V. pirina*, 1076; as seed treatment for bean, 1198.

PMF, use of, against Phyllactinia moricola on mulberry, 1158.

Poa alpina, Erysiphe graminis on, 1676.

- annua, Corticium solani on, 1581.

-, Griphosphaeria nivalis and Typhula incarnata on, in Scotland, 1673.

- bulbosa, Erysiphe graminis on, 1676.

- pratensis, effect of residues of, on wheat,

---, Cochliobolus sativus on, in U.S.A., physiology of, 2650.

-, Erysiphe graminis on, 1676; resistance to, 2651.

-, Fusarium roseum on, in U.S.A., 2946.

-, Helminthosporium dictyoides on, in U.S.A., physiology of, 2650.

-, - vagans on, reaction to, 2651.

--, Puccinia graminis on, in U.S.A., 2816; reaction to, 2651.

[Poa pratensis, Puccinia] poae-sudeticae on. reaction to, 2651

-, Septoria oudemansii on, effect of UV rays on sporulation of, in culture, 2527.

- silver top disease in U.S.A., Fusarium and insects associated with, 113,

-, Typhula incarnata on, in Scotland, 1673. — trivialis, Typhula incarnata on, in Scotland,

Podocarpus, mycorrhiza of, in N.Z., 1448. \*Podosphaera leucotricha on almond, 2544.

- on apple, see Apple.
- on pear, 2961.

\*— — on Prunus divaricata, 139.

- oxyacanthae var. tridactyla on plum, 2340.

- tridactyla on apricot, 3099. Podosporiella verticillata, hosts of, 2646.

on Lolium and \*wheat, 1813.

Poinciana regia, effect of root exudates on Phytophthora palmivora zoospores, 974.

Polish Z-75, use of, against Colletotrichum lindemuthianum on bean, 2138.

Pollaccia elegans conidial state of Venturia populina, 1756.

on poplar, 1750c, 2423, 3035.

radiosa conidial state of Venturia tremulae, 1756.

-- on aspen, 1750c on poplar, 3035.

Polybia occidentalis transmitting Gloeosporium musarum, 803.

Polybor, effect of, on absorption of streptomycin by apple, 1824.
Polybutene injury to apple, 1068.

-, use of, against Podosphaera leucotricha on apple, 1068.

emulsions, use of, against Erysiphe cichoracearum on cucumber, 1499.

Polyethylene glycol, use of, in clarification and purification of tobacco mosaic virus, 2847. thiuram disulphide, use of, against Clado-

sporium fulvum on tomato, 657.
Polyphenoloxidase activity, increase of, by tobacco mosaic virus, 2050.

Polypodium vulgare virus in Italy, 106.

Polyporus adustus on birch, 583.

on timber, 1174a. - anceps on timber, 3045.

- brumalis, factors affecting basidiospore discharge of, 2191.

- hirsutus on birch, 583.

— — on timber, 1174a.

- oleae on olive, 1722.

- rugulosus on Hevea rubber, 2496.

- schweinitzii, growth factors for, 1254.

— on Coniferae, 1164, 3023.

— — on Pseudotsuga menziesii, 1443.

— — on timber, 1175.

- stipticus on timber, 2435.

— sulphureus on Eucalyptus saligna, 1156. — — on timber, 1175.

— — on trees, 840.

— tomentosus on pine, 271, 1226b, 1763.

— — on spruce, 1226b.

---, viability of basidiospores of, following storage, 1423.

-f.sp. circinatus on pine and spruce, forming mycorrhiza, 1226b.

zonalis on Bauhinia purpurea and Ficus bengalensis, 1154.

- zonatus on beech, 2076.

Polyram combi and polyram M and Z, use of, against Peronospora tabacina on tobacco, 2406.

Polyscytalum roseum on chestnut leaf litter,

1751.

Polyspora lini on flax, see Flax.

synonym of Kabatiella lini, 941.

Polystictus abietinus and P. adustus in test disks exposed in spruce stands, 2107.

- immitis on timber, 1174a.

— sanguineus on Chamaecyparis obtusa, 1452. - versicolor on birch, 583.

— on Chamaecyparis obtusa, 1452.

- — on timber, see Timber. —, uptake of radioactive pentachlorophenol by, 1767t.

Polystigma rubrum on damson, 2342.

on plum, see Plum.

 on Prunus cerasifera and P. salicina, 2342. Polyvinyl acetate in combination, use of, against Stagonospora curtisii on Narcissus, 1218c.

Pomarsol, use of, against carnation black

mould, 479.

- 80 in combination, use of, against Alternaria dianthi on carnation, 479.

- forte, use of, against Didymellina dianthi on carnation, 1043.

-, see also thiram.

\*Pomegranate (Punica granatum), Aspergillus foetidus on, in India, 1864.

-, Cercospora punicae on, in Mauritius, 2187. , Cytospora punicae on, in Portugal, 2831a. Poncirus trifoliata, citrus false exanthema on, in Brazil, 742.

fungus on, in U.S.A., resemblance of,

to Physoderma, 658m. Poplar (Populus), Aplanobacterium populi on, 2421.

-, Armillaria mellea on, in Italy, 3033.

-, bacteria on, in Italy, 2423. -, 'Braunfleckengrind' in Germany, (?)phy-

siological disorder, 3035.

-, Cryptodiaporthe populea on, in Canada, 1750c; Germany, 1429, 3035; Italy, 2423, 2736, 3033; Netherlands, 1429, 2185a; Poland, 2416; Yugoslavia, 1429; control, 1429, 2185a, 2422, 2423, 2736, 3035; factors affecting, 3035; var. reaction to, 2736.

-, Cucurbitaria staphula on, in Canada, 1750d. - cultivation, with note of disorders, leaflet on (revised), 2421.

, Drepanopeziza populorum on, factors affecting, var. and specific reaction to, 2424.

-, Fomes igniarius on, 1757. \*— fungi in U.S.S.R., 1421.

—, Fusarium on, in Italy, 3033.

-, - solani on, in U.S.A., causing cankers, pathogenicity of, 1431.

-, Glomerella cingulata on, in U.S.A., 1430. - Hypoxylon pruinatum on, in Canada, 1225w;

effect of bark on, 256; factors affecting, 2415c.

-, International Commission on, Vienna, 1429.

-, Linospora tetraspora on, in Canada, 3327f. Macrophoma tumefaciens on, in Canada, 1750d, 3327e.

-, Marssonina on, in Netherlands, 847; control, 847, 3034; effect of, on yield, 3034; factors affecting, 847, 2423; method for assessing infection by, 2425; var. reaction to, 847, 2423, 3034.

[Poplar, Marssonina] brunnea on, in Italy, 3033. Melampsora on, in Germany, 3035; Italy, 3033.

- allii-populina on, in Italy, 255.

, — larici-populina on, in Italy, 255; Netherlands, 1429; control, 3034; damage caused by, 1429; effect of, on, 3034; factors affecting, 3034; study on, 2739; suggested legislation against, 1429; var. reaction to, 2729, 3034.

- occidentalis on, in Canada, 3327f.

-, — populnea on, in Italy, 255.
- mosaic virus on Petunia hybrida, 254.
- — on poplar in Czechoslovakia, 2082;
U.K., 3023; electron microscope study on, 254; similarity of, to continental disease, 3023; transmission of, by vectors, 2082.

-, Nectria on, in Germany, 3035.

—, Pholiota aegerita on, in Italy, 3033.

destruens on, 1757.

-, Phomopsis on, in Italy, 3033.

— tirrenica on, in Italy, cultural characters

and development of, 258.

-, Pollaccia elegans on, in Canada, 1750c; Germany, 3035; Italy, 2423; control, 3035; Venturia populina perfect state of, 1750c.

- radiosa on, in Italy, 3035.

-, Poria vaporaria on, effect of, on mechanical and physical properties of wood of, 588. -, production of trichocarpin by, 3335. -, Rosellinia necatrix on, in Italy, 3033.

-, Septoria musiva on, in Canada, 1225w, 1750e, 3327f.

- populi on, in Italy, var. reaction to, 2737.

Septotinia populiperda on, var. reaction to, 3334.

- stripe mosaic virus on poplar, 2491c.

-, Taphrina aurea on, in Belgium, 1512m. - trunk scab, etiology of, 1429.

-, Uncinula salicis on, 1842.

-, Valsa nivea on, effect of active bark substances on growth of fungi, 589.

-, — sordida on, in Canada, 1225w, 1750e, 3327f; Italy, 3033; Poland, 2416; Turkey, 2083; control, 2083, 2422; factors affecting, 1750e.

-, Venturia populina on, in Italy, 3033.

- tremulae on, in Poland, ascospore germination in, and Pollaccia radiosa conidial state of, 1756.

- virus disease in Italy, 3033; Japan and elsewhere, 1429.

× aspen, Glomerella cingulata on, in U.S.A., 1430.

Populus grandidentata, see Aspen.

--- tremula, see Aspen.

- tremuloides, see Aspen.

*Poria* in tropical regions, synopsis of, 47. - coccos, submerged culture of, 1503.

hypolateritia on tea, 558, 3007.

incrassata on timber, 2440.

- monticola, effect of metabolic products of Lentinus lepideus on, 2115.

on timber, 2441, 3048.

- obliqua, biology of sterile form of, 1767d.

— on birch, 39.

- subacida on timber, 1174b.

- vaillantii on timber, 272, 1767y, 2440.

[Poria vaillantii], Serpula lacrimans different from, 3049.

vaporaria, effect of, on other house fungi in paired culture, 273.

— on cellulose, 2434.

- — on Chamaecyparis obtusa, 1452.

– — on poplar, 588.

— on timber, see Timber.

- --, resistance of, to radioactivity, 1453.

- weirii on Pseudotsuga menziesii, see P. menziesii.

on timber, 1174b.

Portulaca oleracea, Rhizoctonia and Verticillium alboatrum on, in U.S.A., (?) reservoir of infection for potato, 204.

Potassium deficiency in sisal, 2926; Phaseolus angularis, 861; plum, 3268; strawberry, 1998; vine, 1805.

resembling turnip mild yellows virus, 2790c.

-, effect of, on Botrytis cinerea on Chrysanthemum morifolium, 3238; Corticium solani on cotton, 94; Fusarium oxysporum f.sp. lini on flax, 2924; resistance of wheat to Puccinia striiformis, 1560.

- in combination, use of, against Cephaleuros

parasiticus on tea, 1737b.

acetate, effect of, on rhizomorph production

by Armillaria mellea, 1544.

bifluoride, use of, as timber preservative, 2441.

- permanganate, use of, against Fusarium oxysporum f.sp. gladioli and Penicillium on Gladiolus, 478; Podosphaera leucotricha, 1973; (?)Pseudomonas marginata on Gladiolus, 478; Sclerotinia on tulip, 478; as soil treatment for oak, 1425.

- in combination, effect of, on Calonectria

rigidiuscula, 370.

- sulphate, use of, against potassium deficiency in plum, 3268.

, see also Fertilizers.

Potato (Solanum tuberosum) abnormality in England, resembling but not caused by potato spindle tuber virus, 2703.

acropetal necrosis virus, see Potato virus

Y str.

Alternaria solani on, in Brazil, 533; Israel, 3019; Madagascar, 966; Romania, 2071; S. Africa, 2497; control, 966, 2071, 2497; factors affecting spore dispersal of, 3019; losses caused by, 533; var. reaction to, 533.

- tenuis on, in Israel, 3019; factors affect-

ing spore dispersal of, 3019.

- aphid control with insecticides, 2020.

, aster yellows virus on, var. reaction to, 1377.

Botrytis cinerea on, cutinase activity in, 1542; resistance of, to sunlight, 1384.

- breeding, research on, in Hungary, 1515; serological tests for selecting material for, 2389.

-, clover witches' broom virus on, transmission of, by vectors, 2184g.

, Colletotrichum atramentarium on, 1835q; in Canada, 1812f, 2032; Germany, associated with 'rubbery tuber wilt', 2031; Queensland, 1228; Victoria, 1389; control, 1389; formation of setae in, 2237.

- corky ringspot virus [potato stem mottle virus str.] on Nicotiana glutinosa and N.

rustica, 2991.

[Potato corky ringspot virus] on potato in Poland, 2992; U.S.A., 883k; electron microscopy of, 883k; properties of, 2992; transmission of, 2992; var. reaction to, 814.

——— on tobacco, 2991. , Corticium solani on, 1835q; in England, 2708; Germany, 2795; Netherlands, 1, 3097; Norway, 426; Scotland, 1219b; Switzerland, 2492; U.S.S.R., 1535k; Vietnam, 1517; control, 1835m, 2490g, 2999, 3000, 3124; cutinase activity in, 1542; damage caused by, 2492; effect of Azotobacter chroococcum, Bacillus vitreus, Trichoderma viride, and trichodermin on, 1535k; of Heterodera rostochiensis and, on yields of, 546; factors affecting, 2708; leaf test for pathogenicity of, 2998; production of pectic enzymes by, 1257; study on infection by, 2708; survival of, 3097; transmission of, to barley, oats, and wheat, 1219b.

-, Corynebacterium sepedonicum on, in Denmark, 1514; Sweden, imported from Denmark, 211; antagonism of *Streptomyces globisporus griseus* to, 1535r; C.M.I. description of, 2197; control, 1392, 2034; effect of glycoalkaloids from potato on growth of, 2400; factors affecting, 1225v; methods of detecting, 1392; technique for inoculating with, 1812e.

- cracking in Scotland, factors affecting, 1393. - crinkle (?) virus, not diagnosed by Fehling

test, 2021.

-, Czech witches' broom virus on, transmission, of, by vector, 1276.

- decay, effect of methyl ester of indolyl-3acetic acid on irradiated and normal tubers, 37.

degeneration in China, potato viruses X +

Y causing, 1117.

diseases in Canada, 3; S.E. Asia and Pacific Region, 812; book on, 193.

, effect of dithiocarbamates on, 3096k; of haulm pulling on quality and yield of, 2388b.

-, Erwinia on, in Germany, 2795.

aroideae on, in Romania, differentiation of, from E. atroseptica and E. carotovora, 3296.

,—atroseptica on, in Canada, 348; N. Ireland, 2793; Romania, 3296; Scotland, 1393; Switzerland, imported from Germany, 2492; control, 348; differentiation of, from E. aroideae and E. carotovora, 3296; factors affecting, 1393, 2793, 3001, 3296; method of diagnosing, 1394; penetration by, 3001; phenomena of increase in resistance following treatment with attenuated micro-organisms, 2711; symptoms of, resembling Phytophthora infestans, 3001; var. reaction to, 814, 3290.

-, — carotovora on, in Romania, 3296; Sweden, 2035; differentiation of, from E. aroideae and E. atroseptica, 3296; factors affecting, 3296; var. reaction to, 2035, 3381.

- 'fishy skin' in Israel, factors affecting, 550. - frost injury, breeding against, 3381.

-, Fusarium on, in Switzerland, imported from France, 2492; control, 1535o.

- caeruleum on, amended edition of English leaflet on, 2709; control, 2709, 2999; var. reaction to, 348, 814, 2709.

[Potato, Fusarium] oxysporum on, in U.S.S.R., infection by, 2996.

-, - sambucinum on, var. reaction to, 814.

- semitectum on, 3088.

- Gibberella cyanogena on, var. reaction to, 348.
- 'gothic' virus in U.S.S.R., 195. - growing, Russian book on, 3381.
- heat necrosis in Israel, symptoms of, 3002. -, Helminthosporium atrovirens on, in Canada, 1812f, 2032; intercepted from Burma, 1576.

\*\_\_\_, \_\_\_ solani on, in Jersey, 2792.

- internal brown spot in Brazil, 533.

- — rust spot in Bulgaria, 534; Jamaica, 351. - leaf juice, effect of, on Phytophthora infestans, 2508.
- roll virus on Datura stramonium, 658w. - on Physalis floridana, 658w, 957.
- on potato in Austria, 2983; Germany, 2016, 2983; Hungary, 1726; India, 1241h; Mexico, 2799e; U.K., 192, 202, 3378; U.S.A., 1729; air temperature in relation to callose formation in, 1115; breeding against, 3290; control, 1114, 1241h, 1730, 1731, 2016, 2388a, 2799e, 2983, 3293; detection of, 818, 1221a, c; by diphenylamine colour reaction, 202, 658w, 817, 2982; Fehling test, 2021; resorcinol-blue test, 192. 1728; effect of aphids on degeneration of, 1725; of disyston on transmission of, by Myzus persicae to Physalis, 2984; of whey on spread of infection, 1730; home gardens as source of infection of, 1729; hosts of, 1113, 2015; instability of symptoms of, 1113; nitrogen metabolism in relation to, 816; nontransmission of mechanically, 202; spread of, 1731; transmission of, by vectors, 58, 1113, 1729, 1730, 2015; var. reaction to, 192, 537, 2799e, 3378; 'virus-like bodies' in salivary glands of *Myzus persicae* not connected with, 819.

on Solanum, 537.

- - rolling mosaic virus on potato in Hungary, var. reaction to, 2701.

-, (?)Leveillula on, in U.S.S.R., 696.

-, Macrophomina phaseoli on, in Germany, associated with 'rubbery tuber wilt', 2031; India, 1517.

-, mercury residues in, 1772.

- parastolbur virus on clover, 1964.
- - on potato in Czechoslovakia, hosts of, 1277; transmission of, by vectors, 1276. - str. PS 1/58 on Vinca rosea, 56.
- , Penicillium spinulosum on, cutinase activity in, 1542.
- , persistence of captan, copper oxychloride and other fungicides on leaves exposed to artificial rain, 2502.
- Phoma solanicola on, in Netherlands, 1124; New S. Wales, 657; control, 2999; Ditylenchus dipsaci associated with, 1124; infection by, 3290; losses caused by, 1124.

tuberosa on, in U.S.S.R., 2030.

-, Phytophthora infestans on, 1818, 2391; in Argentina, 543; Canada, 3, 348; China, 545; E. Africa, 3290; Germany, 2795; Guatemala, 2796; India, 3290; Irish Republic, 2794; Israel, 2392; Korea, 2705; Netherlands, 2490c; New S. Wales, 657; \*Nigeria, 3172; S. Africa, 2497; Switzerland, 2492; U.K. 192, 2183c, 2704, 3378; U.S.A, 539, 881g; U.S.S.R., 362, 420, 2393, 2494g, 2995; Yugoslavia, 2994; book on, 205; breeding against, 205, 532, 1377, 2183c, 3381; beautiful and the control of t changes induced by training in, 206; control, 348, 362, 545, 1217, 2024, 2392, 2393, 2497, 2704, 2790n, 2994, 2995, 3124, 3377a; damage caused by, 2492; determination of bost recentinity. host receptivity in forecasting of, 1385; distribution of, 2494d; effect of gibberellin treatment on, 2027; of, on oxidative enzymes, 2707; of organic compounds in artificial culture of, 2993; epidemiology of, 2190; evaluating damage with aerial photographs, 359f, 881g; factors affecting, 657, 2392, 2494g, 2497, 2795, 3377; germination of sporangia in, 542, 1384; forecasting outbreaks of, 543, 1385, 1812d, 2494g; genetics of, 3290; historical account of the famine caused by, in Ireland, 2023; in relation to chlorogenic acid, 893c; loss of virulence of, 192, 1387; losses caused by, 657; parthenogenetic formation of oospores by, 2394; peroxidase activity and resistance to, 2025; physiologic races of, 192, 2392, 2394, 2794, 3378; physiological activity of toxin, 2026; physiological state of, 1386; physiological study on sporangia of, 1120; reduction of warnings against, 2490c; spec. reaction to, 205, 2183c; spread of, 545; var. reaction to, 192, 205, 420, 532, 533, 539, 813, 814, 1377, 2705, 2706, 2799f, 3290, 3294, 3378, 3881; 200spores in relation to infection time of, 2790j, k.

[Potato], Pseudomonas solanacearum on, in Colombia, new str., 1395; India, 3102; Kenya, 549; Madagascar, 966; N. Rhodesia, 1516; Vietnam, 1224; control, 1224; effect of crop rotation and sulphur on, 3102; longevity of, in cold storage, 1127; losses caused by, 1224. Puccinia pitteriana on, in Ecuador, 822,

1390.

-, Pythium (?)acanthicum on, 399.

, raspberry dwarfing [bushy dwarf virus] on,

in U.S.S.R., similarity of symptoms of, to raspberry yellow dwarf, 1992.

-, Rhizoctonia on, in U.S.A., 204; effect of heptachlor and parathion on, 348; (?) weeds as reservoirs of infection for, 204.

-, Rhizopus arrhizus on, in India, 1223. 'rubbery tuber wilt' complex in Germany, fungi associated with, 2031.

- rugose mosaic [potato viruses X + Y] on

potato, 196; in U.S.S.R., 195, 196, 197; control, 2388b; var. reaction to, 196, 657.

— —, see also potato virus X + Y.

—, Sclerotinia fructicola on, production of photoalexins by, 2522.

—, Sclerotium rolfsii on, in Venezuela, 1866. — 'skin cracking' in Israel, 550.

necrosis, factors affecting, 824.

spindle tuber virus on potato in U.S.A., 2702; effect of, on growth and yield, 2702; potato abnormality resembling, 2703; symptomless hosts of, 658y.

— — on tomato, 658z, 2563.

- spindling sprout a symptom of tomato stolbur virus, 2021.
- -, Spongospora subterranea on, in Germany, 2795; Switzerland, 2492; U.S.S.R., 1535k; Yugoslavia, 2033; breeding against, 1391; control and symptoms of, revised leaflet on,

2997; effect of Azotobacter chroococcum, Bacillus vitreus, and Trichoderma viride on, 1535k; infection by, 3295; var. reaction to, 1391, 2033.

[Potato] stem mottle virus str. ('spraing') on potato in Bulgaria, 534; Switzerland, 3099. - on tobacco and tomato, transmis-

sion of, by vectors, 2564.

str., see also potato corky ringspot virus and tobacco rattle virus,

- stolbur-like viruses on, in Hungary, causing wilting, 1727.

-, strawberry green petal virus on, transmis-

sion of, by vectors, 2184g.

- streak mosaic in U.S.S.R., 195.

-(?)— not diagnosed by Fehling test, 2021.

-, Streptomyces scabies on, 1835q; in Germany, 2795; N. Ireland, 2793; Scotland, 192; Switzerland, 2492; U.S.A., 539; U.S.S.R., 1535k; breeding against, 1377; control, 3124; effect of Azotobacter chroococcum, Bacillus vitreus, and Trichoderma viride on. 1535k; of copper and manganese on growth and incidence of, 210; of inhibitor from, on respiration of, 2399; factors affecting, 348, 2396, 3377f; pathogenicity of, 209; physiologic races of, 192; quantitative genetic logic races of, 192, quantitative generic analysis of resistance to, 2398; serological relationship of, to other *Streptomyces* spp., 823; technique for direct assay of, in soil. 1126; for testing for resistance to, 2397; var. reaction to, 192, 209, 539, 813, 814, 1125, 1377, 2489d, 2793, 3290.

-, Synchytrium endobioticum on, in Czechoslovakia, 2395; Europe, 2028; Finland, 1388; Germany and Norway, 1388; Poland, 207; Romania, 1388; Switzerland, 547, 2492; U.S.S.R., 821; Yugoslavia, 1388; breeding against, 208, 1121; control, 548; crop rotation in relation to, 821; distribution of, 2494d; factors affecting, 1388, 2395; factors affecting intensity and spread of, 2395; genetics of, 208; legislation against, in West Germany, 3135; no effect of, on ectodesmata, 969; non-occurrence of, in Bulgaria, 1388, physiologic races of, 2028; survey of, 3379; var. reaction to, 207, 532,

547, 820, 1121, 2028.

-, tobacco veinal necrosis virus [str. of potato virus Y] on, in N. Ireland, transmission of, by vectors, 1380.

-, tomato black ring virus on, premunity

relationships in, 692.

-, (?)— stolbur virus on, in (?)Bulgaria, 2562; Czechoslovakia, 1277; Hungary, 1727; causing wilting, 1727; control, 2562; diagnosis of, by Fehling test, 2021; effect of, on vield. 2562; spindling sprout a symptom of, 2021; transmission of, by vectors, 2562.

- tuber discoloration after haulm killing dur-

ing dry weather, 348.

- 'turtle back' in Israel, 550. -, Verticillium alboatrum on, 1681, 2697; in U.S.A., 204; relation of chlorogenic acid and free phenols to root infection by, 2710; var. reaction to, 348, 814; (?) weeds as reservoirs of infection for, 204.

-virus diseases in India, 406g; Romania, 1274; diagnosis of diseases, 1378, 3379; effect of dithiocarbamic acid on, 362; papers on methods of identification of, 194; serial testing for presence of, 1858.

virus K, form of potato virus M, hosts of, 1732.

-, - -like particles in, in Canada, non-transmission of, 203. virus M, form of, named potato virus K,

- virus N on Nicotiana glutinosa and Solanum

demissum, 1732.

- viruses N + X on Solanum demissum, 1732. — on potato in U.S.A., 538; relationship of, to tobacco rattle virus, 538.

— A on potato in England, 3378; Hungary, 1726; N. Ireland, 2793; Poland, 2022; A6 tests for, 1378; breeding against, 1377; control, 2022; serological study on, 2555; var. reaction to, 814, 1377, 3378.

- — on Solanum demissum, 2981.

- C, see Potato virus Y str.

 K, form of potato virus M, hosts of, 1732. - L on potato in Poland, damage caused

by, 2022.

- M, form of in U.S.S.R., named K, 1732, on potato in England, 3378; N. Ireland, 2793; Poland, control, 2022; preservation of, 2551; serological relationship of Passiflora latent virus to, 2366; testing for, 1378, 2389.

— on tomato, 1378.

-- N on Nicotiana glutinosa and Solanum demissum, 1732; S. demissum, 2990.

-+ X on solanum demissum, 1732.

— S on potato in England, 3378; Hungary, 1726; N. Ireland, 2793; Poland, 535, 2022; U.S.S.R., 197; causing potato rugose mosaic, 196; control, 1726, 2022, 2390; effect of altitude on stem growth and on yield, 2988; of gibberellin on, 197; factors affecting, 535, 1726; multiplication of, 1378; organic acids content of, 1116; serological relationship of *Passiflora* latent virus to, 2366; preservation of, 2551; testing for, 1378, 2389; var. reaction to, 535, 3290.

- on Solanum in Central America and Mexico, reaction to and virus content of,

198.

— — X on cucumber, 1280.

- on potato in China, 815, 1117; Denmark, 1382; Hungary, 1726; Israel, 200; N. Ireland, 1380; Poland, 2022; Scotland, 192, 199; Sweden, 536; U.S.S.R., 197; breeding against, 1377, 3290; causing degeneration, 1117; causing rugose mosaic, 196; comparison of growth of sprouts of, with healthy plants, 2988; control, 1726, 2022, 2390; detection of, by gibberellin, 1379; effect of on growth in relation to altitude, 2988; of gibberellin on, 197; of, on nitrogen compounds in host, 1381; of, on yield, 1382; factors affecting, 815, 1117, 1382, 1726; genetics of, 192, 2989, 3290; inoculation studies on, 2560; new str. of, 199; organic acids content of, 1116; Phytophthora infestans not a vector of, 343; preservation of, in infected leaf tissue in deep freezer, 1853; relationship of strs. of, 3290; response of, to different temperatures, 1513e; serological tests for, 536, 2389; symptoms of, 3292; technique for identifying, 200; testing for, 1378; transmission of, by vectors, 1380; var. reaction to, 192, 813, 814, 3290.

[Potato virus X] on Solanum in C. America and Mexico, 198; reaction to, and virus content of, 198.

---- on S. demissum, 2986. --- on tobacco, 884r, 1133, 1378, 2017, 3168.

- + A on potato, detection of, by gibberellin, 1379.

+ N on Solanum demissum, 1732.

+ potato virus Y on potato in Israel, 200; comparison of growth of sprouts of, with healthy plants, 2988; detection of, by gibberellin, 1379; effect of altitude on stem growth and yield, 2988.

+ tobacco mosaic virus on tobacco, 881b; on tomato, 573, 2070, 3319.

- --- necrotic str. S on Datura stramonium and tobacco, 1134.
- — ringspot str. on potato in India, 1383. - Y on Capsicum, 33, 55, 61, 349, 1800.
  - --- on Nicotiana debneyi, 3016.

--- on Petunia, 1378.

--- -- on Physalis floridana, 3016.

- plants, 2988; causing degeneration, 1117; potato rugose mosaic, 196; control, 1726, 2022, 2388a, 2390, 2393; damage caused by, 2022; effect of altitude on stem growth and on yield, 2988; of aphids on degeneration of, 1725; of disyston on transmission of, by Myzus persicae, 2984; of metasystox on, 2388a; of, on nitrogen compounds in host, 1381; electron microscopy of, 349; factors affecting, 535, 815, 1117, 1726; genetics of, 192, 3290; organic acids content of, 1116; preservation of, in infected leaf tissue in deep freezer, 1853; serological studies on, 536, 2555; strs. of, 2794; technique for identifying, 200; transmission of, by vectors, 201, 1118, 1380; var. reaction to, 192, 535, 813, 1725, 2016, 3290, 3378.
- on Solanum in C. America and Mexico, 198; reaction to and virus content of, 198.
- --- on S. andigenum and S. cardenasii, tobacco veinal necrosis str. of, 961.

- — on S. demissum, 2986.

- — on S. stoloniferum, 192.
- — on tobacco, 881b, 1378, 3016.

— — on tomato, 3016.

- + potato virus X on potato in Israel, 200; comparison of growth of sprouts of, with healthy plants, 2988; effect of altitude on stem growth and on yield, 2988.
- Lima da Silva and Piedade strs. on Nicandra physaloides, 414.
- 'witches' broom disease' in N.S.W., 657, 1813; transmission of, by tubers, 1813.
- yellow dwarf virus on Nicotiana rustica,
- vein virus on potato in Ecuador, 658x.

\*[Potato] yellows type III virus on potato and tomato in Japan, hosts of, 2019.

Potentilla, Phytophthora fragariae on, 658q; in

U.S.A., 1997.

glandulosa, P. fragariae on, in U.S.A., 1997. Pothos scandens, Colletotrichum capsici on, effect of pH on amino acid composition and growth of, 1546,

Pratylenchus penetrans, effect of, on growth of peppermint, 1103.

in relation to Verticillium alboatrum on strawberry, 2356.

- vulnus associated with Agrobacterium rhizogenes, 487.

Premunity and viruses, 692, 3165.

Preparation AB, use of, as seed treatment for wheat, 674.

— in combination, use of, against *Phytoph-thora infestans* on potato, 2393.

Primula obconica, Pseudomonas primulae on, in France, 2638.

-, tobacco necrosis virus on, in Czechoslo-

vakia, serological study on, 486. Privet (*Ligustrum*), lilac leaf roll virus on, 2491c.

Proceedings, see Conferences.

Proefstn. Groeneteeelt Volle Gront., ten years' report, 1220.

1-propanol, effect of, on rhizomorph production by Armillaria mellea, 1544.

β-propiolactone, factors diminishing suitability for sterilizing media, 2821.

Propyl-p-hydroxy-benzoate, use of, against moulds on liquid paraffin, 906.

Protars, constitution of, use of, as seed treatment for cereals, 674.

Protomyces, carotenoid pigments in, 3377d. macrosporus on coriander, 178, 1214d, 2692, 2693.

Prune (Prunus domestica) dwarf virus on apple, 1969.

2184f.

- + peach necrotic ring spot viruses on sour cherry, causing sour cherry yellows, 2184f.

- + sour cherry yellows + peach necrotic ringspot viruses on peach, 2672.

, see also Plum.

Prunus necrotic ring spot [peach ring spot] virus on apple, 1969.

on cherry, 1356, 1969, 2344. , plum stripe mosaic [(?)plum line pattern virus] can infect, 2491c.

-, raspberry bushy dwarf virus on, affinities of related fruit viruses and, 53.

-, Valsa leucostoma on, indistinguishable morphologically or pathogenically from V. nivea, 1432.

- amygdalus, see Almond.

- andersonii, peach asteroid spot virus on, in U.S.A., 779w.
  - armeniaca, see Apricot.
  - avium, see Cherry.
- cerasifera, Polystigma rubrum on, reaction to, 2342.
- cerasus, see Cherry.
- divaricata, Podosphaera leucotricha on, in Poland, 139.

[Prunus] domestica, see Plum, Prune.

- instititia, see Damson.

- japonica, plum pox virus can infect, 779y.

- kansuensis, use of, as indicator for cherry (sour) yellows and [peach] ring spot viruses,
- mahaleb, Fusarium (?)orthoceras, on, F. oxysporum, Pythium, and Rhizoctonia on, in U.S.A., 1083.
- mume, Botryosphaeria ribis + Leptosphaeria coniothyrium on, in Hong Kong, 345.

- persica, see Nectarine, Peach.

- pissardii virus, affinities of related fruit viruses and, 53.
- salicina, Polystigma rubrum on, reaction to, 2342.
- tomentosa, use of, as indicator for cherry latent virus, 150.

- virus diseases in Canada, 1225r.

- virginiana virus disease in Canada, resemblance of symptoms of, to [peach] X disease,
- Pseudococcus njalensis transmitting cacao swollen shoot virus, 1869; cacao viruses, 1582.
- saccharifolii transmitting sugarcane spike (?)virus disease, 1811.
- Pseudogymnoascus vinaceus, non-antagonism of Actinomyces levoris to, 33.
- Pseudomonas, identification of, by phage sensitivity tests, 24.
- inhibition of, by cauliflower seed extract, 617.

-, technique for preserving, 19.

- aeruginosa in relation to insect control, 27. on bean, 3118.

alfalfae on lucerne, 3247.

- alliicola, inhibition of growth of, by chlorothion, 20.
- angulata, biochemical and genetic characteristics of, 668.

\*— (?)antirrhini on Antirrhinum, 1868.

— apii on celery, 323.

- aptata on cowpea, cucumber, legumes, and \*sunflower, 3287.

- batatae, hosts of, 1123. — — on sweet potato, 1123.

- cannabina, differentiation of, 23.

— capsici on Capsicum, 696.

— caryophylli on carnation, 1045.

cichorii on cabbage, 349

- coronafaciens, biochemical and genetic characteristics of, 668

on oats, \*1900, 2891, \*3199.

- var. atropurpureum on Bromus inermis, 2303.
- delphinii on Delphinium, 2797.

— desiana on sugarcane, 219. — (?)garcae on coffee, 744.

- glycinea, biochemical and genetic characteristics of, 668.

- —, differentiation of, 23. on soybean, 625, 1516, 2456, 3360.
- (?)helianthi on sunflower, 1516.
- hibiscicola on Hibiscus rosa-sinensis, 1237.
- lachrymans in soil, 2231b. — — on cucumber, see Cucumber.

- — on cucurbits, 1797. — on gherkin, 1797, 3099.
- — on melon and watermelon, 329. - marginalis on chicory, 1494, 3364.
- marginata on Gladiolus, (?)478, 764.

[Pseudomonas] medicaginis f.sp. phaseolicola, see P. phaseolicola.

- mori on mulberry, 3270.

- mors-prunorum, bacteriophages and hosts
- , differentiation of, from P. syringae, 23, 2184a.
- — included in P. syringae, 2955.
- on cherry, see Cherry.
- --- on plum, 2184a, 3099.
- ----, stability of phage types of, 2184a.
- oryzicola on Gramineae, 1019,

— — on rice, 736, \*1019.

- pachyrrhizus on Pachyrrhizus tuberosus, 627. phaseolicola, biochemical and genetic characteristics of, 668.
- --- on bean, see Bean. — — on *Phaseolus*, 1786.

- -, stability of phage types of, 2184a. - primulae on Primula obconica, 2638.
- radiciperda on lucerne, 2656.
  rubrilineans, method for distinguishing, 1524.

- on sugarcane, \*1866, 3301. savastanoi on oleander, 2806, 3117.
- on olive, 26, 1578, 2806, 3117. – var. *fraxini* on ash, 2806.
- var. nerii on oleander, 696. sesami on sesame, 2197, 2379.

- solanacearum, differentiation of patho-

- types of, according to virulence, 669. -, inhibition of growth of, by chlorothion, 20.
- — on banana, see Banana.
- — on eggplant, 669, 3086.

\*— — on ginger, 181.

- — on groundnut, 669. — on Musaceae, 2197.
- -- on potato, see Potato.
- — on Sesamum, 669. - - on Solanaceae, 2197
- on soybean, 625, 2456, 2457.
- \*— on Strelitzia reginae, 488.
- — on tobacco, 572, 669. — on tomato, 669, 1519, 2074.
- — + Meloidogyne incognita var. acrita on tomato, 2731.

- stizolobii on Bougainvillea, 1516. \*— striafaciens on oats, 3199.

- syringae bacteriophages, hosts of, 23.
- -, differentiation of strs., 23; from those of P. mors-prunorum, 23, 2184a.

— on bean, 2453, 3118.

- \*— on Chrysanthemum indicum, 1237. — on Cyamopsis psoraloides, 1228.
- -- on fruit trees, 1687; P. mors-prunorum included in, 2955; review of literature on, 122.
- — on *Magnolia*, 2793. — on pear, 2329, 3261.
- on Phaseolus lunatus, 2453.
- —, stability of phage types of, 2184a.
- tabaci, biochemical and genetic characteristics of, 668.
- on soybean, 1516.
- on tobacco, see Tobacco.
   tomato, biochemical and genetic characteristics of, 668.
- -, inhibition of growth of, by chlorothion, 20.
- on Capsicum, 1237, 3100.
- — on tomato, \*1237, 2792.

[Pseudomonas] tonelliana on oleander, 26, 1954. Pseudoperonospora in Norway, 2834.

- cubensis on cucumber, 1500.

— — on cucurbits and Luffa acutangula, 345.

— on watermelon, 882d, \*2496.

- humuli on hops, 527, 2370, 2371, 2372.

Pseudopeziza medicaginis on lucerne, 118, 1057, 1682.

- ribis in the air and on currant, 158.

- trifolii on clover, 696, 2493f.

Pseudophacidium gaeumannii on larch, 1439. piceae on spruce, 1439.

Pseudotsuga menziesii, Armillaria mellea on, in Canada, 1443. ---, Caliciopsis pseudotsugae on, 3338.

— —, Cenococcum graniforme on, forming mycorrhiza, in Poland, 1447b.

-, drought injury to, in Canada, 1443. -, Melampsora albertensis on, 2103

-, mycorrhiza of, ectotrophic, effect of seed source on formation of, 374; factors affecting, 1447b; rhizosphere microflora associated with, 2432; study on, 2094.

—, persistence of actidione in and trans-

location of, 608.

Polyporus schweinitzii on, in Canada, 1443.

Poria weirii on, in Canada, 1443, 3327g; U.S.A., 2116, 2754; control, 2754; effect of, on yield, 1163b; survival of, 1163b, 2116.

Phytophthora cinnamomi on, reaction to, 1163c

Rhabdocline pseudotsugae on, in Canada, 1443, 1444; causing defoliation, 1443.

Rosellinia herpotrichoides on, in U.S.A., 2755.

-, Schizophyllum commune on stored

cones of, in U.S.A., 2093.

- seedling tip disease, Allantophoma nematospora and Diplodia pinea associated with, similarity of symptoms of, to Botrytis cinerea,

-, translucent rooting medium for observation of, 607.

- var. glauca, Cenococcum graniforme on, forming mycorrhiza, distribution, ecology, and inherent variation in, 265.

taxifolia, see P. menziesii.

Pseudovalsa longipes associated with dieback of oak, 1755.

Psidium guajava, see Guava.

Psylla pyricola transmitting pear decline, 2330a. Pteromaktron protrudens on Calibaetis pacificus, 28.

Ptychogaster radiatus on timber chips, 614. \*Puccinia in Bulgaria, 1268; Pennsylvania,

-, nature of thigmotropic stimuli affecting uredospore germ tubes of, 3377c.

\*— on Chrysanthemum coccineum, 1664.

- agropyri on Gramineae, 2302 - antirrhini, self-inhibitors in, 67.

on Antirrhinum, see Antirrhinum.

- arachidis on groundnut, 314, 3072. — asparagi on Asparagus, 3080.

bromina, see P. recondita.cacabata on cotton, 471.

- carthami on safflower, 186, 3285. f.sp. longipes on safflower, 2831a.

chaetochloae on Pennisetum purpureum, 2187.

- coronata, inhibition and lysis of, by Aspergillus and bacteria, 977.

[Puccinia coronata] on oats, see Oats.

-cypripedii on Cypripedium calceolus and C. pubescens, 765.

- dispersa, see P. recondita.

\*— doronicella on Doronicum caucasicum, 2185a.

- erianthi on sugarcane, 1223, 1267, 1735.

— gladioli on Gladiolus, 2831b.

- glumarum, see P. striiformis.

- graminis, cold induced dormancy in uredospores of, 4b.

---, hosts of, 704.

— — on Aegilops umbellulata, 707.

-- on Agropyron repens, 2268. --- on A. scabrum, 1228.

\*— — on Agrostis palustris, 1675.

 on barley, see Barley. — — on Bromus japonicus, 1877.

— — on cereals, 2576.

— on oats, see Oats.
— on *Poa pratensis*, 2651, 2816.
— on wheat, see Wheat.

- helianthi on sunflower, see Sunflower.

- hordei on barley, 2183f, 2884.

— —, self-inhibitors in, 67. - horiana on Chrysanthemum, 2931b, 2931c.

— — on C. morifolium, 2931a. \*— iridis on Iris, 1813, 1942.

- kuehnii on sugarcane, 1222, 1223, 1267.

--- levzeae on kok-saghyz, 696. — menthae on mint, 1267.

— on peppermint, 183, 529.
— pelargonii-zonalis on Pelargonium, 102. \*2937.

- penicillariae, (?)homothallism in, 1317. on Pennisetum typhoides, 1241n, 1267.

- pittieriana on potato, 822, 1390.

- poae-sudeticae on Poa pratensis, 2651. — polysora on maize, see Maize.

- porri on garlic, 2146. — psidii on pimento, 351

- purpurea on sorghum, 1267. on Sorghum halepense, 1517.

- recondita, determination of chemical nature and mode of action of self-inhibitory substance in, 67.

, effect of light on germination of uredo-

spores of, 1834.

inhibition and lysis of, by Aspergillus and bacteria, 977.

— on barley, 978.

— — on Bromus japonicus, 1877.

- on rye, 1600.

- on wheat, see Wheat. - f.sp, tritici, suggested as correct name for wheat leaf rust, 1600.

- rubigo-vera, see P. recondita.

— sorghi on maize, see Maize.

on Oxalis corniculata, 79, 1312, 1313.

-, self-inhibitors in, 67

sparganioides on ash, 878.
striiformis on barley, see Barley.

- on Bromus japonicus, 1877.

— on cereals, 1592, 2491p, 2575.

- — on wheat, see Wheat.

, technique for germinating uredospores of, 4c.

vacuum-drying in relation to viability of, 2183f.

taraxaci f.sp. kok-saghyz on kok-saghyz,

- triseti, see P. recondita.

[Puccinia] triticina, see P. recondita.

Pucciniastrum epilobii on Abies balsamea, 3327c.

- f.sp. palustris on Fuchsia, 1948.

Pueraria phaseoloides, Rhizoctonia on, in Malaya, 2043. Pumpkin (Cucurbita pepo), cantaloupe virus

can infect, 884x.

-, Glomerella magna on, in U.S.A., 2168. - mosaic virus on Cucurbitaceae and Legu-

minosae, 856g.

-- on pumpkin in U.S.A., properties of, transmission of, by seed, soil, and vectors,

on squash, 856g.

Sphaerotheca fuliginea on, in U.S.S.R., 2166.

Punica granatum, see Pomegranate. \*Pycnidiophora dispersa in soil, 1554.

Pycnoseynesia intermedia, Peltaster intermedius renamed, 2541.

Pyrenochaeta oryzae on rice, 3214.

- terrestris on garlic, 2146.

on onion, see Onion.

Pyrenomycetes, factors affecting fruit body formation in, 1250.

—, light and spore discharge in some, 384.

, studies on, part VII, 939.

Pyrenophora avenae on cereals and grasses, 2647.

on oats, 2595, 3098.

sporulation of, under near-UV light, 2841.

- bromi on Bromus inermis, 2304a, b. \*— dactylidis on Dactylis glomerata, 398.

- graminea, effect of UV and visible radiation

on sporulation of, 2526.
—— on barley, 398, 447, 1896.
—— on wheat, 1542.

— lolii on Lolium multiflorum, 398. - polytricha form-group, 398.

- teres, Cephalosporium on, in Canada and Israel, 2803. -, effect of UV and visible radiation on

sporulation of, 2526. - —, heterothallism in, 449.

-, mycelial variant from conidial cultures of, 448.

on barley, 398, 1003, 1302b, 3098.

— trichostoma form-group, 398.

— tritici-repentis on cereals and grasses, 2647. — on wheat, 717, 1225f.

Pyricularia grisea on banana, 171, 1715.

on turf, 1957.

- oryzae, antibiotic activity of Ascochyta fabae toxin on, 902.

- —, inhibition of, by amidinomycin, 1248. nutritional factors affecting sporulation of, in culture, 85, 2903.

on rice, see Rice.
, use of, as test fungus, 893f.

Pyridinethiones injury to plum, 512. Pyridoxin, Colletotrichum graminicola and Glomerella tucumanensis requiring, 911.

Pyrocatechol, inhibition of Hypoxylon pruinatum by, 1161.

Pyrus communis, see Pear.

Pythiaceous fungi, Indian review on, 946. Pythium in India, 1271.

-, effect of streptomycin on, 373.

-, steroids and the stimulation of sexual reproduction in, 2533.

—, toxicity of mycostatin to, 1837.

[Pythium] (?)acanthicum, hosts of, 399. – aphanidermatum in soil, 46, 1519.

- —, inhibition of, by dexon, formaldehyde, and methyl arsine oxide, 658a.
— on Agrostis, 111.

-- on carrot, 1866. \*--- on cotton, 1868.

— — on cucumber, 1796, 2172.

- — on Cynodon dactylon and grasses, 349.

\*— — on Hibiscus esculentus, 1213.

— — on Lolium perenne, 349.

— — on maize, 2496. --- on papaw, 1720.

— — on tobacco, 223. — — on turf, 1957.

— —, zoospore accumulation in, 2532. \*— artotrogus on mushroom compost, 1504.

\*-- butleri on maize in India, 1906.

- debaryanum, antagonism of Actinomyces levoris to, 33.

-, Dactylella stenomeces parasitic on, 400.

– in soil, 391.

— on cotton, 469.

— — on turnip rape, 1835h.

– graminicola on Bromus inermis, 769, 2649.

— — on sugarcane, 1400

— — + micro-arthropods Rhizoctonia complex on sugarcane, 2047.

- irregulare, Dactylella stenomeces parasitic on, 400.

— in soil, 883h.

— — on beet, 618, 1470.

— on pea, 2210.

-, toxicity of carbonyl sulphide to, 2507. - mamillatum, production of labile staling substance by, 1255.

- splendens, effect of pentaerythritol substituted compounds on, 1821.

- ultimum, behaviour of, at small soil water suctions, 925.

- -, Dactylella stenomeces parasitic on, 400. - on beet, 2132b.

\*— — on *Chrysanthemum*, 2291.

— on maize, 3206.

— — on pea, 364. - — on squash, 1868, 2797.

- vexans on Hevea rubber, 2040.

Quaternary ammonium compounds, fungicidal activity of, 894.

Quercetin, effect of, on apple superficial scald, 2965.

Quercus, see Oak.

Quince (Cydonia oblonga), [apple] chlorotic leaf spot virus on, spread of, 2313.

- bark necrosis, sooty ring spot, and stunt

viruses on pear, 779n.
- virus diseases in Canada, 1225r; England, 1350; identification of, 779h; latent infection of, 1350.

- yellow mosaic virus on quince in India, resembling apple mosaic severe str. in Bulgaria, 1349.

8-quinolinols, fungicidal activity of, 894. , use of, against Valsa cincta on plum, 512. Ouinones, effect of heavy metal salts and potassium permanganate on fungitoxicity of,

369. —, fungicidal activity of, 894.

review of literature on use of, as fungicides, 2506.

Quintozene, effect of, on soil respiration, 2503. , ineffective against Botrytis allii, Pythium, 27901.

-, tolerance of Corticium solani to, 1652, 2920.

-, toxicity of, to onion, 1; potato, 3124. use of, against Botrytis cinerea on lettuce, 3083; Corticium solani on Capsicum, 1801; on lettuce, 1492; potato, 3124; radish, 41; tomato, 1147; Fomes lignosus on Hevea rubber, 1396; Griphosphaeria nivalis on wheat, 1873; Plasmodiophora brassicae on cabbage, 343; Sclerotinia borealis on wheat, 1873; S. minor and S. sclerotiorum on lettuce, 328, 3083; S. trifoliorum on clover, 1056; 2951; Sclerotium rolfsii on beet, 3060; Streptomyces scabies on potato, 3124; Typhula and T. ishikariensis on wheat, 1873; as soil treatment against Pythium irregulare on beet, 990, 1470; Tilletia contraversa on wheat, 990; vectors of raspberry ring spot and tomato black ring viruses, 1291a.

- in combination, use of, against Armillaria mellea on vine, 1512v.

Radiation, effect of, on *Helminthosporium*, 2526; on plants, 3105; on sporangial production of Phytophthora nicotianae var. parasitica on papaw, 176.

use of against plant pathogens, 1241b,

1816, 3105.

Radioactive isotopes, use of, to determine transportation capabilities of mushroom mycelium, 1502o.

tracers, use of, in studying plant pathogens,

1217.

Radio rays, mode of action of, against micro-

organisms, 3105.

Radish (Raphanus sativus), Albugo candida on, biological race of, 1185; host-parasite interface of, 2760; inheritance of resistance to, 1186; metabolic study on host-parasite complex, 2759.

-, Alternaria brassicae on, in Canada, 1225b. -, beet western yellows virus on, in U.S.A.,

overwintering reservoir of, 3057

-, Corticium solani on, factors affecting pathogenicity of, 41.
, effect of healthy and leached soil on infec-

tion by soil microflora, 44.

- leaf extracts inhibiting Crotalaria mosaic

virus, 1223. -mosaic virus on radish, radish ring spot virus (?) str. of, 2119.

Plasmodiophora brassicae on, in N. America,

281.

- ring spot virus on radish, in China, hosts of, (?)str. of radish mosaic virus, study on, 2119.

—, Xanthomonas campestris var. armoraciae on, in India, 1179.

Radosan, use of, against Septoria helianthi on sunflower, 2014.

Ramularia areola on cotton, 1027.

- foeniculi on dill, 180.

gossypii on cotton, 1241m, 1656. Ramulosin, fermentation of, 678.

Ranunculus ficaria, Peronospora ficaria on, in France, 2623.

Rape (Brassica napus var. oleifera), Albugo candida on, in Canada, 878.

—, Alternaria brassicae, A. \*raphani, A. tenuis, and A, (?)zinniae on, in Canada, 1225b.

[Rape], Leptosphaeria maculans on, str. of, on stubble in Canada, production of seed germination inhibitor by, 1225a.

moulds, effect of UV rays on, 2128.

Peyronellaea glomerata on, in Canada,

-, (?) Phoma herbarum var. medicaginis on, in Canada, production of seed germination inhibitor by, 1225a.

Plasmodiophora brassicae race B on, in New Zealand, 2122; var. reaction to, 343.

-, Pythium (?)acanthicum on, 399.

-, Typhula variabilis on, in Germany, losses caused by, 2795.

- yeasts, effect of UV rays on, 2128.

Raphanus sativus, see Radish.

\*Raspberry (Rubus), Agrobacterium rubi on, in Hungary, 2566. Arabis mosaic virus on, in N. Ireland,

1219a.

Botrytis cinerea on, in Netherlands, 519; Scotland, 1219b; breeding against, 2498e; control, 519; factors affecting, 1219b, 1994, 2498c; resistance of hairy canes to, 2498e.

- bushy dwarf virus on hops and Prunus, 53. on raspberry, electron microscopy

of, 2184f.

- — —, see also raspberry dwarfing.
- chlorotic net virus on raspberry in Yugo-

slavia, resemblance of, to [raspberry (moderate)] vein chlorosis virus, transmission of, by grafting and vectors, 799.

spot virus on raspberry in Yugoslavia, control, resemblance of, to raspberry mosaic virus, transmission of, by grafting, 799. Didymella applanata on, in France, 2681;

Netherlands, 519; *Thomasiniana theobaldi* in relation to, 519; var. reaction to, 1993. dwarfing [bushy dwarf virus] on raspberry

in U.S.S.R., hosts of, survival of, transmission of, by grafting and sap, 1992.

, see also raspberry bushy dwarf virus. Elsinoe veneta on, in Netherlands, 519; U.S.S.R., 2354; control and symptoms of, 2971; Thomasiniana theobaldi in relation to, 519; var. reaction to, 1993.

\*—, Fusarium lateritium on, in U.S.S.R., 2972. Glomerella cingulata on, in France, wither-

ing in relation to, 2681.

- leaf spot virus on raspberry, var. reaction to,

(moderate) vein chlorosis virus on raspberry, resemblance of raspberry chlorotic net to, 799.

mosaic virus on raspberry in Scotland, 160; U.S.A., 1087; control, 2971; effect of, on yield, 1087; preferred as name for raspberry veinbanding virus, 160; resemblance of raspberry chlorotic spot to, 799; transmission of, by vectors, 160; var. reaction to, 160, 1087.

— —, see also raspberry vein mosaic virus. - ring spot virus in soil, transmission of, by vectors, 1219a.

to cherry Pfeffinger disease, 2345.

2852; distinct forms of, 2852; premunity relationships in, 692; serology of, 2790e; transmission of, by vectors, 2790e, 2852.

- - - on strawberry, 161.

[Raspberry ring spot virus] + Arabis mosaic virus on cherry, 2184f.

- - + plum dwarf virus on cherry in England, 2184f.

- stem diseases in the Netherlands, Thomasiniana theobaldi in relation to, 519.

-, strawberry latent ring spot virus on, in N. Íreland, 1219a.

- veinbanding virus on raspberry, in U.S.S.R., 1992; raspberry mosaic virus preferred as name for, 160; similarity of symptoms of to raspberry vein chlorosis' in W. Europe, 1992.

- vein chlorosis virus on raspberry in Bulgaria, 419; Europe, raspberry veinbanding virus symptoms similar to, 1992.

- mosaic virus [raspberry mosaic virus] on raspberry in U.S.S.R., transmission of, by grafting, 1992.

 —, see also raspberry mosaic virus. - virus diseases in Czechoslovakia, control, 1061, 2971.

- withering in France, etiology of, and relation to infection by Glomerella cingulata,

- yellow dwarf virus on raspberry, similarity of symptoms of raspberry dwarfing [bushy dwarf virus] on Nicotiana, Petunia hybrida. and potato to, 1992.

- line pattern in Denmark, 1514.

Rauwolfia serpentina, Fusarium oxysporum f.sp. rauwolfii on, in India, 3283

Ravenelia ingae on Inga, 2078b sessilis on Albizzia lebbek, 3329.

Reports (see also Conferences), Bristol agric. hort.Res.Sta., 1084, 1085, 1095, 1096, 1097; Cacao (Int.Amer.Cacao Cent.), 3174; Calif. Dept Agric., 1814; Cambridge National Inst. of Agricultural Botany, 3378; Cambridge Plant Breeding Institute, 2183; Canada Dept of Forestry, 1174, 1750, 3327; Canberra Commonwealth Sci.Ind.Res.Org., 1227; Ceylon Dept Agric., 1810; Rubber Res.Inst., 1397, 1398; Tea Res.Inst., 3007; Charlottetown P.E.I. Exp. Farm, 348; Committee on Plant Diseases, Int.Seed Testing Association, 654; Cyprus agric. Res. Inst., 3380; Dept. Agric., 2796; Dublin, Agric. Dept. Univ. Coll., 2794; Horticulture and Forestry Division, 342; Plant Sciences and Crop Husbandry Division, 343; E. Africa, 656, 3101; East Malling Research Station, 2184; abstracts and index to, 8; European and Mediterranean Plant Protection Org., and Mediterranean Plant Protection Org., 1378, 3135, 3379; FAO meeting of regional plant protection organisation, 2214; for Near East, 346; for S.E. Asia and Pacific Region, 347, 1517, 2496, 3102; on citrus virus diseases in Turkey, 464; on *Gladiolus* production in Israel, 1047; Florida Agric. Exp.Sta., 349, 2798; Forest Products Res. Board, London, 2434: France, market gar-Board, London, 2434; France, market garden plant improvement Station, 655; German Democratic Republic, 2795; German Plant Protection Service, 2186; Glasshouse Crops Research Institute, 1218; Hawaii agric.Exp. Sta., 1519; Hawaiian Sugar Exp. Sta., 1400; Hungarian Res. Institutes, 1515; India, Coffee Board Res.Dept., 2276a, b; Council agric. Res., 2495; Jute agric.Res.Inst., 1337; New Delhi, Div. Mycol. and Plant Path., 1222, 1223; Sugarcane Breeding Inst., 3005;

India (S.), Tea Scientific Dept., 558, 560, 561; Int. Poplar Commission, Vienna, 1429; International Seed Testing Ass., Committee on Plant Diseases, 654; Int. Rice Commission (8th), 84; Irish Repts., see Dublin and Northern Ireland; Jamaica, Banana Bd.Res.Dept, 2684a, b; Min.of Agric. & Lands, 351; Japan Sugar Beet Improvement Foundation, 288; Jersey, 2792; John Innes Hort.Inst., 2489; Kenya Coffee Res. Sta., 744; Malaya Rubber Res.Inst., 1396; Mauritius Dept Agric., 2187; Sug.Ind.Res.Inst., 217, 2713; Nat. Veg.Res.Sta., Warwick, 2791; Netherlands, 344; Aalsmeer, 2927; Groenteteelt in de Vollegrond, 1774; Wageningen, I.P.O., 1, 3097; Jaarboek, 2185; Zaadcontrole, 3098; Wilhelminadorp, 128); New S. Wales, 657, 1813, 2797; N. Ireland, Plant Pathology Div., 2793; N. Phodesin, 521, 1516; Niveschad. 2793; N. Rhodesia, 531, 1516; Nyasaland, 877; Ontario Res.Sta., Harrow, 879; Oxford Commonwealth Forestry Inst., 3023; Papua & New Guinea, 3103; Quebec, 3, 1812; Queensland Dept.Agric., 1228; Sug.Exp. Stas., 1129; Rothamsted, 2790; Saanichton, B.C. Experimental Farm, 880; Sarawak Dept. Agric., 1518; Scottish hort.Res.Inst., 1291a; Pl.Breed.Sta., 192, 3290; S. Africa, 2497; S. Afr.Sug.Ass.Exp.Sta., 1128, 2714; Surinam, 7; Switzerland, 2492, 3099; Taiwan Sugar Expt.Sta., 556; Thailand Government on blast and other diseases of rice, 1911; Tocklai Tea Exp.Sta., 1737; U.S.S.R. All-Union Scientific Research Institute for Sugar Beet, 287; Vietnam crop improvement programme, 1224; W.Afr. Cocoa Res.Inst., 1869; W. Afr.Inst. for Oil Palm Res., 1111; Yaxley Pea Growing Res.Org., 3061.

Resorcinol-blue, use of, for detecting potato leaf roll virus, 192.

Rhabdocline pseudotsugae on Pseudotsuga menziesii, 1443, 1444.

Rhacodiella castaneae on oak, 1510.

- — on vine, 1509.

\*- vitis on vine in U.S.S.R., 1510.

Rheum, see Rhubarb.

Rhizobium japonicum, R. leguminosarum, and R. lupini, in root nodules of Leguminosae, 1488.

- meliloti in root nodules of Leguminosae, 1488.

- serologically related to Agrobacterium radiobacter and A. tumefaciens, 1488.

phaseoli and R. trifolii in root nodules of Leguminosae, 1488.

Rhizoctol, use of, as soil treatment, 2276.

Rhizoctonia, hosts of, 204.

goodyerae-repentis on Goodyera repens, 1257.

- hiemalis, Trichophaea bullata perfect state of, 2242.

\*- microsclerotia on bean and soybean, var. reaction to, 1475.

- repens on Orchis purpurella, 1257.

— solani, see Corticium solani.

- zeae, geographic distribution of, 1012.

– on maize, 1012.

Rhizophagus mycorrhiza, inhibition of Fusarium on barley and wheat by, 3.

populinus and R. tenuis on Griselinia littoralis, forming mycorrhiza, 1434.

Rhizopogon roseolus on pine forming mycorrhiza, 266, 1541.

Rhizopus arrhizus on cotton, 2620.

- — on peach, 796. — on potato, 1223 — — on tobacco, 835.

- circinans on groundnut, stored, 2461.

- nodosus on cucumber, 1223. — (?)oligosporus on soybean, 1479.

- oryzae on banana, 1223.

- stolonifer, action of coumarin on, 901. — —, degradation of simazine by, 931.

—, inhibition of, by captan and folpet, 796.

— on apricot, 2673.
— on carrot, 3076.
— on cotton, 2620.
— on peach, 796, 2673. - — on strawberry, 2683.

— — on sweet potato, 825. — on timber, 3047.

— — on tomato, 576.

-, production of labile staling substance by, 1255; of pectolytic enzymes by, after gamma irradiation, 920.

Rhizosphere microflora, problem of specificity of, review of literature on, 3148.

Rhodane injury to barley, 443.

, use of, as seed treatment for barley, 443.

Rhodia, use of, on apple, 1973. Rhodobium porosum transmitting strawberry virus diseases, 2973.

\*Rhododendron, Armillaria mellea on, in Jersey, 2792.

-, Botryosphaeria ribis on, penetration of, transmission of, by pruning tools, 2296.

, Botrytis cinerea on, effect of fructose and sugar on sporulation of, 1832; sclerotia formation in, 15120, 1832.

, Exobasidium azaleae or E. vaccinii on, physiological study on association of *Torulopsis laurentii* with, 3140.

-, (?)Ovulina azaleae on, in U.S.A., 349. Phytophthora cinnamomi on, in Germany, 2297.

Torulopsis laurentii on, study on association of, with Exobasidium, 3140.

Rhodosticta quercina on plum, 3267.

Rhopalosiphoninus staphyleae transmitting beet

yellows virus, 2762.
Rhopalosiphum fitchii, comparison of R. padi as

vector of barley yellow dwarf virus, 1589.

— transmitting barley yellow dwarf virus, 450.

insertum transmitting barley yellow dwarf virus, 64; soybean stunt virus, 1202.

maidis not transmitting cardamom 'foorkey' disease, 1222.

transmitting cardamom 'chirke' virus, 1222; cucumber mosaic virus, 1860; mulberry mosaic, 1362; watermelon mosaic virus, 1860.

- padi, comparison of, with R. fitchii as vector of barley yellow dwarf virus, 1589.

— transmitting barley yellow dwarf virus, 441, 881c, 1588, 1892; beet yellows virus, 2183d; Festuca necrosis virus, 109.

Rhubarb (Rheum), Arabis mosaic virus on, premunity relationships in, 692.

, tobacco necrosis virus on, in Denmark, 1514.

 virus 1 on rhubarb in England, transmission of, by soil, 2791c.

[Rhubarb virus] 2 on rhubarb in England, (?)identical with turnip mosaic virus, 2791c.

6 on rhubarb in England, hosts of, transmission of, by seed, 2791c.

Rhus cotinus, powdery mildew on, in England, 1664.

- typhina, Botrytis cinerea, Endothia parasitica, Verticillium alboatrum, and other fungi on, in Poland, 2426.

vernix sap extract, toxicity of, to Glomerella cingulata on laurel, 3240.

Rhynchosporium orthosporum on Dactylis glomerata, 722.

- secalis on Agropyron semicostatum, 722.

- on barley, see Barley — — on Bromus inermis, 2303.

— — on Phalaris arundinacea, 722.

- on rye, 1305.

Ribes virus diseases in Czechoslovakia, 1061. -, see also Currants.

- aureum, Botrytis cinerea on, control, 2350.

- grossularia, see Gooseberry.

Riboflavin, effect of, on Stemphylium sarciniforme on Cicer arietinum, 1486.

Ribonucleic acid, inactivation of, from tobacco mosaic virus, 2048.

, some properties of, from broad bean mottle virus, 2135.

Ribose phenylosazone, use of, against Puccinia recondita on wheat, 68.

Rice (Oryza sativa), Absidia on, control, 1328. acid soil toxicity in, in Guinea, Japan, and Sierra Leone, 84.

-, Acrocylindrium oryzae on, in Thailand, 1911.

—, air spora over fields of, in India, 1017.

akiochi in Korea, 3216.

-, Alternaria on, 1323. -, Ascochyta oryzae on, in Thailand, 1911; pycnidia formation in, 1635.

-, Aspergillus on stored, in U.S.A., 87.

flavus, A. repens, and A. restrictus on, in Korea, weevils in relation to, 3215. , bibliography of research on, 1320; supple-

ment, 3207.

- black-streaked dwarf virus on rice, hosts of, transmission of, by vectors, 460.

— stunt virus on maize, 1902. bronzing in Ceylon, 84.

- brown leaf spot disease in China, similarity of, to Pseudomonas oryzicola, 737.

— 'brusone', association of, with *Pyricularia* oryzae, 86, 1633.

- catalogue of genetic stocks of, 1910.

Cercospora oryzae on, in Thailand, 1911; Venezuela, 1866; Vietnam, 1224; reaction to, 1224, 3208.

\*--, Chaetomium bostrychodes and C. indicum

on, in India, 1016.

-, Cochliobolus on, in India, 1016.

-, — *miyabeanus* on, in India, 84, 1241j, 1324; Madagascar, 84; Thailand, 1911; U.S.A., 2610; Vietnam, 1224; causing 'peck', 2610; comparative study of two isolates of, 2272; control, 1241j; effect of carbon and nitrogen nutrition on growth and sporulation of, 1325; of γ irradiation on, 2523; of nutritional elements on susceptibility to, 734; factors affecting, 84, 734, 735; var. reaction to, 84, 1224, 1324.

[Rice], Corticium sasakii on, (?)84; in (?) Vietnam, 1224; control, 1636, 1913; factors affecting, 1636; susceptibility of, 1636; var. reaction to, 1224.

-, — solani on, in \*India, 462; production of

pectic enzymes by, 1257.

- 'dakhina' similar to rice 'khaira' disease,
- -, detoxication of PMA with juice of, 1820.

- diseases in British Guiana, breeding against

dwarf virus on rice in Japan, hosts of, 460; large inclusion bodies associated with, 2609; transmission of, by vectors, 460. -, Entyloma oryzae on, in Thailand, 1911; U.S.A., 463, 729; breeding against, 463, 729.

-, Ephelis pallida on, 2902.

-, *Epicoccum* on, 1323.

-, Fusarium oxysporum f.sp. vasinfectum on,

effect on, of culture filtrates, 2856.
-, Gibberella fujikuroi on, in India, \*1016, 1241j, 2611; \*Nigeria, 3172; Thailand, 1911; control, 1241j; losses caused by, 2611.

\*-, - zeae on, in India, 1016.

Helicoceras nymphaearum on, in India, 1016.

-, Helminthosporium on, 1323.

- hoja blanca virus on rice in Venezuela, 1866; hosts of, 2900; method of determining, 2271; transmission of, by vectors, 461, 2271, 2900; var. reaction to, 461, 2901, 3208. inhibition of germination of, by cauli-

flower seed extract, 617.

-, iron deficiency in, in U.S.A., 89.

- 'khaira' disease in India, 'dakhina' and 'pan-sukh' similar to, 3217.

- 'leaf yellowing and tipping' in Australia,

symptoms of, 84.

-, Leptosphaeria salvinii and L. salvinii var. irregulare on, in Thailand, 1911.

-, micro-organisms in rhizosphere of, 1838, 2275.

Neovossia barclayana on, in U.S.A., 729, -, *Ned* 2612.

- horrida on, in India, 3213; Thailand,

1911; Venezuela, 1866.

- orange leaf disease in the Philippines, transmission of, by vectors, 1631; Thailand, resemblance of, to physiological bronzing, 1911.
- 'pan-sukh' similar to rice 'khaira' disease, 3217.
- -, Penicillium on stored, in U.S.A., 87.
- ., islandicum on, effect of methyl bromide on, 1914a, b.

—, — puberulum on, in U.S.A., 88.

- physiological diseases in New Guinea, 84. Pseudomonas oryzicola on, in China, \*736, ---, Psei 1019.

\*--, Pyrenochaeta oryzae on, in India, 3214.

Pyricularia oryzae on, 1323; in Asia, 1321a; B. Guiana, 1632; Brunei, 347; Burma, 3214; Ceylon, 1810, 3214; China, 3214; France, 2613; Hong Kong, 345; Hungary, 1835k, 3212; India, 1326; Japan, 1321b, 3214; Laos, 1811; Malaya and S. Leone, 3214; Surinam, 6; Thailand, 1911; U.S.A., 729, 1321a; U.S.S.R., 3211; Vietnam, 1224; behaviour of conidia of, in water drops on the leaves, 732; breeding against, 84, 1015, 1321a, 3208; brusone' associated with, 86, 1633; conflicting results regarding var. reaction and

inheritance of resistance to, 1321a; control, 732, 1326, 1911, 3211, 3212; correlation between size, distribution of spots, and resistance to, 731; effectiveness of PMA against, 3128; factors affecting, 1835k, 1912; forecasting outbreaks of, 1321b; genetics of, 730, 1015; length of time for reaction to, 1634; physiologic races of, 1015, 1327, 3208; prevention of phytotoxicity of blasticidin S to, 733; relation between leaf and neck resistance to, 3210; soil temperature in relation to, 2273; var. reaction to, 345, 729, 1810, 1224, 1632, 2902, 3208, 3209, 3210.

[Rice] research, international bibliography of,

1320; supplement, 3207.

- root fungi in India, ecology of, 1018.

Sclerospora macrospora on, control, 2904b, 2904i; effect of calcium carbonate and phosphate on sporulation of, 2904g; gibberellin and streptomycin on oospore germination of, 2904f; factors affecting, 2904b.

- seed testing, methods of, 1323. - sheath and leaf blight in Vietnam, var. reaction to, 1224.

-, Stauronema sacchari on, in India, 1016. - stripe virus on rice, hosts of, 460; large inclusion bodies associated with, 2609; transmission of, by vectors, 460.

—, sugarcane mosaic virus can infect, 2717.

—, ——— str. H on, 5b, 220. —, *Trichoconis* on, in Thailand, 1911. —, — padwickii on, in India, 1517, 2274; Thailand, 1911.

Ustilaginoidea virens on, in Brunei, 347; Thailand, 1911.

virus diseases in Philippines, 347; U.S.S.R., 2550. -, world catalogue of genetic stocks of, 1910.

Xanthomonas oryzae on, in Japan, 1321; Thailand, 1911; Vietnam, 1224; cont ol, 738; effect of cellodin on, 1021; of carbon and nitrogen sources on, 1022; forecasting outbreaks of, 1321b; physiologic studies on, 1915, 1916; var. reaction to, 1224.

- yellow dwarf virus on rice, hosts of, transmission of, by vectors, 460.

- yellowing in U.S.A., 84.

Ricinodendron heudelotii virus disease Ghana, resemblance of, to cassava mosaic virus, 590.

Ricinus communis, Alternaria on, in Vietnam,

losses caused by, 347.

--, - (?)ricini on, in Togo, 1372.

\*----, Cercospora ricinella on, in Togo, 1372; control, 809.

---, Melampsora ricini telia on, in India, 1723

-, Phytophthora on, in Vietnam, losses caused by, 347.

----, Sclerotinia ricini on, symptoms of, 185. Xanthomonas anandensis on, in India, distinguished from X. ricinicola, 1105.

\*\_\_\_\_\_, \_\_\_ ricini on, in India, 3116.

Rimocidin, antibiotic effect of, on some fungi,

-, inhibition of Marasmius oreades by, 1253.

, production of, from Streptomyces rimosus str., 3132.

Robinia, tomato black ring virus on, premunity relationships in, 692.

Rodatox, toxicity of, to mustard, 135.

-, use of, against Cronartium ribicola, Mycosphaerella ribis, and Pseudopeziza ribis on currant, 135; Venturia inaequalis, 135, 785.

- versus captan, copper oxychloride, sulphur, wettable, and thiram in combination, 135. Rorippa islandica, Albugo candida on, biologi-

cal race of, 1185.

Rosaceae, apple mosaic and apple rubbery wood viruses can infect, 779g.

—, stone-fruit viruses on, in Canada, 779x.

Rose (Rosa), Agrobacterium rhizogenes on, in France, 2639; U.S.A., str. of, *Pratylenchus vulnus* associated with, 487.

— tumefaciens on, in \*Ceylon, 1810;

-, — tumefaciens on, in \* France, 2639; control, 904.

-, Alternaria on, in India, var. reaction to, 2641.

Botrytis on, control, Fusarium associated with, 2491b.

- cinerea on, in France, control, 2639. - dieback in Mauritius, Thyronectria pseudo-

trichia associated with, 2187.

, Diplocarpon rosae on, in France, 2639; India, 2299; New S. Wales, 1813; N. Ireland, 2298; U.S.A., 104, 105, 349; U.S.S.R., 2300, 2640; control, 104, 105, 349, 2298, 2299, 2300, 2639, 2640.

-, Diplodia rosarum on, control, 1956. - diseases, control, 2939.

Glomerella cingulata on hips of, in Netherlands, 2185a.

Leptosphaeria coniothyrium on, in France, 2639.

Monochaetia compta var. ramicola and M. depazeoi on, in U.S.S.R., Coryneum microstictum a state of M.c. var. ramicola,

, Mycosphaerella rosigena on, in Netherlands

and elsewhere, 2185b.
-, non-parasitic 'false mildew' in France, control, 2639.

, peach ring spot virus on, symptoms of, 2940.

Peronospora sparsa on, in France, 2639; N. Ireland, 2298.

Phragmidium mucronatum on, in France, 2639; N. Ireland, 2298.

subcorticium on, in Bulgaria, 766; U.S.S.R., 1942.

\*—, Sphaeropsis rosarum on, in India, 1223. , Sphaerotheca pannosa on, 1842; in France, 2639; Lebanon, 1578; N. Ireland, 2298; U.S.R., 1942; control, 1243, 1535p, 2298, 2639, 2942; relationship of nitrogenous substances in leaves of to 2041 stances in leaves of, to, 2941.

- stripe mosaic virus on rose, 2491c.

-, Thyronectria pseudotrichia on, in Mauritius, associated with dieback, 2187.

- wilt virus on rose in New S. Wales, transmission of, by vectors, 657.

- yellow mosaic virus on rose in France, control, 2639; symptoms of, 2940.

Rosellinia arcuata on Crotalaria agatifolia, 558. - herpotrichoides on Pseudotsuga menziesii and spruce, 2755.

— necatrix on apple, 1578.

— on Hypericum calycinum, 1949.

— — on peony, 2853b. — — on poplar, 3033.

Rottboelia exaltata, maize stripe virus [maize

--, sugarcane mosaic virus can infect,

Rotylenchus reniformis in relation to Corticium solani and Pythium debaryanum on cotton,

Rozites caperata, cultural study on, 3137. Rubber (Hevea brasiliensis), Armillaria mellea on, in Congo, 3003; Nigeria, 3003, \*3172.

bark canker in Ceylon, fungi and lightning associated with, 2040.

-black stripe, black thread, or bark rot, in India, 2039a.

Ceratocystis fimbriata on, in \*India, 2039b;

Sarawak, 1518.

, Colletotrichum on, factors affecting, 2237; taxonomy of, 2237.

, \*- brachytrichum and Corticium salmonicolor on, in Sarawak, 1518.

-, cover crop root diseases not transmitted by

root contact to, 2042.
diseases of in S.E. Asia and Pacific, revised

list of, 2038.

-, Dothidella ulei on, in Surinam, 6, 213; cultural studies on, 1396; growth and sporulation of, 2401; (?)new race of, 6; var. reaction to, 6, 213, 1396, 2401.

, Fomes lignosus on, in Ceylon, 214, 1396, 2041; Indonesia, 2496; Malaya, 1396, 2042, 3003; Nigeria, 3003; Sarawak, 1518; control, 214, 1396, 2042, 3003, 3004; factors affecting, 2041, 3003; inoculation of, 214; Polyporus rugulosus confused with, 2496.

noxius on, in Malaya and Nigeria, 3003. Ganoderma pseudoferreum on, in Malaya,

1396, 3003; Nigeria, 3003.

-, Gloeosporium on, taxonomy of, 2237. -, — alborubrum on, in Ceylon, 215, 2402; Malaya, 1396; association of incidence of, with rainfall, 2402; economic importance and incidence of, 215.

-, Helminthosporium heveae on, in Liberia, 3501; method for preserving leaf samples with cellophane tape, 3160.

-, (?) Marasmius on, in India, 347.

- equicrinus on, in Ceylon, Malaya, and

S. India, 2039c.

- mycorrhiza, endotrophic, in Malaya, 1396. , Oidium heveae on, 1399; in Ceylon, 2403a; India, 212; Thailand, 1517; control, 212, 2403a, b; incidence of, 2403a; var. reaction to, 2403a.

\* patch canker in Ceylon, fungi and light-

ning associated with, 2040.

-, Phytophthora heveae on, in Malaya, 2039a. ,—palmivora on, in Ceylon, 216, 1397, 1398, 2039a; India, 212, 2039a, 2040; Malaya, 2039a; associated with bark or patch canker, 2040; complementary strains of, 216; control, 212, 1397, 1398, 2039a; oospore formation in, 1397.

Polyporus rugulosus on, in Indonesia, confusion of, with Fomes lignosus, 2496.

-, Pythium vexans on, in India, associated with bark or patch canker, 2040.

-, Sphaerostilbe repens on, in Nigeria, 3003. zinc deficiency in, control, 2039d.

Rubetella inopinata on Dasyhelea lithotelmatica, 2809.

Rubus idaeus, see Raspberry. occidentalis, see Raspberry.

ursinus var. loganobaccus, see Boysenberry.

Rufianic acid (1,4-dioxyanthroquinone-sulphonic acid-(2)), fungitoxic effects of, 1512l. Rumex, see Dock.

Russell's salt method, use of, as seed treatment

for barley and wheat, 1225g.

Russula, R. boyacensis, and R. columbiana on oak forming ectotrophic mycorrhiza, 2517. grisea on Tilia tomentosa forming mycor-

rhiza, 1760b.

- humboldtii and R. idroboi on oak forming ectotrophic mycorrhiza, 2517.

Rusts, see Uredinales. Rutabaga, see Swede.

Rye (Secale cereale), Cladosporium macrocarpon on, in Germany, 718.

Claviceps purpurea on, in U.S.S.R., 696; changes in nitrogen and phosphorus content

in, 2268.

Colletotrichum graminicola on, in U.S.A.,

losses caused by, 1008.

-, Corticium solani can infect, 426, 2182a. -, Erysiphe graminis on, in Germany, 2795; Poland, 1592; reaction of, to, 1676; strs. of,

fungi in phyllosphere of, 3096d.

Fusarium on, in Netherlands, 3098; Poland, 1593.

- anguioides, F. culmorum, F. equiseti, F. scirpi and Gibberella zeae on, in Poland, 1593.

Griphosphaeria nivalis on, in Austria, 3100; technique for testing for resistance to, 2493k, 2860; var. reaction to, 2860.

-, Helminthosporium on, technique for detecting, 2862.

—, manganese deficiency in, similarity of symptoms of, to *Marssonina*, 2491u.

Podosporiella verticillata on, in U.S.A., factors affecting, 2646.

-, Puccinia recondita on, 1600.

-, Rhynchosporium secalis on, physiologic races of, 1305.

-, rice hoja blanca virus on, 2900.

\*\_\_, sugarcane mosaic virus can infect, 2717. -, wheat striate mosaic virus on, 429.

Ryegrass mosaic virus, see Lolium mosaic virus.

Sabithane, use of, against *Puccinia* on wheat, 2577; *P. striiformis* on barley, 2490f; on cereals, 2491p.

Saccharomyces carlsbergensis, inhibition of growth of, by fungi, 77.

- cerevisiae, action of fusaric acid on, 1249. - mellis and S. rouxii str. on prunes, 513.

Saccharum officinarum, see Sugarcane.

Safflower (Carthamus tinctorius), Alternaria on, in U.S.A., 186.

-, Botrytis cinerea on, in U.S.A., 186; levels of reducing sugars and hydrolytic enzymes in relation to, 884p.

- diseases in U.S.A., 186.

-, Erysiphe cichoracearum on, in India, 1373.

--, Fusarium oxysporum on, in U.S.A., 1814. -f.sp. carthami on, in U.S.A., \*186, 530.

-, Phytophthora drechsleri on, in U.S.A., 186. -, (?)Pleospora herbarum on, in U.S.A., 658t.

-, Pseudomonas on, in U.S.A., 1374.

-, Puccinia carthami on, in U.S.A., 186; dikaryotisation and heterothallism in, 3285.

[Safflower, Puccinia carthami] f.sp. longipes on, in Portugal, 2831a.

-, Sclerotinia sclerotiorum on, in U.S.A., 186. Verticillium alboatrum on, in U.S.A., 186, 2697.

\*-, - dahliae on, in Queensland, 1228.

Sahlbergella singularis in relation to cacao diseases in W. Africa, 3175; to cacao swollen shoot virus, 424.

Saintpaulia line pattern virus in Denmark, transmission of, to cucumber, 1514.

Nectria radicicola on, 2932.

Sal, see Shorea robusta.

Salicylanilide, use of, against Cladosporium fulvum on tomato, 657, 3322

Salix, ectotrophic mycorrhiza of, in Italy, 1759. \*—, fungi on, in U.S.S.R., 1421. —, Uncinula salicis on, 1842.

- caesia and S. myrsinites var. arbuscula, mycorrhiza of, in Italy, 1759.

purpurea, mycorrhiza, ectotrophic and endotrophic, in Italy, 1759.
 Salsify (Tragopogon porrifolius), Albugo trago-

pogonis on, in Chile, 62.

Salts, inorganic, use of, against Alternaria solani on tomato, Botrytis fabae on broad bean, and Erysiphe graminis on wheat,

Sambucus, see Elder.

Samporol, use of, against Uncinula necator on vine, 1216.

Sandalwood (Santalum album), damping-off of, and leaf curl mosaic virus, 591.

spike virus on sandalwood, ascorbic acid in metabolism of, 592; rosette spike and pendulous spike forms of, 591.

Sandovit, use of, against *Puccinia graminis* on wheat, 1286.

- in combination, use of, against Podosphaera leucotricha, 1973, 2316.

Santalum album, see Sandalwood.

Santoquin, use of, against apple superficial scald, 793.

, see also Ethoxyquin.

Saponaria officinalis, Verticillium cinerescens on, 760.

Sarcotrochila balsamea on Abies balsamea, 3327d.

Sawdust, Trichoderma on, use of, in forest nurseries, 1762.

Scaphoideus littoralis transmitting vine golden

flavescence virus, 2785a, b. Schinus molle and S. terebinthifolius, inhibition of tobacco mosaic virus on Nicotiana glutinosa by leaf sap of, 55.

Schistocerca gregaria, Aspergillus flavus on, in Turkey, 2205.

Schizanthus pinnatus, Alternaria on, in India, infecting pollen, 1346.

Schizophyllum commune, antagonism of Boletus

variegatus to, 374.

—, effect of temperature and humidity on basidiospore discharge of, 2191.

, mutations affecting heterokaryosis in, 3158.

— on beech, 842.

— on forest trees, 3026.

- — on Liquidambar orientalis, mulberry, and pine, 3026.

- on Pseudotsuga menziesii cones, stored, 2093.

— on timber, 1175, 2442.

\*Schizosaccharomyces aphidis on aphids, 2204.

Schradan, use of, against potato aphids, 2020.

Scirrhia acicola on pine, 3040.

Scleroderma bovista on pine, forming mycorrhiza, 374.

Scleroderris abieticola on Abies lasiocarpa, 3327g.

- lagerbergii on forest trees, 3024.

on pine, 2743.

Sclerophoma pityophila on timber, 1457. Sclerophthora, oospore characters in classification of, 658g.

Sclerospora, the genus, in India, 2236.

-, oospore characters in classification of, 658g.

- graminicola on Pennisetum typhoides, 1318, 1319, 1630.

- macrospora on rice, 2904.

on sorghum, 2606.

- miscanthi on Miscanthus, 2718.

- sacchari on sugarcane, 218, 1129, 2718.

\*— sorghi on maize, 2606. — — on sorghum, 1516.

Sclerotinia borealis on wheat, 1873. — draytonii on Gladiolus, 349, 764, 969, 2798c.

- fructicola, effect of fungicides on, 1247. — — on apricot, 657.

— — on cherry, 1991. - on peach, see Peach.

— — on potato, 2522

-, use of, as test fungus for smoke generator fungicides, 895.

- fructigena, inhibitory effects of griseofulvin

analogues on, 2509.
— on apple, 1974, 2320.

- on pear, 1974 \*— on vine, 1809.

toxicity of 2-nitro-l-phenyl-l-phenyl-thioalkanes to, 676.

- gladioli on Gladiolus, 764.

— globosa on Allium ursinum, 1512p. homoeocarpa on Agrostis, 111, 2644.
 on Paspalum notatum, 349, 2645.
 on turf, 1957.

- laxa, effect of fungicides on, 1247.

— on cherry, see Cherry. — on plum, 2343.

— mali on apple, 1695, 1975, 2321. — —, optimum temperature for growth and sporulation of, 1696.

–, vitamin requirements of, 2666.

- minor, hosts of, 619.

\*-- on bean, 619.

— porri on garlic and leek, 1512p. - ricini on Ricinus communis, 185.

- sclerotiorum, hosts of, 14.

— —, cutaneous reactions from celery infected with, 2155.

---, effect of some fungicides on pectolytic enzyme activity of, 2213.

factors affecting apothecial formation of, 918.

— in soil, 3150.

-, means of producing 2nd crop of sclerotia of, 1251.

--, Mucor hiemalis on, 3150.

— on artichoke, 336.

— — on bean, 1773. — — on carrot, 3381.

— — on Cicer arietinum, 1831.

 — on cineraria, 2292. — on clementine, 2910.

— on clover, 1678. — on coriander, 2373. [Sclerotinia sclerotiorum] on Dahlia, 478.

- on flax, 402

— — on lettuce, 62, 1773, 3083. - on Matthiola incana, 1953.

 — on orange, 2910. — on safflower, 186.

— — on Scorzonera hispanica, 3369. — — on sunflower, see Sunflower.

— — on vegetables, 2756. - squamosa, on onion, 318.

— trifoliorum in soil, 1835i, 3150. --, Mucor hiemalis on, 3150. — — on Astragalus sinicus, 1965.

— — on clover, see Clover.

-- on Lotus corniculatus, 497, 498.

— on lucerne, 1057, 2951. Sclerotium cepivorum on chive, 316.

— — on garlic, 316, 2146. — — on onion, 1, 316, \*878, 2151.

--- on shallot, 316.

- coffeicolum on coffee, 2913a.

- perniciosum on tulip, 1514.

- rolfsii, effect of pentaerythritol-substituted compounds on, 1821.

- — in soil, 3151c.

— —, microflora of natural sclerotia of, 2800.

- — on artichoke, 336. — on beet, 3060.

— — on carrot, 1866. — — on Cicer arietinum, 630.

— — on cotton, 746.

— — on cover plants in Malaya, 2043.

— — on Cyamopsis psoraloides, 630, — on groundnut, \*315, 628, 2459.

— — on hemp, 474. — — on laurel, 2633. — — on *Piper betle*, 2376.

— on potato, 1866.

— — on sunflower, 2010. — on tomato, 237.

— — on wheat, 427.

—— str., tolerance of, to fytolan, 1223. Scolopendrium vulgare virus in India, 106. Scopulariopsis brevicaulis on insects, 3120.

Scorzonera hispanica, Sclerotinia sclerotiorum on, in Germany, 3369.

SD 345 (2-propene-l,l-diol diacetate), use of, against Fusarium oxysporum f.sp. gladioli on Gladiolus, 349; as soil disinfectant, 658b.

Sea water culture medium, growth of fungi in, 910.

Secale cereale, see Rye.

Sechium edule, Phytophthora nicotianae var. parasitica on, in Mauritius, 2187.

\*Šedum, Stemphylium bolicki on, in U.S.A., 1342.

Seed health testing, 653, 654; in Netherlands, Handbook on, 402.

- pathology, papers on, 654; of stored, 1521.

- treatment by liquids, factors affecting dispersal of, 425.

Seimatosporium caudatum on rose, Cryptostictus caudatum renamed, 2837.

discosioides on rose, C. discosioides renamed, 2837.

- lichenicola and S. rosae on rose, 2837.

Selenophoma bromigena on Bromus inermis, 2303.

– kamatii on Eugenia jambolana, 3276.

Selinon, use of, against Polystigma rubrum on plum, 1707; Stigmina carpophila on plum, [Selinon] in combination, use of, against vine spotted necrosis, 1509.

-pulver, use of, against Phragmidium sub-

corticium on rose, 766.

Semesan bel, use of, against Erwinia atroseptica on potato, 348; as seed treatment for potato, 1224.

Semicarbazone, effect of, on germination and growth of Scirrhia acicola, 3040.

, inhibition of Cronartium fusiforme by,

—, use of, against Cronartium comptoniae on pine, 2430.

- in combination, use of, against Scirrhia acicola on pine, 3040.

in oil, use of, against (?)Ovulinia azaleae on Rhododendron, 349. Senecio cruentus, see Cineraria.

vulgaris, beet western yellows virus on, use of, as indicator for strs. of, 3057.

Verticillium alboatrum on, study on, 1523.

Septigard, toxicity of, to Cruciferae, 617.

-, use of, as seed treatment for Cruciferae, 617, Septobasidium pedicellatum on citrus, 2909.

- pinicola on pine, 3327c.

\*Septogloeum dryophilum on oak, 845. - rhopaloideum on aspen, 3327b.

Septoria acicola on pine, 62.
— apii on celery, 2154, 2795.

-- graveolentis on celery, 863 — bromi on Bromus inermis, 2303.

cercosporioides on Chrysanthemum and Leucanthemum, 761.

- chrysanthemella on Chrysanthemum, 99, 761.

- chrysanthemi and c.-indici on Chrysanthemum and Leucanthemum, 761.

– digitalis on Digitalis, 2694. \*— drummondii on Phlox, 2792.

– gladioli on Gladiolus, 764. - helianthi on sunflower, \*2013, 2014.

- leucanthemi on Chrysanthemum and Leucanthemum, 761.

- lycopersici on tomato, see Tomato.

— minimum on Anthurium, 3096j. — musiva on poplar, 1225w, 1750e, 3327f.

— nodorum, see Leptosphaeria nodorum.

- obesa on Chrysanthemum, 99.

— oudemansii on Poa pratensis, 2527.

— passerinii on barley, 723, 1003. — populi on poplar, 2737. — rostrupii and S. socia on Chrysanthemum and Leucanthemum, 761.

- tritici on wheat, 1610, 1867, 2590.

vignicola on cowpea, 304.

Septotinia populiperda on poplar, 3334.

Sequoia decay, resistance to, 1767r.

Serpula lacrimans, effect of, on other house fungi in paired culture, 273.

- —, resistance of, to radioactivity, 1453; respiratory metabolism of, 1767j.

— on timber, see Timber.

Serratia marcescens, effect of garlic, onion, and green walnut juice on, 2508.

\*Sesame (Sesamum indicum), Cercospora sesami on, in Surinam, 6.

-, citrus satsuma dwarf virus can infect, 3219. -, Fusarium oxysporum f.sp. sesami on, in

Greece, 810. - vasinfectum on, 2699; in Maracay, 2698; effect of culture filtrates on, 2699, 2856; morphologic strs. of, 2698.

[Sesame], Macrophomina phaseoli on, in Israel, transmission of, by seed, 187.

not susceptible to citrus tristeza and vein

enation viruses, 3219.

phyllody virus on sesame in India, transmission of, by grafting and vectors, 1222 -, Pseudomonas sesami on, in U.S.A., 2379; C.M.I. description of, 2197.

tobacco leaf curl virus on, var. reaction to, 3286.

, Xanthomonas sesami on, in \*India, 1223; C.M.I. description of, 2197.

Sesamum, Pseudomonas solanacearum on, pathotypes of, 669.

-, Xanthomonas sesami str. on, in India, 1375.

- indicum, see Sesame.

Seson, use of, against Verticillium dahliae on cotton, 3233.

Setaria italica, non-infectivity of Ustilago crameri chlamydospores to, 2858.

lutescens, effect of residues of, on wheat, 992.

- macrostachia, Dactylis glomerata streak virus can infect, 107.

Sevin, see carbaryl.

Shallot (Allium ascalonicum), Aspergillus niger, on, in N.Z., 316.

Botrytis allii on, in Netherlands, 319; N.Z., 316.

damping-off, onion yellow dwarf virus, Peronospora destructor, Sclerotium cepivorum, and Urocystis cepulae on, in N.Z., control, 316.

Shirlan, use of, against Erysiphe cichoracearum on tobacco, 570; micro-organisms on fabrics, 2510.

Shorea robusta, Fomes caryophylli on, symp-

toms of, 593. Shrubs, antimicrobial compounds in fallen

leaves of, 1835n. mycorrhiza of, endotrophic, in S. Africa,

2518. Silene compacta, Verticillium cinerescens on,

inflata, cucumber mosaic virus on, Yugoslavia, (?)source of infection for Capsicum, 1798.

Silicate bacteria in combination, use of, as seed treatment for sunflower, 3288.

Silico-fluorides, toxicity of, to Coniophora puteana and Lenzites trabea, 3051.

Silkworm, moulds on cocoons, control, 1528. Silonite, use of, on *Digitalis*, 2694.

Silver nitrate, effect of, on tobacco mosaic virus on bean, 1571.

Simazine, degradation of, by soil fungi, 931. Sinapis alba, Plasmodiophora brassicae on,

factors affecting, 1835h. arvensis, Alternaria raphani on, in Canada,

1225b.

Sinningia speciosa, see Gloxinia.

Sirex noctilio in relation to Amylostereum on pine, 2750.

Sisal (Agave sisalana), Aspergillus niger on, in Tanganyika, not causing wet bole rot and 'zebra' disease, 754.

- bole rot, association of Aspergillus niger with, 2288.

- disease complex, 2288.

-, Phytophthora arecae on, in Tanganyika, 754; causing disease complex of, 2288; (?) causing wet bole rot and 'zebra' disease, 754; symptoms of, and zebra complex caused by, 1663.

[Sisal], potassium deficiency in, in Tanganyika, causing 'banding disease', 2926.

- spike rot, factors affecting, 2288.

sun scorch in Tanganyika, factors affecting, 754.

- 'zebra' disease in Tanganyika, Aspergillus niger not causing, 754.

— leaf spot, association of Myrothecium verrucaria with, symptoms of, 2288. Sisymbrium officinale, Albugo candida

biological race of, 1185.

Siteroptes graminum, association of, with Fusarium tricinctum f.sp. poae on carnation, 757.

Sitona hispidula, association of, with clover root deterioration, 1677.

Slate ash, use of, against Plasmodiophora brassicae on cabbage, 3381.

Slime fungi in a paper mill in Canada, nutri-

tional requirements of, 3134. Snail, Giant African (Achatina fulica), transmitting Phytophthora, 2696.

Soda, washing, use of, against Sphaerotheca

pannosa on rose, 2298. in combination, use of, as timber preserva-

tive, 1176. Sodium arsenite, inhibition of Xanthomonas by,

-, use of, systemically, against *Plasmopara* (?)viticola, 3375. - in combination, use of, against Xantho-

monas citri on lemon, 1646.

- dimethyldithiocarbamate, metabolism of,

paper on, 1512k.
-fluoride, effect of, on Glomerella tucuma-

nensis on sugarcane, 2044.

-, toxicity of, to Coniophora puteana, 3051. - in combination, use of, as timber preservative, 611.

fluorosilicate in combination, use of, as timber preservative, 611.

N-methyldithiocarbamate, see Vapam.

- ortho-phenylphenate, see Dowicide A. - pentachlorophenate, use of, as timber

preservative, 3048.

- pentachlorophenol, use of, against fungi on basketry willows, 1767p.

- sulphanilate, effect of, and use of, against, Puccinia graminis, P. recondita, and P. striiformis on wheat, 702.

- tetraborate, use of, against Fomes annosus on pine, 659i.

thiobenzoate, use of, as additive for copper oxychloride, 2790n.

Sogata orizicola transmitting rice hoja blanca virus, 461, 2271, 2900.

Soil, Actinomyces levoris in, in Poland, 33; antagonism of, to fungi, 33; non-inhibition of Phytophthora infestans by, 33.

, actinomycetes in, in U.S.S.R., 1535h: antagonism of, to fungi on Piper betle, 2376; to Phytophthora nicotianae in culture, 2407; effect of, on growth of plants, 1535h; on soil micro-organisms, 1535h; of soil depth and moisture on, 1839; methods for isolating those antibiotically effective, 3154, seasonal variation in, 1554; technique for isolating, 1551.

-, Alternaria solani in, control, 1749.

— application of systemic pesticides, 1521b.

[Soil], Armillaria mellea in, in Brazil, str. of, 2095.

-, Aspergillus malignus in, in Ireland, 166.

, bacteria in, antagonism of, to fungi on *Piper betle*, 2376; to *Phytophthora nicotianae* in culture, 2407; effect of onion juice on, 2508; of soil depth and moisture on, 1839; seasonal variation in, 1554.

-, boron deficiency in, in Israel, 1047.

Cephalosporium in, inhibition of Fusarium bulbigenum var. tracheiphilum on cowpea by, 856b.

Cochliobolus sativus in, effect of Agropyron cristatum and Bromus inermis on, 1874; fungistatic effect of soil on, 930; spore germinability as an inherent character of, 395.

, Coniophora puteana in, effect of moisture on, inhibition of, by Trichoderma, 1225z.

-, Corticium solani in, 1581; methods of isolating, 3152; 'spring' and 'summer' strs. of, 1935; technique for measuring inoculum potential of, 41.

, Corynebacterium insidiosum in, persistence

of, 933. -, Curvularia in, control, 658a.

, Dematiaceae in, effect of gamma radiation

on survival of, 1552.

disinfection against actinomycetes and bacteria, 2407; Asparagus foot rot, 3096b; carrot motley dwarf virus, 1219a; clover carrot motley dwarf virus, 1219a; clover root deterioration, 1677; Corticium solani on cabbage, 284; coffee, 2276; damping-off, 1435; of conifers, 1437; endive foot rot, 2490e; Fusarium on aster, 1038; on ginger, 1519; F. oxysporum, 2102; F. o. f.sp. dianthi on carnation, 2628a, 2927; F. solani on ginger, 1519; Mycosphaerella melonis on ginger, 1795; oak fungi 1425; Phytosphaerella melonis on the control of ginger, 1519; Mycosphaerella melonis on cucumber, 1795; oak fungi, 1425; Phytophthora cinnamomi on Rhododendron, 2297; P. nicotianae var. parasitica, 1519; Plasmodiophora brassicae on cabbage, 1180; on swede, 343; Pleospora papaveracea on opium poppy, 1371; Pseudomonas solanacearum on ginger, 181; on potato, 1224, 3102; Pythium irregulare, 1470; Sclerotinia mali on apple, 2321; S. sclerotiorum on sunflower, 3289; Sclerotium cepivorum on onion, 1; Stereum pur-pureum, 2491g; Thielaviopsis basicola on cyclamen, 481, 3239a, b; Tilletia contraversa on wheat, 713; tomato mosaic virus, 1218b; vectors of Arabis mosaic virus, 1089; of raspberry ring spot and tomato black ring viruses, 1219a; Verticillium cinerescens on carnation, 2927; V. dahliae on strawberry, 2184e; viruses, 952.

by allisan, 1; borate, 1371; brassicol, 1470; calcium cyanamide, 1180, 1224, 3289; captan, 481, 1437; chinosol, 2102; chloropi-crin, 218c, 1038, 1519, 2184e, 2490e; copper sulphate, 2102; DAC 649, 658b; DD, 1089, 1219a, 2490e; dexon, 1437; dichloropropenedichloropropane in combination, dithane, 3102; dyrene, 1437; emulsified cresylic acid, 1218b; ethylene bromide, 1677; ethyl mercury bromide, 3096b; formaldehyde, 1218b, 1435, 1795, 2102; hexachlorobenzene, 713; granosan and karbation, 284; lime, 1224; maneb, 481; manganese super-phosphate, 1371; menazon, 1219a; mercuric chloride and mercurous chloride, 343; mercury, organic, 2927; metham-sodium, 1218c, 2927; methyl bromide, 181, 1038, 1089;

methyl bromide-chloropicrin mixture, 1671;

methylisothiocyanate, 1038, 1218c; mylone, 1224, 1519; nitrafen, 2321; permanganate, 1425; phorate, 1219a; PMA, 3906b; quintozene, 1219a; rhizoctol, 2276b; SD345, 658b; terraclor, 237, 2276b; terracur, 2927; thiram, 284, 1437; trapex, 2491g, 2927; trizone, 1519; urea formaldehyde, 658b; vapam, 2184e, 2491g, 2628a; zineb, 1437.

[Soil disinfection], see also soil sterilization.

-, effect of fungicides on respiration of, 2503. fungi in C. Asia, 2827; \*India, 1262; U.S.S.R., 924d, 1535h; activity of, 925; altitude in relation to, 2827; antagonism of, to fungi on *Piper betle*, 2376; to *Pseudomonas* lachrymans on cucumber, 2231c; chitin and laminarin controlling, 391; colony counts, of, 388; control of plant pathogenic, 386c, d, e; direct assay of, 1233g; ecology of, 12331; effect of carbon/nitrogen ratio on, 389; of carbon disulphide fumigation on, 929; of cellulose additions and moisture level on, 390; of clean cutting on, 2229; of gamma radiation on survival of, 1552; of mineral fertilization and soil reaction on, 932, 2233; of, on growth of plants, 1535h; on soil micro-organisms, 1535h; of root systems of tree types on, 2230; of soil depth and moisture on, 1839; of trapex R on, 677; inhibition of Glomerella cingulata by, 392; in relation to pine seedlings, 374; root hair zone as site of entry for, 394; technique for detecting, 349; for determining pathogenic, 1549h; toxin-producing, 924d.

— in beech forests in Denmark, 2228.

in vineyards in France, 338.

---, saprophytic, influence of, development of higher plants, 927. on early

- and soil fertility, book on, 42. ---, see also soil micro-organism.

-, Fusarium in, 1835c; in Belgium, 2538; Israel, 1047; taxonomy of, 2538.

-, - oxysporum in, association of, with clover root deterioration, 16/7; selective isolation of, 934.

-, - - f.sp. melonis in, detection of, 1835f. -, - solani f.sp. phaseoli in, in U.S.A., 2539; effect of bean exudates on, 298; germination of. 43.

-, Gliocladium fimbriatum in, germination of, 43.

Hebeloma sordidulum in, under Abies in

Canada, 3327g. Helicobasidium mompa in, factors affecting,

3151a, b. -, interaction of certain microbe metabolites with, 924c.

microbiology in Africa, 393; some recent advances in, 2227.

micro-organisms in Germany, 44; U.S.S.R., 924a, b; action of thiram on, 924a; Aphelenchoides parietinus in relation to, 2232; competition between Trechispora and, 17671; effect of, on growth of plants, 44; of plant protection chemicals on, 30; of, on wheat yield, 1549g; interaction between germinating seeds and, 3147; irrigation in relation to, 44; seasonal variation in, 1554; selective toxicity of chemicals to, 1233f; technique for investigation of, 1550.

, see also soil fungi.

-, Moniliaceae in, effect of gamma radiation on survival of, 1552.

- mycostasis, 386a.

[Soil], (?) Neocosmospora africana in, in Japan,

-, Ostracoderma in, fungistatic effect of soil

\*-, Patella abundans in, in U.S.A., 1554. Penicillium in, 2432; seasonal variation in,

- citrinum in, antagonism of, to fungi on Piper betle, 2376.

- claviforme P. cyclopium, P. palitans, and P. purpurogenum in, effect of, on soil microorganisms, and plant growth, 1535h.

-, Phytophthora cinnamomi in, pathogenicity

citricola in, in England, P. cactorum var. applanata synonym of, 1353.

- nicotianae in, effect of crop rotation on,

226; persistence of, 226. , Pseudomonas lachrymans in, survival of bacteriophages of, 2231b.

\*--, Pycnidiophora dispersa in, in U.S.A., 1554.

-, Pyrenochaeta in, association of, with clover root deterioration, 1677.

-, Pythium in, 658b; effect of Trichoderma viride on growth of, 2828; use of antifungal antibiotics for measuring population of, 1837.

- aphanidermatum in, isolation of, by baiting with potato cubes, 1519; technique for isolating, 46.

irregulare in, control, 883h.

-, Rhizoctonia in, 658b.

-science, fertilizers and general agronomy, 1959–62, bibliography of, 889.

-, Sclerotinia sclerotiorum in, survival of, and ability to form mycelia, 3150.

- trifoliorum in, effect of calcium cyanamide and cyanamide on, 1835i; survival of, and ability to form mycelia, 3150.

-, Sclerotium rolfsii in, factors affecting, 3151c. Sphacelotheca reiliana in, in Hungary, effect of monoculture of maize on, 1835j.

- sterilization against Alternaria solani on tomato, 1749; Erwinia parthenii var. dianthi-cola on carnation, 1; Fusarium oxysporum f.sp. niveum on Citrullus colocynthis, 3085; Nectria radicicola on Cyclamen persicum, 2932; Pythium on spruce, 2790l; P. irregulare, 883h; spruce diseases, 2790l; Stereum purpureum, 2491g; sugarcane chlorotic streak virus, 553; Thielaviopsis basicola on Cyclamen persicum, 2932; Tilletia contraversa on

wheat, 990; tomato pathogens, 1218a.

— by chloropicrin, 1218b; dazomet, 27901;
DD, 1218b; hexachlorobenzene, 990; methsodium and methyl isothiocyanate, 1218b; methylmercury dicyanodiamide, 883h; quintozene (brassicol super), 990; steam, 1, 553, 1218c, 1225i, 1749, 2491g, 2927, 2932, 3085; thiram, 883h, 924.

, see also soil disinfection.

-, Streptomyces in, 2432.

-, - globisporus and S. griseus in, effect of, on soil micro-organisms, 1535h.

- streptomycetes, selection of media for isolation of, 2842.

-, sugarcane chlorotic streak virus in, retention of infectivity in, 3300b.

-, Synchytrium endobioticum in, methods of estimating sporangia in, 2029.

, Thielaviopsis basicola in, in U.S.A., 881a; effect of host and non host plants on, 935;

factors affecting, 881a; methods of estimating population of, 883i, 2829, 3153.

[Soil], Trichoderma viride in, effect of, on Armillaria mellea on vine and Moniliopsis aderholdii on cedar, 1535m; seasonal variation in, 1554. Verticillium dahliae in, association of, with

clover root deterioration, 1677.

-, Xanthomonas vesicatoria in, non-survival of, 580.

Solanaceae, cucumber mosaic virus can infect, 2164.

—, Pseudomonas solanacearum on, C.M.I. description of, 2197.

Solanum, potato leaf roll virus on, specific

reaction to, 537.

-, — viruses S, X, and Y on, in C. America and Mexico, 198; specific reaction to, 198. -, tobacco ring spot virus str. on, 629.
- andigenum and S. cardenasii, potato virus

Y, tobacco veinal necrosis str. on, in U.S.A., from Bolivia, 961.

- aviculare, effect of sap from, on tobacco

mosaic virus, 962

-bulbocastanum, Phytophthora infestans on, inheritance of resistance to, 540.

- capsicastrum, effect of sap from, on tobacco

mosaic virus, 962.

demissum A6 hybrid, use of, for identifying potato viruses X and Y, 200.

- -, potato virus K on, 1732; potato virus N on, 1732, 2990; potato viruses N + X on, 1732.
- virus X on, use of, for distinguishing between potato virus A and virus Y, 2986. — x Aquila, use of, as test plant for potato

viruses, 1378.

- garsia, effect of sap from, on tobacco mosaic virus, 962.
- indicum, Phomopsis vexans on, in Mauritius, 2187.

- melongena, see Eggplant.

– nigrum, Alternaria tenuis on, 2381.

- ---, Capsicum virus on, in U.S.A., 856e. -, cucumber mosaic virus on, in Yugoslavia, (?) source of infection for Capsicum, 1798.
- -, tobacco mottle + tobacco vein-distorting viruses on, reaction to, 3302.
- -, Xanthomonas vignicola can infect, 1237. - yellow net virus can infect, 1810.
- stoloniferum, potato virus Y on, genetics of, 192.

- tuberosum, see Potato.

- verrucosum, Phytophthora infestans on, inheritance of resistance to, 540.

Sonchus arvensis, potato parastolbur virus on, in Czechoslovakia, 1277; transmission of, by grafting and vectors, 1277.

- oleraceus, lettuce big vein virus on, in U.S.A., causing veinbanding, transmission of, by *Olpidium brassicae*, 856d.

—, lettuce necrotic yellows virus on, in Australia, 327; Victoria, 637.

- - veinbanding in U.S.A., lettuce big vein virus causing, transmission of, to lettuce,

Sordaria fimicola and S. verruculosa, light and spore discharge in, 384.

Sordariaceae, factors affecting fruit body formation in, 1250.

Sorghum (Sorghum vulgare), Cercospora sorghi on, in India, 2269; Laos, 1811.

[Sorghum] diseases in Asia and Pacific Region, 1628; Queensland, 1228, 1627; effect of rotation on, 1627.

, effect of fluosilicic acid or hydrofluoric acid on development and growth of, 1629.

Gibberella fujikuroi on, in New S. Wales, 1813; effect of hydrocyanic acid root exudate on, 1014.

Macrophomina phaseoli on, in New S. Wales, 1813; factors affecting, 2897.

microorganisms in rhizosphere of, 1014, 1838.

-, Nigrospora oryzae on, in U.S.S.R., 727.

Periconia circinata on, purification of toxin of, 83.

, Puccinia purpurea on, C.M.I. description of, 1267.

Sclerospora macrospora on, in U.S.A.,

2606. sorghi on, in N. Rhodesia, 1516;

\*U.S.A., 2606.

, Sphacelotheca reiliana on, in Queensland, 1627; U.S.A., 2606; control, 1627, 2607; physiologic specialization of, 82; spread of, 2606; use of hypodermic injection method for testing resistance to, 728; var. reaction to, 2607.

- sorghi on, in Bulgaria, 2607.

-, sugarcane mosaic virus str. H on, 220. , Trichometasphaeria turcica on, effect of hydrocyanic acid root exudate on, 1014. —, wheat striate mosaic virus on, in U.S.S.R., 697.

- halepense, Puccinia purpurea on, in Thai-

land, 1517.

, Sphacelotheca cruenta and S. sorghi on, effect of, on height, 2898.

-, sugarcane mosaic virus can infect, 2717.

- sudanense, see Sudan grass.

verticilliflorum, Fiji disease, false, on, in Madagascar, 966.

, sugarcane chlorotic streak virus on, 553.

- vulgare, see Sorghum.

Sorosporella uvella on Cleonus punctiventris, effect of conditions of the soil medium on, 287ь.

Sorosporium cryptum on Panicum maximum, 112.

- cynodontis on Cynodon dactylon, 2947. Soybean (Glycine max), bean pod mottle virus on, in U.S.A., 1476; effect of actinomycin D and EDTA on, 2559; transmission of, by vectors, 1476, 2454; to bean and soybean, 2454.

- southern mosaic virus, cowpea str. on,

in U.S.A., 302.
- blight in N. Rhodesia, bacteria associated with, 1516.

breeding, research on, in Hungary, 1515. Cephalosporium gregatum on, 372; in

Canada and U.S.A., 306.

-, Cercospora kikuchii on, 3318; effect of y irradiation on, 2523. -, citrus variegation virus [str. of citrus

psorosis virus] can infect, 2798a.

Colletotrichum truncatum on, in U.S.A., 3382h. , Corticium solani on, in U.S.A., in relation

to root rot, 307. -, Corynebacterium on, in U.S.A., 626.

-, Corynespora cassiicola on, in \*Canada, 1487; \*India, 1223; U.S.A., 1478.

[Soybean], Dendrodochium fusisporum on, in U.S.A., 2541.

disease in Tanganyika, not caused by virus, similarity of symptoms of to tobacco ring spot virus in America, 656.

-, Fusarium oxysporum on, in U.S.A., in relation to root rot, 307; factors affecting,

856a,

-, Glomerella glycines on, in U.S.A., 3382h. —, lucerne mosaic virus on, in Japan, 1202.

—, Macrophomina phaseoli on, in New S. Wales, 1813; \*Yugoslavia, 2775.

—, manganese toxicity in, in U.S.A., factors

affecting, 3382j.

-mosaic virus on soybean in Japan, 1202; hosts of, 622; 'mottling' associated with, 1202; study on diagnosis of, 1203; transmission of, by seed, 1202.

- + soybean stunt virus on soybean

in Japan, 1202.

-, Peronospora manshurica on, in Czechoslovakia, 1477; penetration of, 624.

-, Phakopsora sojae on, control, 1204.

-, Phytophthora cactorum on, inhibition of, by red substance, 4e; resistance to, due to production of a phytoalexin, 1205.

- megasperma on, inhibition of, by red substance in wounds, 4e.

-- var. sojae on, in U.S.A., 309; breeding against, 2774; induced susceptibility in, 311; inhibition of, by red substance in wounds, 4e; resemblance of P. megasperma var. sojae on Geranium cardinum to, 1789; resistance to, due to production of phyto-alexin, 1205; var. reaction to, 309.

Pseudomonas glycinea on, in N. Rhodesia, 1516; U.S.S.R., 625, 3360; control, 625, 2456, 3360; effect of, on yield, 3360; var.

reaction to, 3360.

- solanacearum on, in U.S.S.R., 625, 2457; control, 625, 2456.

-, - tabaci on, in N. Rhodesia, 1516.

Rhizoctonia microsclerotia on, in Mexico, 1475.

-, Rhizopus (?)oligosporum on, in relation to 'tempeh' in Indonesia, 1479.

- root rot, Corticium solani and Fusarium in relation to, 307.

-, seed-borne diseases of, in Formosa, isolation of, 2455.

bacterial, use of electricity and US radiation to control, 2456.

- stunt virus on soybean in Japan, 'mottling' associated with, symptoms of, and transmission of, by sap, seed and vectors, 1202.

— +soybean mosaic virus on soybean

Japan, 1202.

-, tobacco necrosis virus on, movement of, in, 623.

-, — ringspot virus on, movement of, 3069; transmission of, 1574; by vectors, 3069.

-, use of, as indicator plant for cowpea viruses, 3071.

- virus disease in E. Africa (Tanganyika), causing witches' broom, differentiation of from soybean mosaic virus, symptoms of, transmission of, by grafting, 656, 3101.

- in Japan, transmission of mechanically

and by seed, 1202.

-, Xanthomonas phaseoli on, in U.S.S.R., 3360.

[Soybean, Xanthomonas phaseoli] var. sojense on, in New S. Wales, 1813; N. Rhodesia, 1516; Nyasaland, 877; U.S.S.R., 3360; breeding against, 2774; control, 3360; effect of, on yield, 3360; var. reaction to, 2774, 3360.

Sparassis crispa, antagonism of Boletus variega-

tus to, 374.

Spergon, use of, against Cercospora ricinella on Ricinus communis, 809; as seed treatment for cotton, 1223.

Sphaceloma perseae on avocado pear, 882e. pirinum and S. populi, taxonomy of, 3156.

Sphacelotheca cruenta on Sorghum halepense,

- destruens on Panicum miliaceum, 1535j, 2858.

- *reiliana* in soil, 1835j,

— — on maize, see Maize.

— — on sorghum, 82, 728, — sorghi on sorghum, 2607 1627.

on Sorghum halepense, 2898

\*Sphaeropsis rosarum on rose, 1223. \*Sphaerostilbe repens on Citrus, 1517.

on *Hevea* rubber, 3003.on tea, 1737b.

Sphaerotheca fuliginea, control, 1534. on Calendula officinalis, 1942.

— — on cucumber, 2166, 2496.

— on Cucurbitaceae, 1793, 1794, 1868, 2470.

— — on gherkin, 2469

— — on Heuchera sanguinea, 2631. — — on melon, 1793, 2166, 2496.

on pumpkin and vegetable marrow, 2166.

— on watermelon, 1228, 1793, 2166.

— — on Zinnia and other hosts, 2234.

- humuli, see S. macularis.

macularis on hops, 1842, 2234.
on strawberry, 1995, 2498h.

- mors-uvae on gooseberry, 159, 1534, 1842, 2185a.

- pannosa on rose, see Rose.

on peach, 1578.

Spicaria fumoso-rosea on Cleonus punctiventris, 287b.

- rileyi in relation to insect control, 27.

- violacea, antagonism of, to Phytophthora cactorum on apple, 1698.

Spilocaea eriobotryae on loquat, 525, 1578.

Spinach (Spinacia oleracea), Albugo occidentalis on, in U.S.A., control, 324.

-, beet ring mottle virus on, in U.S.A., distinct from cucumber mosaic and beet mosaic viruses, transmission of, by vectors,

-, — western yellows virus on, in U.S.A., overwintering reservoir of, 3057.

-, — yellows virus on, in U.S.A., effect of, on yield, 2129.

-, Cercospora beticola on, in U.S.A., control, 324.

—, Cladosporium variabile on, control, 3078b.

-, Colletotrichum dematium f.sp. spinaciae on, morphological and physiological characteristics of, 3078a.

-, - spinaciae on, in U.S.A., control, 324.

--, Corticium solani on, 1147.

-, effect of healthy and leached soil on infection by soil microflora, 44.

-, Peronospora farinosa on, in U.S.A., 324.

-, radish ringspot virus on, 2119.

Spinacia oleracea, see Spinach.

Spongospora subterranea on potato, see Potato. on tomato, 1122.

Sporobolomyces, association of, with Cronartium fusiforme on oak, 586.

roseus, effect of temperature and humidity on basidiospore discharge of, 2191. Sporormia leporina on timber, 3047.

Sporotrichum lecanii on Kermococcus quercus and Phyllobius corni, 2204.

Spray recommendations for tree fruits in U.S.A., bulletin on, 1686. Sprayed area', alternative standard term to 'acreage' for spraying plantations, 2812.

Spraying apparatus, 360, 559, 560, 673, 896, 897, 1398, 1512s, 1586b, 2024, 2370, 2811, 2813, 2814, 2815.

Spruce (Picea), Armillaria mellea on, in Poland,

2433.

-, Ascochyta piniperda on, in Germany, soil as source of infection for, 3344.

blueing fungi in Germany, 2107.
Botrytis cinerea on, in Poland, 2416.
chlorosis in Canada, 1750d.

-, Coniophora puteana on, in Germany, 2107. Corticium solani on, synthesis of heterokaryons in, 50.

-, Cylindrocladium scoparium on, control, 1172.

diseases in England, control, 2790l.

, effect of seed treatment on emergence of, 1750d. , Fomes annosus on, in Denmark, 'nurse'

trees in relation to incidence of, 2088; study on spore dispersal of, 2086.

-, Lenzites saepiaria on, in Germany, 2107. , Lophodermium septatum on, in Canada,

3327c.

-, Micraspis acicola on, (?) Periperidium acicola

conidial state of, 1173.

-mycorrhiza, 374; in Canada, 1226b; Cenococcum graniforme forming, 378; factors affecting, 2514; Polyporus tomentosus and P. t. var. circinatus forming, 1226b; types of, 2433.

, Pseudophacidium piceae on, in Switzerland, 1439; Myxofusicoccum conidial state of,

1439

-, Pythium on, in England, control, 27901. - red stains in Germany, fungi in relation to,

2107. Rosellinia herpotrichoides on, in U.S.A., 2755.

- seed microflora in Canada, 2090.

Stereum sanguinolentum on, in Germany, 2107.

-, Trichoderma viride on, factors affecting growth of, 2429.

Squash (Cucurbita maxima), cucumber mosaic virus on, in France, 2466; differentiation of strs. of, 1495.

—, cucurbit latent virus on, in U.S.A., 2467.

—, (?) Glomerella on, 856f.

—, — magna on, in U.S.A., 2168. - mosaic virus on melon, 640. -, (?) Physalospora on, 856f.

-, plum pox virus not transmissible to, 3266. pumpkin mosaic virus on, symptoms of,

-, Pythium ultimum on, in New S. Wales, 1868, 2797.

, tobacco ringspot virus on, retention of chlorophyll in lesions of, 963.

[Squash], watermelon mosaic virus on, in U.S.A., 349, 2467.

str. on, 1496.

Stachybotrus atra, decomposition of cellulose by, 615.

Stagonospora bromi on Bromus inermis, 2949.

bulgarica on vine, 2180.

- curtisii on Narcissus, 1218c.

- gigantea, association of, with Yucca arborescens blight, 2944.

Staphylococcus, inhibition of, by cauliflower seed extract, 617.

Staphylotrichum coccosporum in soil, celluloseamendments in relation to, 390.

Starch gel electrophoresis, use of, in identifying Pythium spp., 936.

\*Stauronema sacchari on rice, 1016.

Stellaria media, beet mosaic virus on, effect of phenol in infectivity of RNA of, 1188.

Stemonitis herbatica on Asparagus plumosus, 322.

\*Stemphylium bolicki on Echeveria, Kalanchoe, and Sedum, 1342

botryosum on bean, 3098.

- floridanum on carnation, 759,

on Chrysanthemum morifolium, 100.

loti on Lotus corniculatus, 500.
radicinum, distinction of Alternaria dauci from, 2491m.

on carrot, 401, 2791e.

— sarciniforme on Cicer arietinum, 1486. — solani on lupin, 2307. — (?)— on Passiflora foetida,

on tomato, 579, 1519, 1745, \*1868. Stenotaphrum secundatum, sugarcane mosaic virus on, in U.S.A., 2717.

Stereum chailletii on Abies balsamea and timber,

- hirsutum associated with cankers of apricot, peach, and plum, 795.

on beech, 842 on timber, 1174a.

- pini on timber, 1451

- purpureum on Abies balsamea, 1166. on birch, 583

— — on peach, 3263. — — on plum, 1708, 3263. — — on stone fruit trees, 3096n.

— — on timber, 1175.

— —, spread of, by nursery material, 2491g.

— sanguinolentum on Abies, 1750f.

— — on A. balsamea, 1166. — — on A. lasiocarpa, 1750f. — — on Coniferae, 1164, 1166.

— on spruce, 2107.

— on timber, 614, 1225y, 1451.

Steroids stimulating sexual reproduction of Pythium, 2533.

Stigmina carpophila on apricot, 1705.

- — on cherry, 1064, 3262. — — on plum, 2341, 3262.

— — on stone fruit, 1358, 2337; biology of, and warning service against, 2674.

- mangiferae on mango, \*2496, 3273.

Stink bug, see *Udongamontana*, Stockalite, use of, on bean, 2790o.

Stone fruit, premature wilting, in Romania, etiology of, 1357.

- —, Stereum purpureum on, in Germany, spread of, 3096n.

, Stigmina carpophila on, 2337; in Bulgaria, 1358; biology of, 1358.

[Stone fruit], Verticillium alboatrum on, in Romania, 1357.

-, see also Almond, Cherry, Peach, and Plum.

'Stop scald', see Ethoxyquin.

Storage disorders of apple, 2326a, b, 2668, Orage disorders of apple, 2326a, b, 2668, 2962, 3256; beet, 287f, k; Capsicum, 3368; carrot, 633, 3381; cranberry, 2348; Gladiolus bulbs, 483; groundnut, 2461; onion, 319, 2148; orange, 368; pear, 2326a, b; potato, 351, 1517, 2708, 3000; rape seed, 2128; rice, 3215; seeds, 1521; timber, 2108, 2109; tobacco seed, 1512r; tomato, 368; wheat, 2258 2258.

\*Strasseria camarae on holly, 2831a.

Strawberry (Fragaria), Arabis mosaic virus on, in England, 1089, 1219a; control, 1089; transmission of, by vectors, 1089, 2355, var. reaction to, 2355.

-, Aspergillus malignus on canned, in Ireland,

survival of spores of, 166.

-, boron deficiency in, effect of, on foliar composition of, 1998.

-, Botrytis on, control, 2498g, h, k.

- cinerea on, in Canada, 1092; England, 2184k, 2683; U.S.S.R., 3271; control, 521, 1092, 1713, 1995, 2683, 3096q; factors affecting, 521, 1994, 2498c; paper on, 2184k; symptoms of, 1995; var. reaction to, 1092, 2498d, 3271.

-, calcium deficiency in, effect of, on foliar

composition of, 1998.

\*—, Cercospora vexans on, in New S. Wales, 1868.

-, Colletotrichum fragariae on, in U.S.A., 163.

Corynebacterium fascians on, in U.S.S.R., 696.

- crinkle virus on strawberry in (?)\*Romania, 1088; Yugoslavia, 800; control, 1995; effect of, on yield, 800; symptoms of, 1995; transmission of, by grafting, 800; var. reaction to, 800.

Dendrophoma obscurans on, in Canada, 801; \*Romania, 1088; control, and symptoms of, 1995.

-, Diplocarpon earlianum on, in Canada, 801; control and symptoms of, 1995.

- diseases in Canada, 520, 801; bulletin on, 2682.

effect of captan and thiram on canned, 2498j; of DD on growth of, 1219a.

-, fungi on in Poland, 1091; in phyllosphere of, 3096d.

-, Fusarium bulbigenum and F. equiseti var. bullatum on, in Poland, 1091.

\*—, — oxysporum on, in Queensland, 1228. -, - sambucinum on, in Poland, 1091.

\*—, (?) Gloeosporium on, in Canada, 801.

\*—, Gnomonia fragariae on, in Romania, 1088. - fructicola on, in Canada, 801; \*Poland, 1091; Zythia fragariae imperfect state of. 1091.

— green petal virus on clover, 1053, 2652, 2653.

———— on potato, 2184g.

——— on strawberry in Yugoslavia, 800; transmission of, by grafting and vectors, 2184g.

-, iron deficiency in, effect of, on foliar composition of, 1998.

[Strawberry] latent ring spot virus on strawberry in England, properties of, transmission of, by vectors, 1219a.

virus str. C on strawberry in Canada.

2973.

, magnesium and manganese deficiencies in, effect of, on foliar composition of, 1998.

mild mottle virus in Fragaria virginiana, 1712.

-+strawberry latent A virus on strawberry, latency of, 1712.

-mottle virus on strawberry in Canada, 2973; U.S.A., 162; Yugoslavia, 800; transmission of, by Cuscuta, 162; grafting, 800; vectors, 162.

-, Mucor on, in England, 2683.

Mycosphaerella fragariae on, in Canada, 801, 1092; symptoms of, 1995.

, nitrogen deficiency in, effect of, on foliar composition of, 1998. -, Oidium on, in New S. Wales, var. reaction

to, 2797

-, phosphorus deficiency in, effect of, on foliar composition of, 1998.

-, Phytophthora fragariae on, in Scotland, 1219c; breeding against, 1219c; differentiation of American and English races of, 1996; effect of fortified bark mulches on, 164; growth studies on, in Canada, 1225s; physiologic races of, 1996.

-, potassium deficiency in, effect of, on foliar

composition of, 1998.

-, raspberry ring spot virus on, in Canada, 161; transmission of, by seed, 161; var. reaction to, 161.

-, Rhizoctonia on, 802; in U.S.A., 165; var.

reaction to, 165.

—, Rhizopus stolonifer on, in England, control, 2683. Sphaerotheca macularis on, control, 1995,

2498h; symptoms of, 1995.

-, storage decay of plants, control, 802.

-, sulphur deficiency in, effect of, on foliar composition of, 1998.

- T<sub>39</sub> virus, see strawberry latent ring spot virus.

- veinbanding virus on Fragaria virginiana,

on strawberry in U.S.A., 162; indicator for, 1712; transmission of, by vectors, 162.

-, Verticillium on, 2521.

-, — alboatrum on, 1681; effect of terraclor and other antifungal soil treatments on, 2356; Pratylenchus penetrans in relation to, 2356.

dahliae on, 1681; England, control. 2184e.

- virus diseases, 2682; in Canada, 2973; England, 2184k; control, 2308f; dissemination of, 2308f; serial testing for presence of, 1858; transmission of, 2308f; by vectors,
- witches' broom virus on strawberry in Czechoslovakia, 1090.
- yellow edge virus on strawberry in (?) \*Romania, 1088; Yugoslavia, 800; control, 1995; symptoms of, 1995; var. reaction to,
- \*Strelitzia reginae, Pseudomonas solanacearum on, in Hawaii and Mauritius, 488.

Streptomyces, amidinomycin produced from, 1248.

-, antagonism of, to Ganoderma lucidum on areca palm, 2382.

-, antibiotic produced from, 3133.

-, association of, with mycorrhiza of Pseudo-tsuga menziesii, 2432.

- globisporus in soil, 1535h.

citreus, effect of, on growth of tomato, 1535g.

griseus, antagonism of, to Corynebacterium sepedonicum on potato, 1535r.

- griseus in soil, 1535h.

— in soil, 2432.

— longisporus ruber, antagonism of, to Erwinia carotovora on cabbage, 1535q.

rimosus, production of rimocidin from Japanese strain of, 3132.

- scabies on potato, see Potato.

Streptomycetes, antibiotics 205-2A and 205-2B from, 905.

in soil, selection of media for isolation of,

2842.

Streptomycin, effect of fungicides and insecticides on absorption of, by apple, 1824; on Agrobacterium tumefaciens on tomato, 21; epiphytic and root micro-organisms of barley and lucerne, 2231a; on fungi, 373; on growth of tomato, 1535g; on oospore germination of Sclerospora macrospora on rice, 2904f; on symbiotic associations of basidiomycetes, 374.

-, inhibition of pectolytic activity of Xanthomonas malvacearum by, 2922; of Xantho-

monas by, 3131.

 resistance of Pseudomonas apii to, 323. use of, against cherry bacteriosis, 371a; Corynebacterium fascians on Pelargonium, 1, 3097; Erwinia amylovora on apple, 146, 1979; on pear, 146, 1702, 1979; Protomyces macrosporus on coriander, 1241d; Puccinia penicillariae on Pennisetum typhoides, 1241n; as seed treatment for jute, 1338.

versus Bordeaux mixture, 1702.

- nitrate, use of, against Xanthomonas vesica-

toria on tomato, 2412.
— sulphate, use of, against X. oryzae on rice,

, see also agrimycin. Streptothricin group, purification and separation of phytobacteriomycin from, 1535f.

Strobilomycetaceae of Poland, 1265. Strumella coryneoidea on oak, 587.

Sudan grass (Sorghum sudanense), Trichometasphaeria turcica on, in U.S.A., 1963.

Sugar beet, see Beet.

Sugarcane (Saccharum officinarum) albino disease in India, 219.

, Cephalosporium on, in Mauritius, var. reaction to, 2713.

-, — sacchari on, longevity of, 1130.

Ceratocystis paradoxa on, in Queensland, control, 1129.

-, Cercospora longipes on, in Hawaii, 1400.

— chlorotic streak virus in soil, 3300b.

— chlorotic streak virus in soil, 3300b.

— — on sugarcane in Brazil, 218;
Mauritius, 217, 2713; Natal, 552; Peru,
2715; \*Venezuela, 1866; breeding against,
2713; control, 2713, 2715; effect of, on
growth of roots of, 3300a; of steam treatment of soil on, 553; hosts of, 553; inactivation of, 2713, 3300c; longevity of, in nutrient gravel culture, 1401; studies on, 1129;

transmission of, 553; var. reaction to, 552, 2713, 2715.

[Sugarcane], Curvularia lunata on, in India, 221, 555.

-, Cytospora sacchari on, in U.S.A., 659b.

- diseases in Ceylon, and Mauritius, 218; S. Africa, 1128, 3297; control, 218; list of and world distribution of, 218; var. reaction to, 3297.

Diseases of the World, Vol. II, 1733.

-dwarf virus, similarity of symptoms of sugarcane 'pseudo-dwarf' to, 1129. -, Elsinoe sacchari on, in Taiwan, 3006.

- Fiji [virus] on sugarcane in Madagascar, 218, 2713; results of resistance trials, 218.

-, Glomerella cingulata on, in India, 1222. -, — tucumanensis on, in India, 218, 219, 1223, 3005; characteristics of disease syndrome, 3005; control, 219; effect of growthinhibitory substances on, 2044; var. reaction to, 1223, 3005.

grassy shoot virus on Andropogon halepensis, Cynodon dactylon, and Panicum maximum,

1222.

on sugarcane in India, 1811.

-, growing of, book on, 551

Helminthosporium sacchari on, in Hawaii, 1400; Mauritius, 2713; Mexico, 218; Peru, 2715; var. reaction to, 2715. leaf extracts, effect of, on growth of sugar-

cane root tips, 3298.

- lightning damage in Mauritius, 217. mosaic virus on sugarcane in Dominican spread of, 659c; effect of, on germination and stalk weight, 1128; hosts of, 2717; spray method of inoculating, 1402; strs. of, 554; transmission of, by vectors, 218; var. reaction to, 552, 554, 1128, 1129, 1400, 2714,

2715, 2716. - severe yellow str. on sugarcane in

India, 1222.

- strs. on sugarcane, cross-protection experiments with, 659a.

str. H, 2716; on rice, 5b, 220; on sorghum, 220.

, nutritional requirements of excised roots of, 3298.

' pseudo-dwarf' disease, similarity of symptoms of, to sugarcane dwarf virus, 1129. · (?) pseudo-Fiji 'disease in Réunion and

S. Rhodesia, var. reaction to, 2713.

-, Pseudomonas desaiana on, in India, 219. rubrilineans on, in India, 3301; \*Venezuela, 1866; differentiation of, from Xanthomonas, 3301.

Puccinia erianthi on, in India, 1223, 1735; C.M.I. description of, 1267.

- kuehnii on, in India, 1222, 1223; C.M.I. description of, 1267; host specificity of, 1222

-, Pythium graminicola on, pathogenic specialization in, 1400.

ration stunting virus on sugarcane in Mauritius, 217, 2713; Peru, 2715; Queensland, 1129; S. Africa, 1128, 2714; U.S.A., 218, 2716; control, 217, 218, 1128, 2046, 2713, 2715; detection of, 3299; var. reaction to, 217, 1128, 1129, 2713, 2715, 2716.

[Sugarcane] ring mosaic virus on sugarcane, symptoms resembling, in Ceylon, 218.

- roguing in Queensland, paper on, 218. — root failure condition in Jamaica, 2047.

-, Sclerophthora on, similarity of symptoms of Pennisetum purpureum disease to, 656.

-, Sclerospora on, in Peru, 2715.

-, — sacchari on, in Formosa, 2718; the Philippines, 218; comparative study on S. miscanthi and, 2718; non-occurrence of, in Queensland, 1129.

- spike (?) virus disease in India, transmission

of, by mealybugs, 1811.

-, Stagonospora sacchari on, conidia of, 556. - striate mosaic virus on sugarcane in Queens-

land, 1129; incidence of, 1129

Ustilago scitaminea on, in India, 219, 1811, 3005; Natal, 552; S. Africa, 1128; control, 219; effect of temperature on, 2045; var. reaction to, 552, 1128, 1811, 2714, 3005.

- white leaf disease in Taiwan, 2046; (?)virus

causing, 1734.

—, Xanthomonas on, differentiation of Pseudomonas rubrilineans on sugarcane from, 3301;

transmission of, by vectors, 1736.

-, — albilineans on, in Brazil, 222; Ceylon, 218; Hawaii, 1400; Madagascar, 966; Mauritius, 217; Thailand, 3102; C.M.I. description of, 2197; control, 222; var. reaction to, 217, 222, 966, 1400.

- vasculorum on, in the Indian Ocean, 218; S. Africa, 552, 1131; (?) distinct str. of, in Mauritius, 2713.

, zinc deficiency in, in Natal, control, 557.

Sulikol, use of, against Didymellina dianthi on carnation, 1043.

Sulphadiazine, use of, against Puccinia peni-cillariae on Pennisetum typhoides, 1241n.

Sulphagonaidine + sulphasomidine, effect of, on Puccinia graminis, 1287.

Sulphanilic acid, use of, against Puccinia graminis, P. recondita, and P. striiformis on wheat,

702. Sulphathiozole, effect of, on Puccinia graminis,

1287. Sulphite wrappers in relation to apple super-

ficial scald, 2668. Sulphur deficiency in Phaseolus angularis, 861;

strawberry, 1998. , effect of, on absorption of streptomycin

by apple, 1824; on Corticium solani on cotton, 94. , evaluation of, for use in smoke generators, 895.

—, fungicidal activity of, 894.

-, use of, against Alternaria solani in the soil, 1749; on tomato, 1749; Erysiphe graminis on barley, 3124; E. polygoni on bean, 1532; Leveillula taurica on Capsicum, 333; Oidium heveae on Hevea rubber, 2403a, b; Phrag-midium mucronatum on rose, 2298; Podo-sphaera leucotricha, 785, 1068, 2665, 3124; Pseudomonas solanacearum on potato, 3102; Ramularia gossypii, 1241m; Uncinula necator, 2487; Uromyces appendiculatus, 1532; vine diseases, 359.

- in combination, use of, against Corynebacterium michiganense on tomato, 2412; Cryptodiaporthe populea, 2185a; Érysiphe graminis on barley, 3124; Oidium heveae, 212; Phakopsora sojae, 1204; Podosphaera leucotricha, 3124; Xanthomonas vesicatoria on tomato, 2412

[Sulphur in combination] versus rodatox, 135. -, colloidal, resistance of Puccinia graminis

—, use of, against Erysiphe cichoracearum on cucurbits, 2166; melon, 1793; E. graminis on barley, 1893; Meria laricis on larch, 3339; Podosphaera leucotricha, 2184c, 3126; Polystigma rubrum on plum, 1707; Sphaerotheca fuliginea on cucurbits, 2166; melon, 1793.

-, -, in combination, use of, against *Cladosporium fulvum* on tomato, 3322.

- compounds, effect of, on growth and reproduction of Botryodiplodia ananassae, Fusarium solani, and Macrophomina phaseoli,

-, use of, against Plasmopara viticola and

Uncinula necator, 3373.

-, organic, fungicidal activity of, 894. - dioxide, use of, against Botrytis on onion, 319; as fumigant of silkworm cocoons against moulds, 1528.

Sulphuric acid, use of, as seed treatment for Astragalus sinicus, 1965.

Sumbarit in combination, use of, against

Podosphaera leucotricha, 1973.

Sunflower (Helianthus annuus), Agrobacterium tumefaciens on, effect of sap from barley and oats on formation and growth of galls of, 3119.

Albugo tragopogonis on, in New S. Wales,

2797.

-, Cylindrosporium chrysanthemi on, in U.S.A., 2541.

-, Erwinia aroideae on, in N. Rhodesia and Uganda, 531.

Erysiphe cichoracearum on, effect of car-

action to, 531.

borundum and heat on reaction to, 883g. -, fungi on seed of, control, 1108. on, in N. Helminthosporium helianthi Rhodesia, causing stem-breaking, var. re-

-, lemon latent virus can infect, 884d.

-, Macrophomina phaseoli on, in Canada, 881f; New S. Wales, 1813; \*Sardinia, 421; Yugoslavia, 811; effect of, on yield, 811, 1813; factors affecting, 811, 881f.

\*—, Phoma oleracea var. helianthi-tuberosi on,

in Canada, 2700.

-. Plasmopara halstedii on, in U.S.S.R., 696: var. reaction to, 1225t; world distribution of, 1106.

- helianthi and P. helianthi ff.sp. helianthi,

patens, and perennis on, 2011.

\*—, Pseudomonas aptata on, in Hungary, mosaic symptoms associated with, 3287.
—, — (?)helianthi on, in N. Rhodesia, 1516.

, Puccinia helianthi on, in Argentina, 2010; breeding against, 1107; effect of heavy infection by, on ectodesmata, 969; genetics of, 658u, 1107; physiologic races of, 658u, 1225t; var. reaction to, 658u, 2010, 1225t.

-, Pythium (?)acanthicum can infect, 399. \*— root rot, Fusarium in relation to, in Bulgaria, 419.

-, Sclerotinia minor can infect, 619.

- sclerotiorum on, in U.S.S.R., 3288; control, 1376, 2378, 2380, 3288, 3289; factors affecting, 3288; host-parasite relationships in, 2012; removal of sclerotia from seeds of, 2978; symptoms of, 2378.

[Sunflower], Sclerotium rolfsii on, in Argentina, var. reaction to, 2010.

\*—, Septoria helianthi on, in Hungary, 2013. - stem breaking, Helminthosporium helianthi causing, in N. Rhodesia, 531.

Verticillium alboatrum on, var. reaction to, 1225t.

- virus disease in Uganda, 656; distinct from similar disease in Argentina, 656.

Superol, see oxyquinoline sulphate.

Superphosphate, effect of, on lithium toxicity in lily, 1952.

- in combination, use of, against Sclerotinia

on oak acorns, 1160.

Swede (Brassica napobrassica), Plasmodiophora brassicae on, in N. America, 251; breeding against, 348; control, 343; physiologic races of, 343; resistance to, 343; var. reaction to, 343.

— race A can infect, 2122.

-, [turnip] crinkle and [turnip] yellows viruses on, 2491j.

Sweet clover, see Melilotus.

- corn, see Maize.

— pea (Lathyrus odoratus), Pythium (?)acanthicum on, 399.

-, Verticillium dahliae on, in New S. Wales, 2797.

potato (Ipomoea batatas) abnormalities in Uganda, similarity of, to corky spot [internal cork virus], 656.

-, Fusarium oxysporum f.sp. batatas on, breeding against, 2037; var. reaction to, 4h, 2037.

- internal cork virus on sweet potato, control, 2712.

-, Pseudomonas batatae on, in China, 1123.

Rhizopus stolonifer on, production of cellulolytic and pectinolytic enzymes by, 825.

- russet crack virus on sweet potato in U.S.A., 2036. - yellow dwarf virus on sweet potato,

control, 2712. William, see Dianthus barbatus.

Sym-dibromotetrachloroethane, use of, against

citrus fruit decay, 92. Symposia, see Conferences and Reports. groundnut, Syncephalastrum nigricans on stored, 2461.

Synchytrium endobioticum in soil, 2029.

— on potato, see Potato.
— macrosporum, hosts of, 2247.
Syngonium podophyllum, Erwinia aroideae, E. chrysanthemi, and Xanthomonas (?)dieffenbachiae on, in U.S.A., 349.

Synnematin B, production of, from Cephalo-sporium salmosynnematum, 372. \*Synnematium jonesii on Udongamontana,

2276b.

Synoeca surinama transmitting Gloeosporium musarum, 803.

Syntosil, fungi on, 2511.

Syringa vulgaris, see Lilac.

'Szare mydlo' as surface agent for fungicides, 1243.

Tagetes erecta, Agrobacterium tumefaciens on, chlorogenic acid oxidase activity in, 404.

-, Xanthomonas tagetis on, in India, 1237. Talc powder, use of, as a fungicide carrier, 2059.

Tangerine, see Orange.

Tannin in cotton infected with Verticillium dahliae, 1033.

Taphrina, absence of carotenoid pigments in, 3377d.

- aurea on poplar, 1512m.

- bacteriosperma on birch, 3327g.

- cerasi on cherry, 3327b.

— deformans on almond, 1578.

on peach, 507.

Taraxacum officinale, see Dandelion. Taxodium decay, resistance to, 1767r.

Taxonomy, principles of Angiosperm, book on, 2195; principles of Numerical, book on, 3114; recent researches in plant, book on, 2195.

Taxus baccata, see Yew. TCNA, use of, against Urocystis agropyri on wheat, 711.

TD225, use of, against Erwinia amylovora on pear, 147.

Tea (Camellia sinensis) anthracnose fungi in Japan, 2075.

Armillaria on, in Mauritius, spread of, from pine roots, 2187.

—, — mellea on, in India, 558. —, boron deficiency in, 584. —, Cephaleuros on, in India, 1738.

- parasiticus on, in India, 1737b.

- virescens on, in India, 1241a.

—, Cercospora on, in India, 1737b. —, Chalara terrestris on, in India, association of, with tea (?) Mattiali disease, 1737b.
-, Corticium invisum on, in India, 1737a;

(?)str. of *C. solani*, 1738. —, — solani on, 1155; in India, 1737a, 1738. —, — theae on, in India, (?)str. of *C. solani*, 1738.

–, *Diplodia* on, in India, 1737a. diseases in India, 1241a, 1738.

-, Exobasidium vexans on, in Ceylon, 3007; India, 558, 559, 560, 561, 1241a; control, 558, 559, 560, 561, 1241a, 3007; effect of volume of spray on, 560.

-, Fomes noxius on, in India, 558, 1739; control, 558; formerly identified as F. lamaensis, 1739.

-, Glomerella cingulata on, in China, 756. ·, Hendersonia on, in India, causing branch canker, formerly identified as Macrophomina theicola, 1737a.

Hypoxylon deustum on, in India, formerly identified as Ustulina zonata, 1739.

serpens on, in India, 558.

 infectious variegation virus on tea, renamed [tea] white streak mosaic virus, 562.

-, Marasmius equicrinus on, in Ceylon, Malaya, and S. India, 2039c.

-, (?)' Mattiali' disease in India, Chalara terrestris associated with, 1737b.

— oil spot disease, 3008.

- phloem necrosis virus on tea, wide range of symptoms of, 562.

—, Phomopsis on, in India, 1737b.

—, *Poria* on, in India, 1738.

- hypolateritia on, in Ceylon, 3007; India, 558.

purple root rots in India, 1737b, 1738, 1739; key for identification of, 1739.

-, Sphaerostilbe repens on, 1737b.

\*-, Thyronectria pseudotrichia on, in Mauritius, 1740.

[Tea], Tunstallia aculeata on, in India, 1737a, b; pathogenicity trials with, 1737a.

-, - var. kesabii on, in India, 1737a.

-, Ustulina deusta on, in \*Mauritius, geographical distribution of, 1740.

—, — zonata on, in India, control, 558.

[—] white streak mosaic virus, tea infectious variegation virus renamed, 562.

Teak (Tectona grandis), Olivea tectonae on, in India, 3329.

- seed diseases in Jamaica, 939.

Technique (see also Apparatus) for applying fungicides, 1217; classification by numerical methods, 1217; constructing micro-manipulator, 1848; culturing mushrooms, 1502; viruses, 2243; detecting Helminthosporium on barley, oats, rye, and wheat, 2862; lucerne mosaic virus, 8831; oospores of *Peronospora tabacina*, 3313; pathogenic bacteria, 24, 25; pathogenic soil fungi, 1549h; plum pox virus, 1360; potato leaf roll virus, 818, 1728; potato spindle tuber virus on tomato, 658z; potato virus A, 2986; potato virus X, 200, 3168; potato virus Y, 200, 2986; potato viruses, 1378; Pythium spp., 936; Septoria on celery seed, 863, 1792, 2791e; spray residues of fungilon on apple, 504; Streptomyces scabies in soil, 1126; Synchytrium endobioticum in soil, 2029; Thielaviopsis basicola in soil, 3153; tobacco mosaic virus, 1136; tobacco ring-spot virus, 8831; unredospore germ-pores, 942; Verticillium on cotton, 3234; virulent Erwinia carotovora, 2805; viruses in gel diffusion precipitin tests, 1569; Xanthomonas vesicatoria on Capsicum, 3382i; emulsifying virus pre-2244: evaluating chemicals against Pyricularia oryzae, 2904; fungicides applied with boom-type sprayers, 673; fungicides against Colletotrichum lagenarium on cucumber, 2779; against soil-borne pathogens, 658b, 2210; Fusarium on cereals, 2861; oil deposits on banana leaves, 524, 2799d; resistance of barley to Erysiphe graminis, 446; of oats to barley yellow dwarf virus, 64; of oil palm to Fusarium oxysporum, 2383; of potato to Streptomyces scabies. 2397; of sorghum to Sphaeclotheca reiliana, 727; rice seed health, 1323; systemic fungicides against Verticillium dahliae on cotton, 3233; timber preservatives, 855; extracting conidia of Ceratocystis ulmi from elm wood, 881h; forecasting Phytophthora infestans on potato, 1812d; germinating celery seed, 864; uredospores of Puccinia striiformis, 4c; indexing fruit tree viruses, 125; peach viruses, 780a; inoculating barley with *Ustilago nuda*, 1001; cotton with *Verticillium*, 3234; lucerne with *Leptosphaerulina* briosiana, 2953; oats with Ustilago avenae, 1007; pear with Phytophthora cactorum, 1355; potato with Corynebacterium sepedonicum, 1812e; under vacuum, 710; viruses, 2552; wheat with *Ustilago nuda*, 710; isolating actinomycetes in soil, 1551; antibiotically effective soil actinomycetes, 3154; Corticium solani from soil, 3152; Pythium aphanider-matum from soil, 46; Thielaviopsis basicola from soil, 883i; and preserving bacterial cultures, 19; labelling phytopathogenic bacteria with radioactive isotypes, 3115; localizing DNA in oospores of Aphanomyces euteiches, 881j; measuring inoculum potential of Corticium solani in soil, 41; titres of virus preparations by double diffusion in agar, 1219a; mounting fungi, 2845; plant disease specimens, 1566; obtaining conidia Venturia inaequalis in artificial culture, 1690; disease-free tobacco plants, 2404; favourable moisture contents for development of decay fungi in timber, 612; perfect state of Kabatiella caulivora, 6580; sporulation of Alternaria brassicae in culture, 2377; virus-free carnation plants, 1041; preparing literature file cards, 9; wood for microscopical examination, 3347; preserving Erwinia tracheiphila, 2201; leaf samples with cellophane tape, 3160; purifying trichothecin, 15351; removing protein component of tomato spotted wilt virus, 964; studying cacao diseases, 2571; dispersal of spores of Mycosphaerella aleuritidis, 246; distribution of bean southern mosaic virus in bean, 1197; fungi in plant tissue, 1847; Gibberella fujikuroi on maize, 3203; lucerne mosaic virus, 3246; soil micro-organisms, 1550; transmission of apple Tulare mosaic virus, 884k; of tobacco false broom rape, 837; Ustilago maydis on maize, 3203; trapping spores of Mycosphaerella citrullina, 2844; using a quantitative inoculator, 2843.

Tecoram (bis-(dimethyldithio-carbamoyl)-ethylene bisdithiocarbamate), use of, against Venturia ingequalis 2662

Venturia inaequalis, 2662. Tectona grandis, see Teak. Teepol, use of, on tea, 561.

Teepol, use of, on tea, 561.
Tegofilm 29/A, use of, as timber preservative, 1454.

Telone, use of, against vine infectious degeneration, 3091.

Tenac, use of, as sticker on onion, 1490.

Tennessee Copper 90, use of, against *Pseudo-monas lachrymans* on cucumber, 1209.

Tephrosia candida, Corticium solani on, in India, 1737a.

— purpurea, Xanthomonas vignicola on, 1237. Terraclor, inhibition of Corticium solani by, 658a.

-, toxicity of, to cabbage, 282.

—, use of, against Corticium solani on cotton, 1653; Plasmodiophora brassicae on cabbage, 282; Sclerotium rolfsii on tomato, 237; sugarcane root failure complex, 2047; as a soil disinfectant, 237, 2276b.

— 75, use of, against *Rhizopus stolonifer*, 2620. Terracur, use of, as soil disinfectant, 2927. Tetrachloranitrobenzol, use of, against *Fusa*-

rium on rose, 2491b.

N-(1,1,2,2-tetrachloroethylsulfenyl)-cis-delta-4-cyclohexene-1,2-dicarboximide, see difolatan. Tetrachloronitronanisole, see TCNA.

3, 3, 4, 4, - tetrachlorotetrahydrothiophene-1,1,-dioxide, see DAC 649.

Tetracycline inhibiting Xanthomonas, 3131.

—, use of, against *Phytophthora nicotianae* on tobacco, 2407.

Tetrafluoroterephthalonitrile, see DAC 2031. Tetragonia expansa, Asparagus latent virus on, 3079.

— —, beet yellows virus on, effect of, on lipids of, 2130; properties of, 3053.

Tetranychus telarius transmitting potato virus Y, 201.

Tetrazolium, use of, in detecting virulence in Erwinia carotovora, 2805.

Tettigonia cantans and T. viridissima transmitting tobacco mosaic virus, 1859.

Textile fungicides, activation of, by light, 367. Theobroma cacao, see Cacao.

Therioaphis riehmi, Entomophthora sphaerosperma on, effect of, on, 671.

Thermomonospora curvata on mushroom compost, 2483.

Thevetia peruviana, Corticium salmonicolor on, in N. Borneo, 1517.

Thiamine, effect of, on Stemphylium sarciniforme on Cicer arietinum, 1486.

Thielavia angulata on rice roots, 1018.

Thielaviopsis basicola, antagonism of Actinomyces levoris to, 33. -, factors affecting antagonism of bean

rhizosphere micro-organisms to, 1474.

in soil, see Soil.

-, inhibitory effects of griseofulvin analogues on, 2509.

on carrot, 634. — — on cotton, 1933.

— on cyclamen, see Cyclamen. — on orange, 91.

- — on Pelargonium, 103.

— on tobacco, 387, 571, 1140, 2719. - + Verticillium alboatrum on cotton, 1933.

Thiocarbamate, use of, against Melampsora on poplar, 3035; Plasmopara viticola, 3374; Septoria digitalis on Digitalis, 2694.

organic, use of, against Exobasidium vexans, 3007.

-, —, versus copper compounds, inorganic, 3007.

Thiodan, 882b.

Thioquinox, use of, against Erysiphe cichoracearum on cucumber, 1218c. versus dinocap, 1218c.

2-thiouracil, effect of, on beet mosaic and beet yellows viruses on beet, 3054; on Glomerella tucumanensis on sugarcane, 2044.

Thiovit, use of, against Podosphaera leuco-tricha, 2960; Ramularia gossypii on cotton,

1241m.

- in combination, use of, against *Podosphaera* leucotricha, 2316.

Thiozin A, use of, against *Pseudoperonospora humuli*, 2372.

Thiram (see also pomarsol), effect of, on Ustilago nuda on wheat, 362.

evaluation of, for use in smoke generators, 895; inside plants by means of S35, 1512j.

injury to strawberry, 2498j.
non-toxicity of, to tobacco, 1139.

-, tolerance of Corticium solani to, 2920. -, use of, against Aspergillus niger on groundnut, 2460; Botrytis on strawberry, 2498k, 1; B. cinerea on lettuce, 3084; on Ribes aureum, 2350; on strawberry, 521, 1092, 1713; Corticium solani on pea, 2210; damping-off of pine, 3038; Dothistroma pini on pine, 2100; Erysiphe cichoracearum on cucurbits, 2166; Fusarium oxysporum f.sp. gladioli, 478; Fusicladium carpophilum on peach, 657; Glomerella cingulata on laurel, 3240; melon diseases, 924a; Mucor on strawberry, 2683; Mycosphaerella fragariae, 1092; Nectria radicicola on Cyclamen persicum, 2932; (?)Ovulinia azaleae on Rhododendron, 349; Penicillium on Gladiolus, 478; Peronospora farinosa on beet, 3126; Pezicula on apple,

3124; Phragmidium mucronatum on rose 2298; Plasmopara viticola, 2487, 3374, (?) 3375; Podosphaera leucotricha, 2960; (?) Pseudomonas marginata on Gladiolus, 478; Puccinia pitteriana on potato, 822; Pythium irregulare on pea, 2210; Rhizopus stolonifer on strawberry, 2683; Sclerotinia on tulip and S. sclerotiorum on Dahlia, 478; Sphaerotheca fuliginea on cucurbits, 2166; S. pannosa, 2942; Thielaviopsis basicola on Cyclamen, 3239a; Tilletia caries on wheat, 362; Tranzschelia pruni-spinosae var. discolor on peach, 507; Ustilago maydis, 726; Venturia carpo-phila on peach, 1984; V. inaequalis, 785, 1813, 2662, 3124; Verticillium alboatrum on lucerne, 1057; as seed treatment for barley, 3098, 3195; for broad bean, 1784, 2446; for carrot and celery, 2791e; for flax, 1335, 1934; for forest plants, 2493j; for oats, 3098; for onion, 1490; for pea, 1781; for soybean, 625, 3360; for sunflower, 3288; for vegetables, 3125; watermelon, 867; wheat, 1613; as soil disinfectant, 284, 924a, 1437.

[Thiram] in combination, use of, against Alternaria dianthi on carnation, 479; Botrytis cinerea on tomato, 1747; Cercospora beticola, 2763; Erysiphe graminis on barley, 3124; Mycena citricolor on coffee, 1333; Phytophthora infestans on tomato, 1747; tomato storage rots, 1747; Ustilago maydis, 1314,

3126.

- versus rodatox, 135.

-- 50, use of, against storage moulds of oak acorns, 1160.

-80 in combination, use of, against Glomerella cingulata on rose, 2185a.

Thomasiniana theobaldi in relation to raspberry stem diseases, 519.

L-threo-β-phenylserine, use of, against Cladosporium cucumerinum on cucumber, 1207.

Thrips tabaci transmitting tobacco ringspot virus, 3069; tomato spotted wilt virus, 1408. Thuja and T. occidentalis, Didymascella thujina

on, in Italy, control, 3042

orientalis, inhibition of tobacco mosaic virus on Nicotiana glutinosa by leaf sap of, 55.

plicata, Chloroscypha seaveri on, in Netherlands, 262.

-, Didymascella thujina on, leaflet on, 3345. , toxicity of timber from, to apple, 791. Thujaplicin injury to apple, 791.

Thylate, use of, against decay of, strawberry

plants, 802.

Thymol, use of, against micro-organisms on old books and manuscripts, 2510; mite infestation of culture collections, 403

Thyronectria balsamea, association of, with Abies balsamea canker and dieback in Canada, 1750a.

- pseudotrichia on \*Casuarina, mango, and rose, 2187.

— on tea, 1740.

Thysanolaena maxima, Xanthomonas vasculorum on, in western Indian Ocean territories, 218; (?) distinct str. of, 2713.

Tilia, ectotrophic mycorrhiza of, 1760a.

americana and T. europaea mycorrhiza, Hysterangium clathroides forming, 1760b.

caroliniana var. roophila, T. moltkei and T. platyphyllos, Elsinoe tiliae on, in Argentina, 3336.

[Tilia] tomentosa mycorrhiza, Balsamia platyspora, Boletus subtomentosus, and Russula grisea forming, 1760b.

Tillantox and tillantox special, use of, as seed

treatment for vegetables, 3125,

Tilletia caries, effect of calcium nitrate, light, and trimethylamine on spores of, 2255.

— on cereals, 1592 - on wheat, see Wheat.

- contraversa on Beckmannia, Holcus, and Trisetum, 2948.

on wheat, see Wheat.

 $- \times T$ . caries can infect wheat, 989.

foetida on wheat, see Wheat.

Tillex, use of, against Cercosporina ricinella on Ricinus communis, 809; Fomes lignosus on Hevea rubber, 214, 3004.

Timber, Ascomycetes on, in England, 276.

—, bacteria on, 2434.

-, basidiomycetes on, in U.K., 272, 276; detoxification of pentachlorophenol by, 278; fruiting of, in culture, 1767e; inhibition of, by griseofulvin, janthinellin, and trichothecin, 1767v; method for testing toxicity of timber preservatives to, 3051.

-, Bispora on, causing soft rot, 2439.

— monilioides on, 1175. blue stain in Canada, 1226a; Norway, 2109; Scandinavia, 1176; Spain, 2110; control, 1176, 2109, 2110; factors affecting, 2110; fungi and Dendroctonus monticolae associated with, 1226a; fungi causing, 2109,

2110

—, Bulgaria polymorpha on, 1175. -, Ceratocystis on, effect of, on, 3047.

—, — coerulescens on, in Spain, 2110. —, — fagacearum on, fumigation in relation to embargo on, 1426.

-, Chaetomium elatum on, 1174a.

- globosum on, comparison of effects of, with Lenzites abietina and Poria vaporaria, 1767h; effect of, on, 3047; of UA salt on growth of, 2438.

indicum on, 1174a.

Collybia velutipes on, effect of toxins on, 1767z.

-, Coniophora olivacea on, 279; factors

-, Coniophora ouvacea on, affecting resistance to, 3046.
-, — puteana on, in Canada, 1174a, 1225y;
U.K., 272; U.S.S.R., 277; control, 277; effect of timber preservatives on, 1767y; of UA salt on growth of, 2438; factors affecting, 1225y; importance of mineral nutrition for growth of, 1767i; mineral elements necessary for growth of, 1165; moisture in relation to, 2435; role of humidity in, 2111; toxicity of silica fluorides and sodium fluoride to, 3051.

-, Coprinus micaceus on, in Canada, 1174a.

- core rot, 1767q.

—, Corticium evolvens on, 614.

- vellereum on, in Canada, 1174a.

- Coryne on, resistance of, to Fomes pinicola, 1174b.
- -, Daldinia concentrica on, in Canada, 1174a; effect of, on weight, 2113.
- —, Discula pinicola on, factors affecting, 1767n. -, Echinodontium tinctorium on, factors affecting survival of sporophores of, 597; sporulation of, 597.

- false heart, 1767q.

\*--, Fomes on, in U.S.S.R., 3346.

[Timber, Fomes] annosus on, causing corrosive rotting, 1175; control, 2087.

-, — caryophylli on, longevity of, 593.

- fomentarius on, causing corrosive rotting, 1175

-, - fraxineus on, 1767s.

—, — nigrolimitatus on, in Canada, 1174b.

—, — *pini* on, in Canada, 1451 -, - roseus on, in Canada, 1174a.

- setulosus on, factors affecting resistance

to, 3046.

-, fungi on, 1174a, 1175, 1767m, x; in Italy, 1767a; Sweden, 2108; U.S.S.R., 2111; Venezuela, 3350; causing decay in buildings, 1767g; control, 1767p, 2111, 2437; effect of, on constituents of wood, 1767a; English book on, 2106; factors affecting, 614; losses caused by spread of, 2105; mycorrhizal fungi and, 374; production of cytotoxic substances by, 1767w; quarantine against, in Australia, 2105; role of humidity in in Australia, 210 biology of, 2111.

-, Fusarium caeruleum, F. poae, and F. solani on, effect of on, 1769.

-, Hypholoma fasciculare on, factors affecting resistance to, 3046; moisture in relation to, 2435.

-, Hypoxylon atropunctatum on, effect of, on weight, 2113.

—, — *coccineum* on, 1175.

-, — mediterraneum, H. pruinatum, and H. punctulatum on, effect of, on weight, 2113. - rubiginosum on, in Canada, 1174a.

-, Lentinus edodes on, degradation by, 275. -, — lepideus on, in Canada, 1174a; England, 3048; causing destructive rotting, 1175. –, Lenzites on, review of published work on,

1177.

- abietina on, causing destructive rotting. 1175; comparison of effect of, with Chaeto-mium globosum and Poria vaporaria, 1767b; moisture in relation to, 2435.

-, - saepiaria on, in Canada, 1174a, 1225y; causing destructive rotting, 1175; factors affecting, 1225y; moisture in relation to,

2435.

- trabea on, method for testing efficacy of preservatives against, 855; toxicity of silicofluorides to, 3051.

-, Mollisia on, causing soft rot, 2439. -, Mucor on, in England, 276.

—, Neurospora sitophila on, 1767o.

-, Ophiostoma on, 1175.

-, Paecilomyces on, effect of on, 3047.

-, Paxillus panuoides on, 1175.

-, Penicillium on, in England, 276; effect of on, 3047.

- ammoniophilum, P. brevicaule, P. commune, and P. divergens on, effect of on, 1769. -, — (?) luteum on, effect of on, 3047.

- meleagrinum and P. nigrum on, effect of on, 1769.

—, Peniophora gigantea on, control, 2087.

-, - phlebioides on, in Canada, 1225y.

-, Phaeostoma on, effect of on, 3047. -, Phialophora on, causing soft rot, 2439.

Polyporus adustus on, inhibition of, by hyphomycete, 1174a.

- anceps on, factors affecting resistance to, 3045.

- hirsutus on, inhibition of, by Gliocladium viride and hyphomycete, 1174a.

[Timber, *Polyporus*] schweinitzii on, causing destructive rotting, 1175.

-, - stipticus on, moisture in relation to, 2435.

-, - sulphureus on, causing destructive rot-

ting, 1175.

—, Polystictus immitis on, in Canada, 1174a.
—, — versicolor on, in Canada, 1174a; Switzerland, 1454; causing corrosive rotting, 1175; effect of toxins on, 1767z; factors affecting resistance to, 3045; inhibition of, by actidione and trichothecin, 1767u; by Gliocladium viride and hyphomycete, 1174a; micromorphological change of cell wall structures in, 3348.

—, Poria and P. incrassata on, tolerance of, to copper-based wood preservatives, 2440.

—, — *monticola* on, in England, 3048; penetration of, by chemicals, 2441.

—, — subacida on, in Canada, 1174b.

—, — vaillantii on, in U.K., 272; effect of timber preservatives on, 1767y; tolerance of, to copper-based wood preservatives, 2440.

—, — vaporaria on, causing destructive rotting, 1175; comparison of effects of, with Chaetonium globosum and Lenzites abietina, 1767h; effect of UA salt on growth of, 2438; inhibition of, by actidione and trichothecin, 1767u; role of humidity in, 2111.

-, - weirii on, in Canada, 1174b.

preservation, German Conference on, 609;
 research on, at the Forest Products Res.
 Laboratory, 1449b; Russian booklet on, 1450.

— in Switzerland, 1454; Texas, 1449a; Venezuela, 3350.

- with ammonium bifluoride and arsenic acid, 2441; borax in combination, 1176; borax + boric acid, 2441; boron compounds, 2436; cellarius, 1454; chromium fluorine compounds, 2436; copper sulphate in combination, 611; creosote, 2437; Diesel oil refined products, 1, 2, and 5, 277; fluorine silicates, 2436; gigantol, 1454; hydrogen fluorides, 2436; iodine in combination, 611; iron sulphate, 1176; iron sulphate in combination, 611; lindane in combination, 2109; monofluoride, 2436; neutral oil, 277; PCNP 2436; pentachlorophenate, 855; pentachlorophenol, 1175, 2109; perigum, 1454; phenof formaldehyde, 1454; potassium bifluoride, 2441; soda, 1176; sodium fluorosilicate in combination, 611; sodium pentachlorophenate, 3048; tegofilm 29/A, 1454; tributyltin oxide, 855; UA salts, 2437; zinc chloride, 2441; in combination, 611.
- preservatives, comparison of, 854, 3050; method for testing efficacy of, 855.

-, Ptychogaster radiatus on, 614.

- red stain in Canada, relative strength and decay resistance of, 1451.
- -, Rhizopus stolonifer on, effect of, on, 3047.
- -, role of micro-organisms in weathering and degradation of exterior finishes on, 3349.
- —, Schizophyllum commune on, 1175; decomposing action of culture solution of, 2442.
- —, Sclerophoma pityophila on, in Germany, 1457; confusion of, with Aureobasidium pullulans, 1457.

- [Timber], Serpula lacrimans on, in Bulgaria, 1767b; U.K., 272, 3048; U.S.S.R., 277; control, 277, 611; differentiation of, from Coniophora puteana and Poria vaillantii, 3049; effect of growth density on resistance to, 1767b; of mineral nutrition on growth of, 1165, 1767i; inhibition of, by actidione and trichothecin, 1767u; role of humidity in, 2111.
- —, Sporormia leporina on, effect of, on, 3047.— staining fungi, 1226a, 1451, 2109, 2110; spread of, 1456.

--, Stereum chailletii on, 1166.

—, — hirsutum on, in Canada, 1174a.

—, — *pini* on, in Canada, 1451.

—, — purpureum on, 1175.

- —, sanguinolentum on, in Canada, 1225y, 1451.
- storage decay in Norway, control, 2109.
- test blocks submerged in sea, fungi on, 1455.
- —, Trametes lilacino-gilva on, factors affecting resistance to, 3046.
- —, pini on, causing corrosive rotting, 1175.

-, - serialis on, in Canada, 1174a.

- —, stereoides on, causing destructive rotting, 1175.
- -, variiformis on, in Canada, 1174a.

-, Tremella faginea on, 1175.

- —, Trichoderma on, causing soft rot, 2439.
- —, viride on, in England, 276; effect of, on, 3047.
  —, Trogia crispa on, in Canada, 1174a.

— Verticillium on resistance of to

- -, Verticillium on, resistance of, to Fomes pinicola, 1174b.
- -, glaucum on, effect of, on, 1769.

Tin compounds, organic, use of, against Corticium solani on potato, 2999.

Tiracopper in combination, use of, against cucumber leaf diseases, 1500.

TMTD, see thiram.

Tobacco (Nicotiana tabacum), Agrobacterium rhizogenes str. on, 487.

- -, Alternaria longipes on, in Queensland, 223; S. Africa, 2497; control, 834, 2497.
- -, apple viruses can infect, 779k.
- -, Ascochyta arida on, in Queensland, 223.

-, Asparagus virus can infect, 1514.

- —, Botrytis cinerea on, effect of fructose and sugar on sporulation of, 1832; sclerotia formation in, 15120, 1832.
- -, cabbage black ring spot virus can infect, 857.
- -, Cercospora nicotianae on, 3318; in \*Laos, 2496; Queensland, 223.
- --, Colletotrichum tabacum on, in Nyasaland, control, 877.
- Conference (3rd scientific) in Rhodesia, 224.
  - —, Corticium solani on, in Queensland, 223.

-, Crotalaria mosaic virus on, 1938.

- —, cucumber mosaic virus on, in France, 2466; differentiation of strs. of, 1495; effect of, on multiplication rate of *Myzus persicae*, 413; on respiration, 695; transmission of, by vectors, 60; variation in symptoms of, 641.
- -, -- str. on, in India, 2056.
- —, — strs. can infect, 2622.

[Tobacco, cucumber mosaic virus] (Y str.) on, infectious nucleic acid from crude and purified preparations of, 1855.

- diseases in Queensland, 223; quarantine against in pure culture, 2404; revised circular

on (U.S.A.), 2405.

-, enzymatic changes in infected detached leaves and tissues of, 3139.

-, Erwinia aroideae on, control, 835.

, Erysiphe cichoracearum on, in S. Africa, 2497, 2722; breeding against, 2497; control, 570; microclimatic variation in relation to, 2722.

- etch virus on Capsicum, 61.

on Datura stramonium, 1741.

- on tobacco, electron microscopy of, 349; serological study on, 2555. - false broomrape, technique for transmis-

sion of, 837.

-, Fusarium oxysporum f.sp. nicotianae on, in U.S.A., 571. , henbane mosaic virus on, failure of anaesthetized aphids to transmit, 2554.

—, hops ringspot virus can infect, 526. - leaf curl virus on Lycopersicon, 2069.

———— on sesame, 3286.

---- on tobacco, effect of gibberellic acid on, 1407.

--- on tomato, 2069.

-, lemon latent virus can infect, 884d.

 lucerne mosaic virus on, method of measuring rate of movement from leaves to stem tips, 884r.

-, Jupin mosaic virus can infect, 1683. Macrophomina phaseoli on, in Mauritius,

(?)— mosaic virus on Agapanthus umbellatus, 1514.

- — — on bean, see Bean.

--- on Capsicum, see Capsicum. — — on Chenopodium amaranticolor, 2848.

--- on C. murale, 231.

— — on Datura stramonium, 416, 2848. (?)——— on Dipladenia rosea, 1514. --- on Lycopersicon peruvianum, 659d.

— — on Nicotiana debneyi, 565.

— — on N. glauca, 1404. — — on N. glutinosa, see N. glutinosa.

— — on orchid, 2798. - — on *Petunia*, 1144.

Queensland, 223; U.S.S.R., 2550; acquired resistance to, 2719; biochemical nature of localized acquired resistance to, 1132; breeding against, 3307, 3308; calcium in relation to, 1405; control, 2053; Cyphomandra betacea immune from, 2561; cytochemical study of, 228; detection of, on leaves and seeds by fluorescent antibody, 1136; effect of acid and alkaline solutions on cells of, 2720; of Capsicum annuum extracts on, 2848; of dandelion and lilac plastids and certain chemical compounds on infective ribonucleic acid of, 1135; of detergents on, 1861; of monovalent and divalent cations on, 408; of nitrogen starvation on, 2721; on C<sub>6</sub>/C<sub>1</sub> ratios and peroxidase activity, 881b; of on growth modification and movement, 3306; on total leaf ribonucleic acid, 564; on yield, 3309; of photosensitizing dyes on, 1275; of plant saps on, 962; of stem injections of *Peronospora tabacina* on, 566; of UV light on, 884s, 1227a, 2048; factors

affecting, 3304, 3309; genetics of, 3307, 3308; gibberellin-like substances not affecting, 2052; increase of polyphenoloxidase activity by, 2050; infectious ribonucleic acid in, 827; infectivity of, 3303; inhibition of, by substance in beet seed pericarp, 1776; losses from artificially induced infection by, 826; new str. of, 2550; oxidative metabolism of glucose in leaf tissues of, 230; protecting against *Plantago* mosaic virus, 256; protein of, 2049; relationship of cucumber mosaic virus str. and, 415, 1223; role of phytoncides in immunity from, 1403; strs. of, 1404; synthesis of forms of, in nucleus and cytoplasm, 884q; transmission of, by soil, 3309; vectors, 229, 1859; var. reaction to, 3307, 3308, 3311.

[Tobacco mosaic virus] on tomato, see Tomato.

-, plant saps affecting, 962.

—— + potato virus X on tobacco, 881b; on tomato, 573, 2070, 3319.

- +tomato spotted wilt virus on tomato, purification and electron microscope studies on, 2727.

-, green and yellow strs. of, on ornamentals, 1940.

----, leguminous str., on bean, 2767. - str. on beet, causing beet purple leaf, 1222.

--- on Digitalis lanata, 1099. - — — on Nicotiana sylvestris, 231.

--- on orchids, 2636a.

Puerto Rico, 2408.

- (sweet potato str.) on bean, 412. mottle virus on tobacco in Katanga, 828, 3302; association of, with tobacco rosette, and transmission of, by vectors, 828.

- + tobacco vein-distorting viruses, hosts of, 3302.

necrosis virus on bean, 563, 1513b, 2448.

—— on cucumber, 563.

——— on Datura stramonium, 416.

– — on *Hydrangea*, 1514.

- - on lettuce and Phaseolus aureus, 2182c.

– – on Primula obconica, 486.

——— on rhubarb, 1514.

— — on soybean, 623.

- on tobacco, acquired resistance to, 2719; behaviour and nature of unstable variants of, 2054; chromatographic purification of, 2846; effect of detergents on, 1861; of some monovalent and divalent cations on, 408; inhibition of, by substance in beet seed pericarp, 1776; thermal inactivation of, 563; transmission of, 2055; by Olpidium brassicae zoospores, 1406; vectors, 883f, 1219a.

on tulip, 486. on weeds, 1514.

+ Olpidium on Phaseolus aureus, 1573. bean stipple streak str. on bean, 1196.

-, Oidium tabaci on, in Portugal, 2234. -, ozone injury to, in Canada, 2067; effect of, on, var. reaction to, 1141, 1415.

-, pear virus diseases can infect, 779k. -, Peronospora tabacina on, 224; in Australia, 1227b; Austria, 829; Bulgaria, 1411; Europe, 1227b; France, 359d; Germany, 2795, 3309; Iran, 569; Italy, 2059, 2723; Luxembourg, 1512t; Mexico, 3013; Poland, 2063; \*Portugal, 3012; Queensland, 223, 1228; Turkey,

2065; U.S.S.R., 696; breeding against, 829, 1227e, 2723, 2724, 3311; control, 359d, 567, 832, 833, 1139, 1227b, 1228, 1409, 1410, 1411, 1412, 1512t, 2059, 2062, 2064, 2065, 2066, 2406, 3317; damage by, 2065; distribution of, 346; effect of, on, 3314; on yield, 569, 2063; effect of temperature on germination of conidia of, 1138; estimation of infection by, 1742; factors affecting, 1227b, 1410, 2063, 2065, 2406, 3012, 3316; genetics of, 2724, 3311; geographical distribution of, 568; infection of, by oospores, 3315; losses caused by, 2065, 2795; method of culturing, 2065; necrotic reaction of, to, 1227d; not present in the Philippines as previously reported, 3102; resistance to, 3310; spread of, 1411, 2406; stem reaction to, 1227e; technique for demonstrating oospores of, 3313; for testing for resistance to, 830, 831; use of resistant var. as indicator for potato viruses X and Y, 3310; var. reaction to, 569, 829, 1742, 2063, 3012, 3310, 3311.

[Tobacco], Physarum cinereum on, control, 1743.

-, Phytophthora nicotianae on, 226; in U.S.A., 571, 1413; antagonism of actinomycetes and bacteria to, 2407; control, 571, 2407; electrotaxis of zoospores in relation to infection, 2058; factors affecting, 1413, 2407; gamma irradiation inducing mutants of, 2057; growth of, 2407; relationship between chemical soil factors and inoculum potential of, 5d; spread of, by irrigation, 1413; variation in incidence of, 2407; var. reaction to, 571, 1414, 2057.

- var. parasitica on, in Queensland, 223.

, *Plantago* mosaic virus on, differing strs. of, 2561; properties of, 2561; tobacco mosaic virus protecting against, 2561.

-, potato corky ringspot virus on, 2991. parastolbur virus on, in Czechoslovakia, 1277.

— stem mottle str. on, transmission of, by

vectors, 2564.

- virus X on, determination of, by paper electrophoresis, 3168; factors affecting, 2017; method of measuring rate of movement from leaves to stem tips, 884r; multiplication of, 1378; variation in sulfhydryl concentration during development of, 1133. , ---+ potato virus Y on, effect of, on

concentration of potato virus X, 2017.  $C_8$ , —— +tobacco mosaic virus on, effect of, on  $C_8/C_1$  ratios and peroxidase activity,

881b.

- necrotic str. S on, effect of, on amino acid composition of leaves of, 1134.

, - Y on, effect of, on C<sub>6</sub>/C<sub>1</sub> ratios and peroxidase activity, 881b; multiplication of, 1378.

- on concentration of potato virus X, 2017.
- — tobacco veinal necrosis str. can infect, 961.
- —, yellows type III virus can infect, 2019.
- -, *Pseudomonas* on, hypersensitive reaction induced by, 2726; identification of, 25.
- -, solanacearum on, pathotype of, 669; var. reaction to, 572.
- -, tabaci on, 2726; in U.S.A., 571; effect of kinetin on toxicity of, to, 836; of, on, 25;

fluctuation in toxin formation by, in relation to atmospheric pressure, 3014; var. reaction to, 571.

[Tobacco], Pythium aphanidermatum on, in Queensland, 223.

radish ring spot virus on, resistance to, 2119.

rattle virus [str. of potato stem mottle virus] on bean, 1513b.

— on beet, \*1514, 2790g.

— (?) on Capsicum, 856e.

(?)——— on Gerbera, 349. — — on lettuce, 884w,

- — on peony, 1514. — — on potato, (?)538, 3099.

--- on tobacco in Germany, changes in concentration and time of infection of, 3096i; electron microscopy of, 349, 883k; pea early-browning virus different from, 694; serological relationship of, to,

on weeds, 1514.

—, Rhizopus arrhizus on, control, 835. - ring spot virus on bean, 1196, 1513b.

- — on cowpea, 2552. ——— on cucumber, 3069.

— — on Cyamopsis tetragonoloba, 629.

— — on *Physalis floridana*, 1574. — — on soybean, 650, 1574, 3069.

— — on squash, retention of chlorophyll in lesions produced by, 963.

- - on tobacco, difference in the translocatability of southern bean mosaic virus and, 3167; effect of detergents on, 1861; of some monovalent and divalent cations on, 408; method of measuring rate of movement from leaves to stem tips, 884r; non-occurrence of, in E. Africa, 656; premunity relationships in, 692; similar properties to dahlia ringspot virus, 884h; technique for assaying, 8831.

--- on Vaccinium corymbosum, 517.

——— str. on tobacco, 629.

- rosette in Katanga, 828, 3302; caused by tobacco mottle + tobacco vein distorting viruses, 828, 3302.

--- seed in storage, 1512r.

- streak virus on tomato, 574.

— — str. on cotton, 3227.

-, Thielaviopsis on, in Austria, var. reaction to, 829.

- basicola on, in U.S.A., 571; acquired resistance to, 2719; rhizosphere microflora in relation to, 387; var. reaction to, 571, 1140.
- -, [tomato] big bud virus on, in Queensland, 223.
- -, bronzing virus [tomato spotted wilt virus str.] on, in U.S.S.R., causing chlorosis, 696.
- ring spot virus on, premunity relationships in, 692.
- spotted wilt virus on, in U.S.S.R., (Crimea), 1408; electron microscope study of, 3163.
- -, turnip mosaic virus can infect, 857.

-, use of, as indicator plant for Arabis mosaic raspberry ring spot, tobacco and tomato ring spot, and tomato black ring viruses, 692. - vein browning [potato virus Y] on tobacco,

3311.

[Tobacco] vein-distorting virus on tobacco associated with rosette, 828, 3302.

-+tobacco mottle viruses, hosts of, 3302.

- veinal necrosis virus, see Potato virus Y str. - virus diseases in Romania, 1274; Uganda.
- -, weather fleck damage in Canada, 2067.
- yellow net virus on tobacco in Ceylon, transmission of, by vectors, var. reaction to, 1810.
- N-p-tolyl dichloromaleimide, use of, against *Peronospora tabacina* on tobacco, 567.
- Tolyposporium penicillariae on Pennisetum typhoides, 2608.
- Tomaspis liturata transmitting sugarcane mosaic virus, 222,
- Tomato (Lycopersicon esculentum), Aerobacter cloacae on, behaviour and symptoms of,
- -, Agrobacterium rhizogenes str. on, 487.
- -, tumefaciens on, control, 904; effect of antibiotics on, 21; of 2,4-D on, 2413; search for actinomycetic antibiotics against, 1535d.
- -, Alternaria solani on, in Brazil, 1745; Cyprus, 2796; France, 655; Hungary, 1746; Israel, 3019; New S. Wales, 657; Romania, 2071; control, 575, 657, 1749, 2071, 2504; effect of inhibitors on spore germination and infection, 3020; factors affecting dispersal of spores of, 3019; inhibition of pectolytic enzymes of, 3020; resistance to, 655.

tenuis on, 2381; in India, causing rotting, study on, 2818; control, 1145; factors affecting dispersal of spores of, 3019; nutritional requirements of, 2730.

- aspermy virus on tomato in Hungary, 3017; properties of, 3017; serologically unrelated to cucumber mosaic virus, 658h, 1278.

- aucuba mosaic virus [tobacco mosaic virus str.] on Nicotiana glutinosa, 1572.

-, bacteria, non-pathogenic on, 'resident' organisms, 581.

- big bud virus on tobacco, 223.

- black ring virus in soil, control, 1219a;

transmission of, by vectors, 1219a.
——— on bean, 1196, 1513b.

— — — on beet, 2790g.

\_ \_ \_ \_ on clover, 317.

— — — on leek, 317, \*2793. - — — on onion, 317, \*2793.

-- on tomato, distinct forms of, in England and Scotland, 2852; hosts of, 692; premunity relationships in, 692; transmission of, by vectors, 2852.

— — — on vine, 1214.

— — beet ring spot form, tomato black ring virus on onion indistinguishable from, 317.

——— lettuce ring spot form, tomato black ring virus on onion different from, 317.

\_ — — str. on peach, 2335.

- blossom end rot in U.S.A., relationship of, with cracking and softness, 241.

—, Botrytis on, control, 675.

-, - cinerea on, causing foot rot, 1147; control, 1747, 2498f; effect of sprinkling on, 2491i; entry of spores of, 2498b; factors affecting, 2498f; inhibitory effect of griseofulvin analogues on, 2509; tissue susceptibility, 1219b.

[Tomato] bronzing virus [tomato spotted wilt

virus str.] on tobacco, 696. brown root rot complex in Great Britain, 244, 1218a; Colletotrichum and grey sterile fungus causing, 1218a.

- bushy stunt virus on carnation, I.R. virus related to, 1218b.

-- str. on Petunia, differentiation of, from BS-3 str., 2851.

, Cephalosporium on, inhibition of Fusarium bulbigenum var. tracheiphilum by, 856b.

, Cladosporium atramentarium on, in Poland, biology and cultural characters of, pathogenicity of, 235.

-, — fulvum on, in Canada, 2073; Hungary, 1746; New S. Wales, 657; \*Venezuela, 1146; control, 657, 1146, 2073, 3372; factors affecting, 1146; revised English leaflet on, 2072

- 'cloud', factors affecting, 1152.

-, Colletotrichum on, association of, with grey sterile fungus, causing brown root rot complex, 1218a.

— atramentarium on, control, 1145, 1748; interrelationship of Heterodera rostochiensis, Corticium solani and, 1416.

- phomoides on, in Brazil, 1745.

 corky root in France, reaction to, 655. -, Corticium solani on, in Brazil, 1745; U.S.S.R., 1535k; Yugoslavia, 2070; causing foot rot, 1147; control, 1147, 2212; effect of trichodermin on, 1535k; interrelationship of with Heterodera rostochiensis and Colletotrichum atramentarium, 1416; symptoms of,

1147, 1581. -, Corynebacterium michiganense on, in Italy, 2412; \*Jersey, 2792; N. Rhodesia, 1516; Queensland, 1228; Yugoslavia, 2070; C.M.I. description, 2197; factors affecting, 2412.

-, Crotalaria mosaic virus on, 1938. cucumber mosaic virus on, in Cyprus, 2796; France, 655, 2466; resistance to, 655; variation in symptoms of, 641.

-, damping-off of, control, 18351.

- decay, effect of methyl ester of indolyl-3acetic acid on, 37.

-, Didymella lycopersici on, in Germany, 2795; \*India, 1223; Netherlands, 1; N. Ireland, 2793; causing canker, 1148; foot rot, 1147, 1148; control, 1, 3096p; factors affecting, 1148; symptoms of, 1148.

- diseases in Brazil, 1745; Yugoslavia, 2070. -, effect of antibiotics and microbe anta-

- gonists on growth of, 1535g; of ether extracts from culture filtrates of phytopathogenic fungi on, 1830; of sap from, on tobacco mosaic virus, 962; of *Trichoderma koningii* on germination and growth of, 1535i.
- fruit cracking in U.S.A., 243.

fungi on, list of, in S.E. Asia and Pacific Region, 3015.

Fusarium on, in Brazil, 1745; Yugoslavia, 2070; inhibition of, by Cephalosporium, 658n.

oxysporum f.sp. lycopersici on, in Brazil, 1745; France, 655; Italy, 236; biotypes for inhibition of, 659e; *Cephalosporium* inhibiting, 1417; effect of inhibitors of, on spore germination and infection, 3020; of rufianic acid on, 1512l; genetics of, 2729; induced

resistance to, 236; inhibition of pectolytic enzymes of, 3020; reaction to, 655; selection of Cephalosporium inhibitory to, 659e; semeiography of, 577; symptoms of, 1149; var. reaction to, 236, 1149, 2729, 3021, 3325.

[Tomato] Geotrichum candidum on, in Poland, 1418; Drosophila melanogaster in relation to,

576.

- ghost-spot in U.S.A., 2478.

-, grey sterile fungus on, association of, with Colletotrichum causing brown root complex, 1218a.

- growth cracks, var. reaction to, 579.

-, Macrophomina phaseoli on, effect of actinomycete No. 3 on, 1535m.

-, mercury residues in, recommended methods for analysis of, 3122.

- mosaic virus [tobacco mosaic virus str.] on tomato in England, 1218b; control, 1218a, b; nitrous acid-induced mutants of, 2068; transmission of, by birds, 1218b. -, Mucor on, as 'resident' organism, 581.

-, - hiemalis on, Drosophila melanogaster in relation to, 576.

\*—, Myrothecium roridum on, in India, 1151. -, persistence of captan, copper oxychloride and other fungicides on leaves exposed to artificial rain, 2502.

—, Phoma destructiva on, in Brazil, 1745.

—, Phytophthora capsici on, chemotaxis of zoospores and, 2825.

zoospores and, 2825.

, — infestans on, 575; in Brazil, 1745; Cyprus, 2796; Germany, 2795; Israel, 2392; Nyasaland, 877; U.S.S.R., 940, 2409; control, 877, 1747, 2392, 2729; difference of incidence of, in bush and staked, 3323; effect of sprinkling on, 2491i; factors affecting, 2392, 2729; genetics of, 2729; physiologic races of, 2392, 2409, 2729; variations in infection related to changes in atmospheric pressure, 3018; var reaction to, 2729. pressure, 3018; var. reaction to, 2729. ,—nicotianae var. parasitica on, 758; in

Hawaii, 1044.

- -, Plantago mosaic virus on, in Bulgaria, causing internal browning, transmission of, 2561.
- -, potato spindle tuber virus on, technique for inducing diagnostic symptoms of, 658z; technique for studying, 2563.

- stem mottle virus str. on, transmission of, by vectors, 2564.

-, — virus K on, 1732.

-, — M on, multiplication of, 1378. -, — X + tobacco mosaic virus on, in Yugoslavia, 2070; causing streak, 3319; effect of, on, 573.

-, - yellows type III virus on, in Japan,

transmission of, by grafting, 2019.

-, Pseudomonas solanacearum on, 181; in Hawaii, 1519; Japan, pathotypes of, 669; U.S.A., 2074; control, 1519; effect of combined infection of Meloidogyne incognita var. acrita and, 2731; nematodes in relation to, 2074, 2731.

-, - tomato on, in \*India, 1237; Jersey, 2792.

-, Pythium on, in Brazil, 1745. -, Rhizopus stolonifer on, Drosophila melano-

gaster in relation to, 576.

- ring spot virus on Nicandra physaloides, 414. - — — on peach, 1219a.

— — on tobacco, 692

- —, resemblance of Dahlia virus 4 to, 2933.

[Tomato ring spot virus], study on variation in size of, in different hosts, 3164.

- str. on apple, transmission of, to cucumber and herbaceous plants, 779j. -rootknot nematodes, Dactylella gephyro-

paga on, 1812c.

-, Sclerotium rolfsii on, in U.S.A., control, 237.

-, Septoria lycopersici on, in Brazil, 1745; Hungary, 1746; Portugal, 2831b; S. America, 578; control, 578; distribution, host range and symptoms of, 578; non-transmission of, by seed and soil, 3324; var. reaction to, 2410.

Spongospora subterranea on, life cycle of, 1122.

- spotted wilt virus on Nicandra physaloides, 414.

- — — on *Petunia*, 1862

---- on tobacco, 1408, 3163.

- on tomato, effect of kinetin on, 1862; electron microscope study of, 3163; infectious phenol extract of, 964; similarity of Dahlia virus 2 to, 2933.

+ tobacco mosaic viruses on tomato, electron microscope studies and purification

of, 2727.

—, Stemphylium floridanum on, control, 100. —, — solani on, in Brazil, 1745; Hawaii, 1519; \*New S. Wales, 1868; var. reaction to, 579. -stolbur virus on Capsicum and eggplant, 2562.

— — on potato, (?)1277, 1727, 2021, 2562. - - on tomato, 2562; transmission of, by vectors, 1276.

[-] - str. S 9/55 on Vinca rosea, 56.

storage diseases, control, 368.

tobacco leaf curl virus on, var. reaction to, 2069.

-, — mosaic [see also tomato mosaic] virus on, 2476, 2561; in Cyprus, 2796; France, 655; Hungary, 1746; Poland, 234; U.K., 1144, 1218b; U.S.A., 231; breeding against, 659d; causing streak, 3319; control, 1218b, 1744; disinfection of hands and tools against, 1142; dynamics of spread of, 234; effect of, on chemical composition and yield of, 232; of DOSS and milk sprays on, 1143; of inoculation on infectivity of sap of, 2489b; on, 573; on yield, 1143; genetics of, 659d; inactivation of, 1142; persistence of, in clothing, 1142; prevention of contact transmission of, by milk, 3321; specialized forms of, 1144; study on root infection by, 2560; tomato form of, 231; use of polyethylene glycol in clarification and purification of, 2847; var. reaction to, 232, 2489b.

, ——— +potato virus X on, in Yugoslavia. 2070; causing streak, 3319; effect of, on,

573.

- +tomato spotted wilt viruses on, electron microscope studies on and purification of, 2727.
- virus str. on, in Moldavia, 3320; Puerto Rico, 2408; Yugoslavia, 2070; causing aucuba mosaic, 2408, 3320; var. reaction to, 3320.
- , mottle + tobacco vein distorting viruses on, reaction to, 3302.

-, — streak virus on, in Brazil, 574.

'- vein browning' on, in Germany, str. of potato virus Y, symptoms of, 3016.

[Tomato, tobacco vein] -distorting viruses on, in Katanga, non-necrotic rosette associated with, 3302.

- - +tobacco mottle viruses on, reaction to, 3302.

Verticillium on, in France, resistance to, 655.

-, — alboatrum on, 52, 2697; in Jersey, 2792; control, 2411, 2792; development of, in resistant and susceptible plants, 238; genetics of, 2729; role of pectic and cellulolytic enzymes in, 239; var. reaction to, 1150, 2729.

, — — var. menthae on, alteration of patho-

genicity in, 184.

-, — dahliae on, in Italy, 240, 241; Jersey, 2792; control, 2792; correlation between severity of, and occurrence of blossom end rot, 241; var. reaction to, 240.

virus diseases in Yugoslavia, 2070.

, Xanthomonas vesicatoria on, in Italy, 2412; N.Z., 3326; Venezuela, 1866; aetiology of, 3326; C.M.I. description of, 2197; control, 4f, 2412, 3326; effect of gibberellin on resistance to, 2817; multiplication of, as a 'resident' organism, 581; (?)transmission of, to soil, 580; var. reaction to, 2412.

 yellow mosaic virus on tomato in Venezuela, transmission of, by vectors, 1866, 2728.

- yellow top virus on tomato in New S. Wales, 657, 1813.

Torpedospora radiata on submerged cordage,

Torulopsis laurentii on Rhododendron, 3140. - stellata on prunes, 513.

Toxin production, review of, 2196.

Toxoptera citricidus, not found in Near East, 346; Portugal, Turkey, or Yugoslavia, 3379.

- transmitting citrus tristeza virus, 346, 1921, 2909, 3379.

- graminum, transmitting barley yellow dwarf

virus, 1892. Tragopogon porrifolius, see Salsify.

Trametes gibbosa on beech, 2076. - lilacino-gilva on timber, 3046.

- pini on coniferae, 1164.

on timber, 1175.

- serialis on timber, 1174a.

— stereoides on timber, 1175. - variiformis on timber, 1174a.

Tranzschelia pruni-spinosae var. discolor on peach, 507, 657, 1983.

Trapex, use of, against Nectria radicicola on Cyclamen persicum, 2932; Thielaviopsis basicola on Cyclamen, 3239b; C. persicum, 2932; as soil disinfectant, 2491g; 2927.

- R, effect of, on parasitic and saprophytic soil fungi, 677.

Trechispora, competition between soil organisms and, 1767l.

-brinkmannii on insulating material and hardboard in soil burial tests, 2114.

Trees, antimicrobial compounds in fallen leaves of, 1835n.

Armillaria mellea on, in Canada, 3327d; U.S.A., 839; leaflet on characteristics and control of, 839.

-, diseases in U.S.A., field manual on, 3328; internationally dangerous, 838.

[Trees], Fomes annosus, F. igniarius, F. pini, and F. tremulae on, in Estonia, 840.

-, Fusarium oxysporum on cuttings of, entry

and penetration of, 3330.

—, Ganoderma applanatum on, in Estonia, 840. -, mycorrhiza of, in Canada, 1750c; S. Africa, 2518.

—, Phyllactinia suffulta on, 1842.

-, Polyporus sulphureus on, in Estonia, 840. Tremax columba, Daedalea unicolor on, in Canada, 2810.

Tremella faginea on timber, 1175.

Tributyl-tin acetate, phytotoxicity of, 2999.

-, use of, against Fusarium caeruleum and Phoma solanicola on potato, 2999.

- oxide, use of, as timber preservative, 855. N-trichloromethylthio-3-methyl-3,6-endoxyhexahydrophthalimide, non-resistance of spores of white str. of Venturia inaequalis to, 2958.

N-trichloromethylthio-n-chlorophenylmethane sulphamide, resistance of spores of white

str. of V. inaequalis to, 2958.

N-trichloromethylthiophthalimide, use of, against Cylindrocladium scoparium on spruce, 1172; Phytophthora infestans on potato, 348.

Trichlorophenol, use of, against fungi on basketry willows, 1767p.

2,4,5-trichlorophenol, see Nurelle.

Trichocarpinin, fungicidal activity of, production of, by poplar, 3335.

Trichocladium, association of, with Fomes igniarius on timber, 613.

Trichoconis padwickii in air over rice fields,

- on rice, 1517, 1911, 2274.

Trichoderma, antagonism of strs. of, to Verticillium dahliae, production of trichodermin-2 by, 1655.

-, use of, against Sclerotinia sclerotiorum on sunflower, 3288.

- koningii, effect of, on germination and growth of Capsicum, eggplant, and tomato, 1535i.

- — on bean, 3358.

, use of, against Ustilago maydis on maize and Verticillium dahliae on cotton, 1535i.

- viride, antagonism of, 1817; to Armillaria mellea, 849; to Fomes annosus on pine, 600, 601; wheat root rot, 355.

---, decomposition of cellulose by, 615. — —, degradation of simazine by, 931.

effect of duramycin on, 903; of, on Cochliobolus sativus on barley, 2886; Corticium solani on cotton, 94; growth of Pythium in soil, 2828; on potato diseases, 1535k; on sclerotia of Sclerotium rolfsii, 2800.

-, growth determinations of, 1567.

— in soil, 1535m, 1554.

— — on citrus, 1645.

– — on Lolium perenne, 772.

\*\_\_ on mushroom, 1813.

- on pine, 2752.

— on rice, 1018.

— on spruce, 2429. — — on timber, 276, 614, 3047.

— —, production of trichodermin 3 by, 1835m. -, relationship of, with Clitocybe elegans,

2914.

[Trichoderma viride], use of, against Armillaria mellea, 849; Corticium solani on potato, 1835m; Verticillium dahliae on cotton, 751.

-str., inhibition of fungi on birch by, 583. - 6, use of, against phytopathogenic fungi, 1835m.

Trichodermin, effect of, on Corticium solani on cabbage, potato, and tomato, 1535k.

-2, effect of, on Verticillium dahliae on cotton, 1655.

3, production of, by Trichoderma viride, 1835m.

, use of, against *Fomes annosus* on pine, 600.

Trichodorus transmitting Capsicum virus disease, 856e.

- allius transmitting potato stem mottle virus str., 2564.

- pachydermus transmitting tobacco rattle virus, 2790g.

Tricholoma aggregatum on pine, forming mycorrhiza, 1445.

- gambosum, submerged culture of, 1503. - matsutake, Mortierella vinacea associated

with, 2749. on pine, 2749; forming mycorrhiza, 1445. Trichometasphaeria turcica, antagonism of

Actinomyces levoris to, 33. —, effect of UV and visible radiation on sporulation of, 2526.
—, morphology of, 2240.

- on maize, see Maize. — on sorghum, 1014.

— on Sudan grass, 1963. - —, survival of, in host tissue in soil, 1261.

Trichophaea bullata, perfect state of Rhizoctonia hiemalis, 2242.

Trichoscyphella willkommii on larch, 850.

Trichosporium vesiculorum on Casuarina, 2187. Trichosporon capitatum on paper mill slime, 908.

Trichothecin, inhibition of basidiomycetes on timber by, 1767u, v.

production of, by Trichothecium roseum, 1535l.

-, use of, against Colletotrichum lagenarium on watermelon, Podosphaera leucotricha, and Sclerotinia laxa on cherry, 1823.

Trichothecium roseum, effect of substances from chlamydospores of Ustilago maydis on, 725.

— on apple, 136, 1223.

\*- - on Averrhoa carambola, 2362.

— on mushroom, 1868.

--, production of trichothecin by, 15351. Trifolium, see Clover.

Trifungol, see ferbam.

Trigona transmitting Gloeosporium musarum, 803.

Trimethylamine, effect of, on Tilletia caries spores, 2255.

-> Triphenyl tin, acetate, use of, against Cercospora beticola on beet, 2132b, 2133.

— — versus copper oxychloride, 2133.

—— in combination, use of, against Cercospora beticola and Erysiphe polygoni on beet, 3127.

Tripsacum floridanum × maize, maize stunt virus can infect, 881d.

- laxum spikiness disease in Ceylon, (?) virus causing, 110.

Trirodazeen, use of, against Venturia inaequalis, 785; as soil fumigant, 1749.

- in colloidal sulphur, use of, against Plasmopara viticola on vine, 1507. Triscabol, see Ziram. Trisetum, Tilletia contraversa on, 2948.

Trisodium orthophosphate, use of, against mushroom dieback, 651.

Triticum, see Wheat. Tritisan, use of, as seed treatment for wheat, 1242a.

Trizone, use of, as soil fumigant, 1519.

Trogia crispa on timber, 1174a.

(?)Tropaeolum ring mosaic virus on Digitalis lanata, 1099

\*Tsuga canadensis, Fabrella tsugae on, in Netherlands, 262.

-, Melampsora abietis-canadensis on, in Canada, 3327d.

heterophylla, Botryosphaeria tsugae on, in Canada, Macrophoma conidial state of, 3043. , Caliciopsis pseudotsugae on, 3338.

T-sulkol, use of, against Venturia inaequalis, 785.

\*Tuber maculatum on pine, forming mycorrhiza, 1761.

Tubeufia, the genus, 939.

Tulip (Tulipa), Botrytis tulipae on, biological study on, 1052; biology of, 490; control, 3243; effect of, on ectodesmata, 969.

breaking virus on tulip, in Japan, preserva-tion of, 767, 1853; purification of, 1051; serodiagnosis of, 489; symptoms of, 2943.

 effect of dithiocarbamates on, 3096k. Penicillium and Sclerotinia on, in U.S.S.R., 478.

-, Sclerotium perniciosum on, in Denmark, 1514.

, tobacco necrosis virus on, in Czechoslovakia, serological study on, 486.

Tung, see Aleurites.

Tunstallia aculeata on tea, 1737a, b. - var. kesabii on tea, 1737a.

Turf (see also Gramineae and Grasses), basidiomycetes on, in U.S.A., causing fairy rings, 1957.

—, Corticium fuciforme on, in N. Ireland, 2793.

-, - solani on, in U.S.A., 1957.

-, Curvularia on, in U.S.A., 1957; control, 658a.

- diseases in U.S.A., key for identification of, 1957.

Griphosphaeria nivalis on, in N. Ireland, 2793.

-, Helminthosporium on, in U.S.A., 1957.

Pithomyces chartarum on, in New S. Wales, 657.

—, Pyricularia grisea, Pythium aphanidermatum, and Sclerotinia homoeocarpa on, in U.S.A., 1957.

Turnip (Brassica rapa), Alternaria brassicicola on, in Malaysia, 2496.

\*— crinkle virus on cabbage, 1218e.

- — on swede and turnip, 2491j.

- latent [Physalis floridana yellow net] virus, factors affecting transmission of, by vectors, 58, 957.

—, mercury residues in, 1772.

mild yellows virus on turnip in England, 2790c; resembling phosphorus and potassium deficiencies, 2790c.

[Turnip] mosaic virus on Alliaria officinalis, 857. -, distribution in world of 2 strs. of, 1181; effect of detergents on, 1861; of some monovalent and divalent cations on, 408; preservation of, in infected leaf tissue in deep freeze, 1853; rhubarb virus 2 (?) identical with, 2791c.

– — on cabbage, 857, 1181. ——— on cabbage, Chinese, 1183.

— — on Chenopodium amaranticolor, 2758.

— — on Matthiola incana, 1049

— — on Nicotiana glutinosa, 1181. — — on turnip in Yugoslavia, 857.

— — on turnip rape, 1183.

- - str. on Helipterum roseum, 2118. — — — on Nicotiana glutinosa, 958. --- A on cabbage, Chinese, Kwuting

disease type IV virus identified as, 1182, -- cabbage str. on cabbage and Nico-

tiana glutinosa, 1181.

—, ring spot str., on cabbage, Chinese, Kwuting disease type VII virus identified as,

, Plasmodiophora brassicae on, 2122; in Hong Kong, 344; Netherlands, 1, 3354; Siberia, 2124; breeding against, 2123; effect of mineral nutrition on invasion and response of, to, 1187; physiologic races of, 1, 2122, 3354; var. reaction to, 343, 3354.

-, Xanthomonas campestris var. armoraciae

on, 1179.

- yellow mosaic virus on turnip, 2491j; not identical with wild cucumber mosaic virus,

- yellows virus on swede and turnip, 2491j.

- rape (Brassica napus), Alternaria brassicae on, control, 2378; technique for inducing sporulation of, 2377.

-, Cercosporella brassicae on, in Chile, 62. -, Glomerella cingulata on, phytoalexins

from, 1829.

-, Pythium debaryanum on, factors affect-

ing, 1835h.

-, turnip mosaic virus on, effect of culture filtrate sprays from Actinomyces ahygroscopicus isolates on, 1183.

Tuzet, use of, against Glomerella cingulata on vine, 2788; Thielaviopsis basicola on cyclamen, 3096m, 3239a.

- in combination, use of, against Mycena citricolor on coffee, 1333.

Tympanis hypopodia on pine, 271, 1750e. Typhula idahoensis on wheat, 2591.
— incarnata, hosts of, 1673.
— — and T. ishikariensis on wheat, 1873.

- variabilis on rape, 2795.

Tyrosinase in relation to beet resistance to rot, 294.

UA salt, effect of, on growth of Chaetomium globosum, Coniophora puteana, and Poria vaporaria on timber, 2438.

-, use of, as timber preservative, 2437. UC 17525, use of, against Erwinia amylovora

on apple, 147.
UC 19297, toxicity of, to apple, 1979.
—, use of, against *Erwinia amylovora* on apple

and pear, 1979.

UC 20712, toxicity of, to apple, 1979. -, use of, against Erwinia amylovora on apple and pear, 1979.

\*Udongamontana, Synnematium jonesii on, in India, 2276b.

Ulmus, see Elm.

Ultrasonic radiation, use of, as seed treatment

for cotton, 2916; for soybean, 2456. UV light, effect of, on *Crotalaria* mosaic virus, 1938, 2925; Helminthosporium, micro-organisms, 3105; moulds, sporulation of seed-borne fungi, 2128; sporulation of Septoria oudemansii on Poa pratensis in culture, 2527; tobacco mosaic virus, 1227a; virus transmission by Myzus persicae, 3052; yeasts, 2128.

inactivation of ribonucleic acid by, 2048; use of, against bacteria and fungi on books, 3110; in diagnosing plant viruses,

410.

Uncinula necator on vine, see Vine. salicis on poplar and Salix, 1842. Universal 50, use of, on onion, 2462.

U.N.R., use of, against Cercosporina ricinella on Ricinus communis, 809.

Upjohn 139 emulsifer, use of, on pine, 3040. Urbacid in combination, use of, against Mycena citricolor on coffee, 1333.

Urea, effect of, on fungi, 2790m; on transmission of potato virus Y by Myzus persicae, 61.

in combination, use of, as soil disinfectant, 658b.

Uredinales, host-parasite and physiology rela-

tions of, 1233m.
-in Cyrenaica, 3171; Norway, 2832, 2833; Puerto Rico, 1841.

-, morphology of spermogonia of, 48.

- on cultivated plants, 689.

 graminicolous, method for observing uredospore germination pores and their use in taxonomy of, 942.

-, vacuum-drying for storage of spores of, 2183f.

Uredo ingae on Inga, 2078.

\*— nectandrae on Nectandra, 2079.

— sissoo on Dalbergia sissoo, 3329.

Urnula craterium on oak, 587.

Urocystis agropyri on wheat, 711, 2797, 3188.

- cepulae on chive and garlic, 316.

- - on onion, see Onion.

— — on shallot, 316.

- colchici, sexuality of, 883e, 2549. Uromyces ambiguus on Allium odorum, 345.

- anthyllidis on Medicago, 1868. — appendiculatus on bean, see Bean. — betae on beet, 287e.

- caryophyllinus on carnation, 1942.

- ciceris-arietini on Cicer arietinum, 1487. \*— decoratus on Crotalaria juncea and C. retusa, 777.

- fabae, sœ Uromyces viciae-fabae.

- fallens on clover, 2493f.

- muscari f.sp. hyacinthi on Hyacinth, 2934.

\*— scirpi on carrot, 2566.

- striatus on lentils and lucerne, 3102. - viciae-fabae on broad bean, 67, 2446.

Urtica urens, Capsicum virus on, in U.S.A., 856e.

Ustilaginales in Cyrenaica, 3171; Estonian S.S.R., 2493e.

- on cultivated plants, 689. on Gramineae, 2493d.

\*Ustilaginoidea virens on rice, 347, 1911. Ustilago avenae on oats, see Oats.

- bullata on Bromus unioloides, 657.

[Ustilago] crameri, decline in viability of chlamydospores in soil, 2858.

- cynodontis on Cynodon dactylon, 1578, 2947. - hitchcockiana on C. dactylon, 2947.

- hordei on barley, see Barley.

— on oats, see Oats.

— × U. bullata on barley, 1000.
— maydis, effect of formaldehyde vapour on, and some characters of resulting mutants, 455; of substances from chlamydospores of, on Botrytis cinerea and Trichothecium roseum, 725.

— inhibiting Pythium (?)acanthicum, 399.

-- on maize, see Maize.

- — on Orobanche cumana on maize, 2604.

---, studies on, 2489a.

— —, U. nuda compared with, 2520.

- nuda on barley, see Barley.

-, comparison of, with U. maydis, 2520.

- on cereals, 1592.
- on wheat, see Wheat.

- paradoxa on Echinochloa frumentacea, 2899. - paraguariensis on Cynodon dactylon, 2947.

- scitaminea on sugarcane, see Sugarcane. Ustilgon, not to be used on wheat, 1300. -, use of, as seed treatment for barley, 1300,

2491t. Ustulina deusta on Casuarina and \*tea, 1740.

- vulgaris, see U. deusta.

- zonata, Hypoxylon deustum on tea, formerly identified as, 1739.

— on tea, 558.

Vaccinium, Botryosphaeria corticis on, in U.S.A., 155.

-, - ribis on, in U.S.A., 156.

- australe, Phytophthora cinnamomi on, in U.S.A., 2679.

- corymbosum necrotic ringspot virus in U.S.A., 154; transmission of, by vectors, to cucumber, 154.

-, Phytophthora cinnamomi on, comparison of, with isolates from other hosts, 2349.

-, tobacco ringspot virus on, in U.S.A., 517; Xiphinema americanum associated with, 517.

vitis-idaea, Exobasidium vaccinii on, homothallic, host specificity to, 2838.

Valeriana, Macrophomina phaseoli on, causing root rot, in Bulgaria, 419.

Valerianella olitoria, Erysiphe cichoracearum on, in Germany, differentiation of, from E. polygoni, 1341.

-, - polygoni can infect, 1341.

Valsa abietis on Abies balsamea, 1750a.

- cincta on peach, 879, 3265.

- on plum, 512.

- eugeniae on pimento, 351.

- leucostoma on peach, 162, 3265.

— (?)nivea on aspen, 1432.

on poplar, 589.

- sordida on poplar, see Poplar,

Valsaceae, factors affecting fruit body formation in, 1250.

Vamidothion, use of, against vectors of beet yellows virus, 1513f.

Vancomycin, use of, against Agrobacterium tumefaciens on rose and tomato, 904.

Vanda, Cymbidium mosaic virus on, inactivation of, 2636b.

Vapam, decomposition of, in soil, 1246.

-, use of, against papaw damping-off, 1367; Sclerotium rolfsii on laurel, 2633; Thielaviopsis basicola on Cyclamen, 3239b; as soil disinfectant, 2184e, 2491, 2628.

Vegetable marrow (Cucurbita pepo), cucumber mosaic virus str. on, in India, hosts of, inactivation of, transmission of, by sap and vectors, 2164.

, Hypomyces solani f.sp. cucurbitae on, virulence of mutants of, 642.

—, melon mosaic virus on, in China, transmission of, by vectors, 2165. -, Sphaerotheca fuliginea on, in U.S.S.R.,

2166.

watermelon mosaic virus str. on, in India, transmission of, by aphids, 2164.

Vegetables, cultivation of, problems of plant protection in, 2491h; Russian book on, 3381.

-, disinfection tests for seeds of, 3125.

Verticillium alboatrum on, pathogenicity of, to ornamentals, 663.

, virus diseases in Romania, 1274. Venturia carpophila on peach, 1983, 1984.

-, see also Fusicladium carpophila.

- cerasi on cherry, 2795. - inaequalis, non-resistance of spores of white str. of, to captan, copper oxychloride, N-trichloromethylthio-3-methyl-3,6-endoxyhexahydrophthalimide, and zineb, 2958.

on apple, see Apple.

resistance of spores of white strain of, to N-trichloromethylthio-n-chlorophenylmethanesulphamide, 2958.

, technique for producing conidia of, in

artificial culture, 1690.

- —, toxicity of 2-nitro-1-phenyl-1-phenylthio-alkanes to, 676.

- nashicola on pear, 3259.

— pirina on pear, see Pear.

— populina on aspen, 1756, 3033. — perfect state of Pollaccia elegans, 1756. — tremulae on poplar, 1756. Venturicidin, use of, against Colletotrichum

atramentarium on tomato, 1748.

Verbena canadensis, lucerne mosaic virus str. on, 2375.

Verdasan, use of, against Griphosphaeria nivalis, Sclerotinia borealis, Typhula, and T. ishikariensis on wheat, 1873.

Verigan, use of, against Septoria helianthi on sunflower, 2014.

Vermiculite as culture medium for mycorrhiza,

Verticillium diseases, concept of host-parasite

relationship in, 2321.

-, physiology of, 2519d.

- alboatrum, biotin requirement of, 883c, 2535.

causing birch slimy flow, 2416.

, effect of light quality on growth and microsclerotial production of, 2826.

—, electron micrographs of structure of

microsclerotia of, 40.

, factors affecting antagonism of bean rhizosphere micro-organisms to, 1474; variation in, 2543.

——, hosts of, 204, 2697.

— —, nuclei in spores and mycelium of, 2840.

— — on apricot, 8841, 2676. — — on aster, 1037, 1038.

— — on cherry, 1433.

- — on cotton, see Cotton.

- [Verticillium alboatrum] on cucumber, 343.
- — on eggplant, 334. - on elm, 1433.
- - on fruit, pathogenicity of, to ornamentals, 663.
- on hops, 528, 2184d.
- on laurel, 2633.
- — on lucerne, see Lucerne.
- — on maple, 1433.
- on peppermint, 52, 1103. on potato, 204, 348, 814, 2710.
- on Rhus typhina, 2426.
- on safflower, 186, 2697 — on Senecio vulgaris, 1523
- — on stone fruits, 1357, 2675. — on strawberry, 2356. — on sunflower, 1225t.

- on tomato, see Tomato.
- --- on vegetables, 663.
- — on walnut, 1433.
- -, studies on mechanisms of variation in, 52.
- — + Thielaviopsis basicola on cotton, 1933. - var. menthae on peppermint and tomato,
- 184.
- \*-- aphidis on aphids, 2204.

- cinerescens hosts of, 760.
   morphology of, 2546.
   on carnation, 1947, 2629, 2630, 2927.
- dahliae, growth of, with polyphenols and glucosides, 3144. — in soil, 1677.
- -- on clover, 875.
- on cotton, see Cotton.
- on eggplant, 334.
- on flax, 402.
- — on Leguminosae, 1931.
- — on lucerne, 1681.
- — on maize, 1931. — on olive, 2796.
- — on Onobrychis viciifolia, 12251.
- \*— on safflower, 1228.
- — on stone fruits, 2675.
- — on strawberry, 2184e. \*— on sweet pea, 2797.
- on tomato, 240, 241, 2792.
- ---, reasons for combining in V. alboatrum, 52.
- -, spectrophotometrical analysis of pigments produced by, 923.
- glaucum on timber, 1769. kubanicum on ash, birch, and oak, 3025.
- theobromae on banana, 167.
- Vetch (Vicia), clover, white and yellow,
- mosaic viruses can infect, 884i. Vetiveria zizanioides, \*Khuskia oryzae on, in Jamaica, perfect state of Nigrospora oryzae,
- VHF radio waves, use of, as seed treatment for soybean, 2456.
- Vicia, see Vetch.
- faba, see Bean, broad.
- sativa, Glomerella cingulata on, phytoalexins from, 1829.
- Victorin, production of, by Cochliobolus victoriae, 349.
- Vigna, Phomopsis loti on, susceptibility to, 499. - catjang, Xanthomonas vignicola on, in India, 1237.
- cylindrica and V. sesquipedalis, bean southern mosaic virus cowpea str. on, in U.S.A., 302.

- [Vigna] sinensis, Colletotrichum lindemuthianum and (?) Fusarium on, in Hong Kong, 345.
- unguiculata, see Cowpea.
- \*Vinca major, cucumber mosaic virus on, in Netherlands, 2185a.
- rosea, clover dwarf virus str. CD1/57 on, properties of, 56.
- -, phyllody [strawberry green petal] virus strs. on, properties of, 56.
- Crimean yellows virus, [potato] parastolbur virus str., and [tomato] stolbur virus
- str. on, properties of, 56. var. alba, maize stunt virus can infect, 881d.
- Vine (Vitis), Agrobacterium tumefaciens on, in Austria, 3093; Canada, 873.
  - -, Alternaria vitis on, in U.S.S.R., 3092. apoplexy in Greece, 783.
- -, Arabis mosaic virus on, serology of, 1215, 2556.
- -, Armillaria mellea on, in Belgium, 1512v; U.S.A., 2855; control, 1512v, 2855; effect of Trichoderma viride in soil on, 1535m.
- \*—, Ascochyta ampelina on, in Romania, 2542. —, Botrytis cinerea on, in Austria, 3093;
- effect of grape exudates on, 2177; var. reaction to, 1511.
- -, Cercospora roesleri on, in U.S.S.R., 3092. - viticola on, in India, pectinase inhibitor in leaves of host, 1223.
- -, vitiphylla on, in U.S.S.R., 3092. -corky bark virus in Italy and U.S.A., (?)
- identical, transmission of, by grafting, 2485. - cotyledonary mosaic virus on vine, transmission of, by grafting, vine panachure symptom of same virus disease, 1804.
- court noué in France, thermotherapeutic tests on, 1505e.
- Cryptosporella viticola on, in Canada, 2787; \*Romania, 2542; associated with dead-arm disease, 2787.
- , Cylindrocarpon radicicola on, inhibition of, by cell sap of, 1808.
- \*-, Cytospora vitis on, in U.S.S.R., 3092.
- dead-arm disease in Canada, fungi associated with, 2787.
- dieback in France, Phylloxera and vine degeneration virus associated infectious with, 1806.
- Diplodia viticola on, latency and time of infection of, 3094; metabolism of organic acids in relation to, 2178.
- diseases in U.S.S.R., 3092; control, 359b; Czech handbook on, 1061; edition of annual calendar on, and factors affecting, in relation to life cycle, 3373; fungicidal treatments against, 359a.
- 'distorzioni fogliari' virus in Italy, (?)str. of vine fanleaf virus, 2484a.
- -, Elsinoe ampelina on, in Austria, 3376.
- 'endocellular rings', infectious degeneration virus causing, 1505g.
- -, epiphytic mycoflora of, 374.
- -, Erwinia vitivora on, in France, control, 341.
- fanleaf virus on vine, 659k; in Italy, 3090; N.Z., 1805, 3089; symptoms of, 3089; transmission of, by vectors, 3090; vine 'distorzioni fogliari' virus (?)str. of, and vine 'malformazione infettiva' virus (?)identical with, 2484a.
- - strs., purification and serology of, 2484b.

[Vine], Fusarium oxysporum on, inhibition of,

by cell sap of, 1808.

giallume infettivo' virus in Italy, (?) identical with vine yellow mosaic virus,

Gliocladium verticillioides on, inhibition of,

by cell sap of, 1808.

—, Glomerella cingulata on, in Korea, 2788. - golden flavescence virus on vine in France, 1505d, 2785a, b; transmission of, by grafts,

1505d; vectors, 1505d, 2785a, b.

- infectious degeneration virus on vine in Argentina, 1505c; Cyprus, 2796; France, 3091; Italy, 2786; (?)Yugoslavia, 2486; associated with vine dieback, 1806; causing 'endocellular rings', 1505g; control, 1505c, 3091; strs. of, 1505g; studies on mechanical transmission, physical, and serological properties of, 871; transmission of, by vectors, 2786.

- leaf roll virus on vine in N.Z., 1805, 3089; confusion of symptoms of, with potassium deficiency, 1805; symptoms of, 3089. - malformazione infettiva, virus in Italy,

(?)identical with vine fanleaf virus, 2484a.

- moulds in Italy, 3373.

- necrosis virus on vine, tests for serological diagnosis of, 1807.

panachure virus on vine, vine cotyledonary

mosaic a symptom of, 1804. , persistence of captan, copper oxychloride, and other fungicides on leaves of, exposed to artificial rain, 2502.

\*—, Phoma uvicola on, in U.S.S.R., 3092.

-, Phomopsis (?)viticola on, in Belgium, 3375. -, Physalospora obtusa on, in Canada, associated with dead-arm disease, 2787.

Pithomyces chartarum on fruit of, in New

S. Wales, 657.

- 7. Wates, over the control of the co operations against, 2494e; method for rapid evaluation of fungicidal action, 1512d; representation of meteorological data in connexion with, 2488; specific reaction to, 1508; viability of sporangia and zoospores of, 2789.
- -, potassium deficiency in, vine leaf roll virus symptoms confused with, 1805.
- -, Rhacodiella castaneae on, in U.S.S.R., associated with spotted necrosis, 1509.
- \*-, vitis on, in U.S.S.R., causing spotted necrosis, 1510.
- Sclerotinia fructigena on, in Bulgaria, 1809.
- 'scolorazione perinervale' virus on vine in Italy, (?)identical with vine vein banding virus, 2484a.
- spotted necrosis in U.S.S.R., 1509, 1510; Rhacodiella castaneae associated with, 1509; R. vitis causing, 1510.
- , Stagonospora bulgarica on, in Bulgaria, 2180.
- -, thermotherapy of some varieties of, 3372.
- , tomato black ring virus on, in Germany, 1214.

[Vine], Uncinula necator on, 62; in Czechoslovakia, 2487; Italy, 3373; \*Nyasaland, 877; Portugal, 873, 2234; U.S.S.R., 1506, 3092; Yugoslavia, 1216, 2181; control, 1216, 1506, 1512s, 2487, 3373; effect of zineb on, 362; factors affecting, 2181; osmotic pressure in robation to 2847. relation to, 884y.

veinbanding virus on vine, 659k; vine 'scolorazione perinervale' virus (?)identical

with, 2484a.

virus diseases, in Czechoslovakia, 1061; Portugal, 1505b; U.S.A., 1505f; antigenic relationships between Arabis mosaic virus and, 1505h; conference on, 1505; control, 1061; 1505f; relation to soil-borne ring spot virus diseases in Britain, 1505h; transmission of, by vectors, 1505f; world knowledge on, 1505a.

yellow mosaic virus on vine, 659k; vine giallume infettivo' virus (?)identical with,

2484a.

Viola, Cercospora violae var. minor on, in Portugal, 2831b.

Viruses on fungi, review of work on, 956.

— on plants in India, 406, 406c, f, m, 12411;

Romania, 1274; arthropod transmission of, review of, 57; biosynthesis of nucleic acids in 406j; chromatographic purification of, on cellulose columns with polyethylene glycol, 3166; classification of, in a Linnaean system, 407; control, 406f, 691, 12411; by seed and soil treatment, 952; Czechoslovakian book on, 953; detection of, in introductions under quarantine in U.S.A., 36; host cell relations 1233; identification of, 2550, 3161; on morphological criteria, 3162; lecture on (Broadbent), 1273; measurement of, by double diffusion in agar, 1219a; methods for studying, 1272; monograph on, 2550; morphology and structure of, 406i; multiplication of, in relation to inorganic nutrition, 406a; nature and origin of, and nomenclature, 954; nematodes as vectors of, 3170; physiology of, 406h, 1233j; production of interferon in affected cells, 54; research on, 1852, 1857; serology of, 406l, 1856; survey on. 3161; use of lyophilisation in preservation of, 2551; of UV spectrophotometry for diagnosis of, 410.

Viscaria sartorii, Verticillium cinerescens on, 760.

Vistas in Botany, Vol. 3, 1540.

Vitamin requirements of Botryodiplodia ananassae, Fusarium solani, and Macrophomina phaseoli, 2222.

- B complex, effect of, on Stemphylium sarciniforme on Cicer arietinum, 1486.
- B<sub>1</sub>, effect of, on growth of Fomes annosus, 268.
- B<sub>6</sub> in relation to Puccinia graminis on wheat, 2583.
- Vitigran blue in combination, use of, against cucumber leaf diseases, 1500.
- concentrated, use of, against Plasmopara viticola on vine, 340.

Vitis, see Vine.

Volck oil, use of, on avocado pear, 882e. Volutella ciliata on bean, 3358.

Walnut (Juglans) apoplexy in Greece, 783. -, Fungi Imperfecti on, in U.S.A., 1428.

[Walnut] fungus diseases, control, 595.

, Gnomonia leptostyla on, in Lebanon, 1578; var. reaction to, 594, 1162.

-, Hendersonula toruloidea on, pathological anatomy and infection by, 884u.

-, Microstroma juglandis on, in Czechoslovakia, symptoms of, 595.

-, Verticillium alboatrum on, reaction to, 1433. Xanthomonas juglandis on, in Italy, symptoms of, 847.

- juice, effect of, on Corynebacterium rathayi and Serratia marcescens, 3508.

Watermelon (Citrullus vulgaris) bacterial disease in U.S.A., 2798e.

-, cantaloupe virus can infect, 884x

-, Colletotrichum lagenarium on, in S. Africa U.S.A., differentiation of U.S.A. and S. Afr. strs., 2497; Vietnam, 347; Yugoslavia, 867; control, 1823; losses caused by, 347; var. reaction to, 867

- diseases in U.S.A., control, 882b.

-, Erysiphe cichoracearum on, in Czecho-slovakia, 1793; Oidium state of, 1793.

-, Fusarium on, in Vietnam, 347; effect of fertilizers on, 2169.

-, - oxysporum on, in India, 2170.

-- f.sp. niveum on, in Armenia, 869; Hawaii, 1519; U.S.A., 349; 2798e; Vietnam, 1517; physiologic races of, 2798e; studies on, 1519; var. reaction to, 349, 2798e.

—, Glomerella magna on, in U.S.A., 2168 — mosaic virus on cantaloupe, 1860, 2468.

 — on cucumber, 349. — — on cucurbitaceae, 640.

——— on melon, 1496, 2467. ——— on squash, 349, 2467.

--- on watermelon, in U.S.A., 5e, 331, 349; effect of, on yield, 349; separation of antigenic plant protein from, 2557 - str. on vegetable marrow, 2164.

—, Mycosphaerella melonis on, control, 882d. -, Oidium on, in Czechoslovakia, 1793.

-, Pseudomonas lachrymans on, in U.S.S.R., physiologic races of, 329.

-, Pseudoperonospora cubensis on, in Laos,

2496; control, 882d.

 Sphaerotheca fuliginea on, in Czechoslovakia, 1793; Queensland, 1228; U.S.S.R., 2166; control, 1228, 2166; Oidium state of, 1793.

virus in India, inducing witches' broom

symptoms, 2164.

Wax alone and in combination, use of, against Xanthomonas vesicatoria on Capsicum, 3087. Wepsyn 155 W.P. not causing injury to apple, 3250.

-----, use of, against Podosphaera leuco-tricha, 3250.

Wheat (Triticum), Alternaria on, in India, distinct from A. tenuis, var. reaction to, 1223.

\*—, — triticina on, in India, var. reaction to, 1298.

-, Aspergillus on stored, 2878.

\*-, barley yellow dwarf virus on, in India,

- breeding, research on, in Hungary, 1515.

-, cardamom 'chirke' virus can infect, 1222. -, Cephalosporium gramineum on, 372.

, Cercosporella herpotrichoides on, in England, 2183b, 3378; Netherlands, 2185a; U.S.S.R., 699; control, 993, 2261, 2262; by

crop rotation, 2261; effect of clover-grass rotation on frequency of, 18350; of cyanamide and mercury on, 2874; on yield, 1606, 2876; factors affecting, 1608, 2185a; leaflet on, 2262; mode of infection by, 2875; review of literature on, 2261; var. reaction to, 2183b, 3378.

[Wheat], Chaetomium on, 653.

-, Cladosporium macrocarpon on, in Germany, 718.

-, Cochliobolus sativus on, 1874; in Canada, 1874, 1225d; Hungary, 715; S. Africa, 2497; S. Rhodesia, 427; breeding against, 1225d; effect of grass residues on infection by, 992; effect of, on yield, 715, 2497; factors affecting, 2497; incidence of, 715; var. reaction to, 1225d.

, Colletotrichum graminicola on, factors

affecting pathogenicity of, 71.

-, Corticium solani on, 2192; in Norway, 426; S. Africa, 2497; U.K., 1219b, 2182c; control, 2497; differing virulence of, 2182c; effect of grass residues on infection by, 992; factors affecting, 2182; transmission of, to barley and oats, 1219b.

, Corynebacterium tritici-nematode complex on, in India, causing tundu disease, 1299.

Dilophospora alopecuri on, in Yugoslavia, -, Duopnospora aiopecar, on, 12 2256; Anguillulina tritici associated with,

disease in India, similarity of, to wheat striate mosaic virus, 65

- diseases, studies on, in England, 2183a. , effect of grass residues on growth of, 992; of soil microflora on yield of, 1549g.

-, enzymatic changes in infected detached leaves and tissues of, 3139.

, Erysiphe graminis on, 2877; in Bulgaria, 700; England, 2183b, f; Europe, 2183f; Germany, 2795; India, 2259; Lebanon, 1578; Poland, 1592; U.S.S.R., 3179; Yugo-slavia, 2588; breeding against, 2558; control, 1823, 2504; effect of heavy infection by, on ectodesmata, 969; on yield, 994; of temperature on 006 ture on, 996; electron microscopy of sheath surrounding the haustorium of, 995; factors affecting, 700, 1297, 1609, 2859; identification of, 2183f; moisture requirement for the tion of, 21831; moisture requirement for the germination of conidia of, 1296; physiology of primary infection by, 1609; physiologic races of, 453, 1297, 2183b, f, 2259, 2877; reaction to, 1676; strs. of, 1592; use of benzimidazole in studying, 1217; var. reaction to, 453, 988, 1297, 2183b, 2588, 3179, fungi on stored in England, 2258; U.S.A., 771, offect of on yeasts 77

77; effect of, on yeasts, 77.

-, Fusarium on, 653, 716; in Canada, 3;
Netherlands, 3098; Poland, 1593; development of, in root region of, 1835b; effect of root excretions on germination of, 1549a; inhibition of, by *Rhizophagus* mycorrhiza, 3. anguioides on, in Poland, 1593.

,—culmorum on, in Poland, 1593; S. Rhodesia, 427; effect of, on quality and suitability for baking, 2873; on yield, 438, 1606, 2491q; var. reaction to, 438.

- equiseti on, in Poland, 1593.

- orthoceras var. longius on, in S. Rhodesia, 427.

- oxysporum f.sp. vasinfectum on, effects

of culture filtrates on, 2856.

-, — poae on, in Poland, biology and morphology of, 3191.

[Wheat, Fusarium] scirpi on, in Poland, 1593.

-, Gibberella zeae on, in Argentina, 1867; New S. Wales, 657; Poland, 1593; U.S.A., 439; Yugoslavia, 2257; control, 2257; effect of grass residues on infection by, 992; factors affecting, 439; survey of distribution

-, Griphosphaeria nivalis on, in England, 698; control, 1873; determination of resistance

to, 2493k.

Helminthosporium on, 716; technique for detecting, 2862.

- avenaceum on, in Scotland, 875.

, Leptosphaeria nodorum on, in Argentina, 1867; Netherlands, 714, 3098; S. Rhodesia, 427; Switzerland, 1887; U.S.A., 2589; U.S.S.R., 696; control, 1887, 3098; detection of, 653; effect of age on susceptibility to, 1611; effect of, on quality and suitability for baking, 2873; on yield, 438, 1606, 2491q; epidemiology of, 4g; factors affecting, 4g, 714; maintenance of sporulation of, in pure culture, 714; spread of, 696; survey of distribution of, 1867; symptoms of, 714; transmission of, by seed, 714; var. reaction to, 438.

-, maize streak virus on, 427. - mosaic virus on cereals, 1590.

on wheat in U.S.A., effect of, on baking and milling properties, 3177; electron microscopy of, 3178.

- mottling in Queensland, 719. -, mould fungi on, control, 716.

-, Mucor on, effect of root excretions on germination of, 1549a.

— mycorrhiza, 73; ecology of, 374.

-, Neovossia indica on, infection of, 1849; longevity of chlamydospores of, 991.

Ophiobolus graminis on, in England, 2790h; Netherlands, 3192; Norway, 454; Poland, 1888; W. Australia, 440; ascospore infection by, 3192; control, 440, 1555, 2261, 2790h; by crop rotation, 2261; effect of, on yield, 1606, 2491q; estimation of intensity and occurrence of, 1888; factors affecting, 2491q; imperfect state of str. of, identical with *Phialophora radicicola*, 1607; review of literature on, 2261; var. reaction to, 1888.

-, Penicillium on, effect of root excretions on germination of, 1549a; on stored, 2878.

, Podosporiella verticillata on, in New S. Wales, 1813.

-, Puccinia on, in England, 2183b; Yugoslavia, 2577.

2577.

-, — graminis on, 1818; in Argentina, 1867; Australia, 1597; Canada, 701, 878, 2865; China, 980; India, 1222, 1223, 1288, 1291, 1292, 1878, 2249, 2250; Italy, 2864; Kenya, 1596; N.Z., 1597; Pakistan, 1598, 3182; Queensland, 1228; S. Africa, 2497; S. Rhodesia, 427; U.S.S.R., 420, 703, 1284, 2494f; Yugoslavia, 704, 2581, 2582; barberry in relation to, 2582; breeding against, 431, 432, 1225h, 2578, 2581, 3180; classification of strs. of, 1597; cold-induced dormancy in, and its reversal in uredospares of 1879. in, and its reversal in uredospores of, 1879; control, 702, 1223, 1286, 1876, 2495f, 2497, 2866; description of preparation of mitochondrial fraction from, 2865; distribution of barberry in relation to, 2864; distribution in U.S.S.R., maps of, 2494f; effect of calcium sulphamate, sodium sulphanilate,

and sulphanilic acid on, 702; of infection on ribonucleic acid content, 3181; of semi-carbazide and thiosemicarbazide on acid metabolism and infection, 2580; of some sulpha drugs on, 1287; factors affecting, 1284, 1288; germination of uredospores of, 979; penetration of, 706; genetics of, 431, 432, 1225h, 1597, 2578; of resistance to, 705; inhibition and lysis of, by Aspergillus and bacteria, 977; light inhibition of uredoby 878; metabolism of indoleacetic acid in, 1285, 1881; non-inhibition of, by self-inhibitor of *P. sorghi* on maize, 1905; occurrence of biotype 117A, 2250; over-summering of, 1228, 1598; photosynthesis and, 2820; physiologic races of, 431, 701, 703, 704, 978, 979, 980, 1222, 1223, 1228, 1283, 1289, 1290, 1291, 1292, 1596, 2578, 2581, 2582, 2583, 3182; physiology of, 2251; quantitative relationship of vitamin B<sub>6</sub>, niacin and pantothenic acid to, 2583; relationship of penetration of host to type of infection, 1880; resistance of, to some fungicides, 362; review of problems of, in N. America, 2863; survey of distribution of, 1867; survival of races of, 1878; uredospore discharge of, 2249; var. reaction to, 420, 431, 701, 703, 704, 978, 980, 987, 988, 1225h, 1228, 1283, 1288, 1291, 2581, 2583; 'Y' type infection in, 1599.

[Wheat, Puccinia] recondita on, 1603; in Argentina, 1867; Canada, 701; Czechoslovakia, and Germany, 2867; India, 1222, 1223, 1883, 2249; Hally, 2868; Portugal, 981, 1602; S. Africa, 2497; S. Rhodesia, 427; Sweden, 2867; U.S.S.R., 420, 433, 2494f, 3179, 3183; (Caucasus), 1284; (Crimea), 2494i; Yugoslavia, 1601; breeding against, 2584, 3180; control, 68, 483, 702, 2494f, 2497, 2816; derivative of degilens umbellulata for use in providing of Aegilops umbellulata for use in providing resistance to, 2183f; distribution in U.S.S.R., maps of, 2494f; effect of calcium sulphamate, sodium sulphanilate, and sulphanilic acid on, 702; of, on cytidine content of leaf, 982; on pyridine nucleotide levels, 3184; of radiation on susceptibility to, 708; examination of vegetative recombination of uredo-spore colour and virulence in mixtures of races of, 1882; factors affecting, 2249; penetration of, 706; genetics of resistance to, 707; losses caused by, 701; new race of, 1883; physiologic races of, 427, 701, 707, 978, 981, 1222, 1223, 1283, 1601, 1602, 2584, 2816, 2867, 2868, 3183; reliability of long-term forecasts of outbreaks of, 2494i; reversal of self-inhibition of uredospore germination of, by coumarin and 2,4-dinitrophenol, 2867; stomatal exclusion by peduncles and sheaths, 2252; survey of distribution of, 1867; uredospore discharge of, 2249; var. reaction to, 420, 433, 701, 978, 981, 987, 988, 1283, 1601, 1884, 2584, 2867, 3179, 3183; 'Y' type infection in, 1599.

c, — striiformis on, in Argentina, 1867; Czechoslovakia, 435; England, 2183a; Europe, 1604, 2253; India, 1222, 1223, 2249; Near East, 1604; Netherlands, 1; Romania, 2254; Switzerland, 986; U.S.A., 658j, 985, 2870; U.S.S.R., 1284, 1293, 1560, 1605, 2494f, j, 2585, 3179, 3185; breeding against, 983, 2183a, b, 3180; control, 702, 1605, 1885, 1886, 2494f; distribution in U.S.S.R.,

maps of, 2494f; effect of calcium sulphamate, sodium sulphanilate and sulphanilic acid on, 702; of nitrogen, phosphorbacterin, and potassium on resistance to, 1560; on yield, 435, 3185; factors affecting, 435, 658k, 1293, 2249, 2253, 3185; forecasting of outbreaks of, 2494j, 2585; genetics of, 983, 3377b; losses caused by, 2585; mathematical analysis on distance of spread, 984; overanalysis on distance of spread, 364, Over-wintering of, 985; physiologic races of, 658j, 978, 983, 986, 1222, 1223, 1604, 2183b, f, 3377b; popular account of, 2869; report on resistance trials, 2253; study on, 2183a; survey of distribution of, 1867; uredospore discharge of, 2249; var. reaction to, 1, 435, 658j, k, 709, 978, 1884, 2183b, f, 2254, 2870, 3179, 3377b.

[Wheat], Pyrenophora graminea on, cutinase

activity in, 1542.

- tritici-repentis on, in Canada, 1225f; causing pink seed discoloration, 1225f.

—, Pythium on, in Canada, 717, 1225f. —, — (?)acanthicum can infect, 399.

-, Rhizopus on, effect of root excretions on germination of, 1549a.

- rhizosphere organisms, effect of foliar application of urea on, 928.

-, rice hoja blanca virus on, 2900.

- root rot, antagonistic action of Trichoderma viride on, 355.

-, Sclerotinia borealis on, control, 1873. -, Sclerotium rolfsii on, in S. Rhodesia, 427.

- seed discoloration in Australia and \*Canada, association with Pyrenophora tritici-repentis, 1225f.
- —, Septoria on, 1873.

- tritici on, in Argentina, 1867; U.S.S.R.,

1610; Yugoslavia, 2590.

- streak mosaic virus on wheat, Agropyron repens mosaic virus a mild str. of, 428; disease in India similar to, 65; in U.S.A., effect of, on baking and milling properties, 3177.

 striate mosaic virus on cereals and grasses in Canada, 1225e; transmission of, by

vectors, 1225e.

——— on wheat in Canada, 429, 1282, 2248; Finland, 976; extraction of virus, 1282; hosts of, 429, 697, 2857; infection of Endria inimica by injection, 1282; nontransmission of, by leaf hoppers, 976; not considered a serious threat, 2248; properties of, 66; transmission of, by vectors, 66, 429, 2248, 2857; var. reaction to, 429.

\*-, sugarcane mosaic virus can infect, 2717f. Tilletia on, 674; in Anatolia, 69; Canada, -, *Tilletia* on, 674; in Anatolia, 69; Canada, 1225i; chlamydospore studies of, 2587; control, 1225i; physiologic races of, 69; systematics of, 69; var. reaction to, 988.

J. Tilletia caries on, 2491r; in Anatolia, 69; U.S.A., 437, 1612, 2586; U.S.S.R., 287i, 362, 712, 1284; control, 362, 364, 3186; culture and isolation of, 2867; factors affecting, 2793; pathogenic races of, 1612; physiologic races of, 2586; post infection development in relation to soil moisture, 437; purposition of the 287i; purposition of the spec. reaction to, 287i; survival of, in soil, 2586; var. reaction to, 712, 987.

-, — contraversa on, 891, 2586; in Switzerland, 990; U.S.A., 70, 1295; U.S.S.R., 696, 713; control, 713, 990, 2491r; culture of, 6581, 2871; field inspection results and, in

Bavaria, 1221d; isolation of, 2871; physiologic races of, 70; time of year of infection by, 1293; var. reaction to, 70.
[Wheat, Tilletia contraversa] ×T. caries can infect of the contraversal of the contrav

infect, 989.

-, — foetida on, 2491r; in Anatolia, 69; Argentina, 436; Bulgaria, 1294; India, 1242a; Lebanon, 1578; S. Rhodesia, 427; U.S.A., 437; U.S.S.R., 1284, 3187; control, 436, 1242a, 1294, 1823, 3186, 3187; factors affecting, 436; post infection development in relation to soil moisture, 437; var. reaction to, 987.

-, Typhula on, control, 1873.

- idahoensis on, method of inoculating, 2591.

-, — incarnata on, 1873; in Scotland, 1673.

- ishikariensis on, control, 1873.

-, Urocystis agropyri on, in Japan, 3188; New S. Wales, 2797; control, 711; var. reaction to, 2797, 3188.

Ustilago nuda on, in Argentina, 1867; Canada, 1225g; England, 2183b; 3378; Germany, 1221d; India, 1241c, Poland, 1889; S. Africa, 2872; S. Rhodesia, 427; U.S.S.R., 362, 420, 1284; control, 1225g, 1241c, 1613, 3189; effect of temperature on visibility of species. viability of spores, 1614; factors affecting, 362, 1284, 3190, 3378; pathogenic races of, 2872; physiologic races of, 988, 2183b; survey of distribution of, 1867; technique for inoculating, 710; toxicity of wheat quinones to, 74; var. reaction to, 420, 987, 988, 2183b.

winter wheat mosaic virus on, in U.S.S.R.,

development of, 1591.

-, world catalogue of genetic stocks of, 1875. -, yeasts on, in U.S.A., 77.

- × Agropyron, mycorrhizal fungus in, development of, 73.

-×rye, *Puccinia recondita* on, breeding against, 434.

- flour, addition of, to copper oxychloride to improve adhesion, 3250.

Whey, effect of, on spread of potato leaf roll virus, 1730.

Whitefly transmitting virus diseases of plants, 406b.

Wilproof, use of, against vectors of Gloeosporium musarum on Musa balbisiana, 803.

W.N. 12, use of, against *Thielaviopsis basicola* on *Cyclamen*, 3239b.

Wolfen wetting agent, use of, on onion, 2462. Woronin, reprint of papers by, 15.

Wrightia tinctoria and W. tomentosa, Hemileia wrightiae can infect, 3226.

Xanthicin, production of, from actinomycetes in Japan, 900.

Xanthomonas, activity of some antibiotics against, 3131.

-, comparative stu reactions of, 1524. study of the biochemical

-, inhibition of, by cauliflower seed extract,

-, pigmentation and taxonomy of the genus,

2203. — albilineans on sugarcane, see Sugarcane. - anandensis on Ricinus communis, 1105.

\* balsamivorum on Impatiens balsamina, 1237.

- begoniae on Begonia, 1040.

[Xanthomonas] campestris, development of resistance to thiosulphate esters in, 2804.

-, effect of levomycetin on, 1535b. , inhibition of, by broccoli and cabbage seed extracts, 617.

— —, lysogeny in a str. of, 1525.

- on cabbage, 2817 \*— — on cauliflower, 858. - — on cruciferae, 617.

\*-- on kale, 858.

resistance of, to pseudoallicin analogues, 1535c.

X. campestris var. armoraciae symptoms distinct from, 1179

\*— — var. armoraciae on cauliflower, 1179.

— carotae on carrot, 696.

- citri on citrus, 345, 1331, 1647, 2197.

— — on lemon, 1646. \*— cosmosicola on Cosmos sulphureus in India, 1237.

cyamophagus, the name, should be invalidated, 2145.

cyamopsidis on Cyamopsis psoraloides, 2145, 3361.

- dieffenbachiae on Aglaonema and (?)Syngonium podophyllum, 349.

durantae, resistance of, to some antibiotics, 3131.

- esculenti on Hibiscus esculentus, 335.

- fuscans in rhizosphere of bean, 1549d. - holcicola on maize, 657.

- incanae on Matthiola incana, 1953.

\*— ionidi on Ionidium heterophyllum, 1345.

- jasminii on Jasminum flexile var. travancorense and J. sambac, 3116.

– juglandis on bean, 3118.

— on walnut, 847.

\*— laureliae on Laurelia novae-zelandiae, 585. - malvacearum, common antigens in cotton and, 884f.

– on bean, 3118.

— — on cotton, see Cotton.

— marantae, proposed as name for Xantho-monas on arrowroot, 2979.

- nigromaculans on Zinnia elegans, 1237.

— — f.sp. zinniae on Zinnia, 1516.

— oryzae, effects of mineral salts and vitamins on multiplication of, 739.

- on rice, see Rice.

- pateli, resistance of, to streptomycin, 3131.

— pelargonii on Pelargonium, 2188b. — phaseoli on bean, 1535e, 2140, 3065, 3118.

— — on *Phaseolus*, 1786. — on soybean, 3360.

\*— f.sp. alfalfae on lucerne, 3248.

- var. fuscans on bean, 1226c, 2140, 2497, 3118.

---- on *Phaseolus*, 1786.

— — sojense on soybean, see Soybean.

- pruni on peach, 4d, 1967, 2337.

— — on plum, 1063, 2337.

- - bacteriophage, use of, against peach bacterial spot, 4d.

— str. on apricot and cherry, 1063.

\*- ricini on Ricinus communis, 3116.

- ricinicola distinguishable from X. anandensis, 1105.

— sesami on sesame, \*1223, 2197.

— — str. on Sesamum, 1375.

- stewartii on maize, 1909.

\*— tagetis on Tagetes erecta, 1237.

[Xanthomonas] translucens f.sp. cerealis on Bromus inermis, 2303.

vasculorum on sugarcane, 218, 552, 1131, 2713.

- on Thysanolaena maxima, 218, 2713.

— *vesicatoria* in soil, 580.

— on Capsicum, see Capsicum.

— on Nicandra physaloides, 3326. — on tomato, see Tomato. — vignicola on Vigna catjang, 1237.

\*— vitians on lettuce, 1493.

Xiphinema in Italian vineyards, study on, in relation to vine infectious degeneration virus, 2786.

- americanum associated with tobacco necrotic ringspot and tobacco ringspot viruses, 517.

transmitting tobacco ringspot virus, 3069; Vaccinium corymbosum necrotic ringspot virus, 154.

- diversicaudatum transmitting Arabis mosaic virus, 1089, 2355; strawberry latent ringspot virus, 1219a.

elongatum (?)transmitting tobacco streak

virus str. on cotton, 3227 - index transmitting vine fanleaf virus, 3090;

vine virus diseases, 1505f. X-rays, effect of, on susceptibility of wheat to

Puccinia recondita, 708. mode of action against micro-organisms,

3105. Xylaria hypoxylon, antagonism of Boletus variegatus to, 374.

polymorpha, production of labile staling substance by, 1255.

Xylococcus betulae in relation to Nectria spp. on beech, 2415e.

Xylose phenylosazone, use of, against Puccinia recondita on wheat, 68.

Yam (Dioscorea spp.) diseases, list of, in S.E. Asia and Pacific Region, 650.

Gloeosporium pestis on, in S.E. Asia and Pacific Region, 650.

Goplana dioscoreae on, in Saipan Is., Marianas, 2496.

mosaic disease in S.E. Asia and Pacific Region, 650.

Yeasts on prunes, 513.

- on stored fruit of Litchi chinensis, 172.

-, marine, 3107a.

Yew (Taxus baccata), Phytophthora cinnamomi on, in Canada, 880.

Yucca arborescens blight, Coniothyrium concentricum, Leptosphaeria filamentosa, Stagonospora gigantea associated with, 2944.

Zea mays, see Maize.

Zelest, use of, against virus diseases of potato, 3291.

Zinc deficiency in (?)broad bean, 301; Hevea rubber, 2039d; maize, 1316; sugarcane,

-, effect of, on growth of Fomes annosus in culture, 3331.

-, use of, as seed treatment for maize, 2520. -chloride, use of, as timber preservative, 2441.

- in combination, use of, as timber preservative, 611.

- coposil + phaltan, see ortho V-G.

[Zinc] diethyl dithiocarbamate in combination, use of against Armillaria mellea on vine, 1512v.

- frit, use of, against Plasmodiophora brassicae

on cabbage, 2791a.

- metiram, toxicity of, to tobacco, use of, against Peronospora tabacina on tobacco, 3317b.

- oxide, use of, against Plasmodiophora

brassicae on cabbage, 2791a.

-salt 5-chlorosalicylanilide in combination, use of, against Cladosporium fulvum on tomato, 3322

- sulphate, use of, against zinc deficiency in *Hevea* rubber, 2039d; sugarcane, 557; as seed treatment for barley, 3195.

- in combination, effect of, on apple, 785. -, use of, against Melampsora lini and Puccinia graminis, 1223; Xanthomonas pruni on peach, 1987.

- sulphide, production of, from zineb, 31.

Zineb, analysis of commercial, 32.

- as a dust ineffective against Peronospora

tabacina, 2725.

- -, effect of, on absorption of streptomycin by apple, 1824; on Podosphaera leucotricha and Uncinula necator, 362; on Sphaerotheca pannosa, 2942.
- factors affecting degradation of, 31. - injury to Chrysanthemum, 1218c.

-, non-resistance of spores of white str. of Venturia inaequalis to, 2958.

- not causing defoliation when used against Cycloconium oleaginum on olive, 2690.

-, use of, against Alternaria solani on eggplant, potato, and tomato, 2071; Botrytis on Gladiolus, 1047; Cercospora beticola, 287e; Cladosporium fulvum, 657, 1146; Colletotri-chum lindemuthianum, 2138; Corticium solani on Capsicum, 1801; Corynebacterium michiganense on tomato, 2412; Curvularia on Gladiolus, 1047; damping-off of forest trees, 1436; Didymascella thujina on Thuja, 3042; Dothistroma pini, 2100; Elsinoe veneta on raspberry, 2354; Fusicladium carpophilum on peach, 657; Glomerella cingulata on laurel, 3240; Guignardia citricarpa, 1922; Itersonilia perplexans on Chrysanthemum, 1218c; Lophodermium needle cast disease of pine, 2188e; Melampsora larici-populina on poplar, 3034; Monilia roreri, 973; Mucor silvaticus on coniferae, 3337; Mycosphaerella melonis on melon, 657; Nectria radicicola on Cyclamen persicum, 2932; Peronospora farinosa on beet, 287d, e; P. sparsa on rose, 2298; P. tabacina, 567, 832, 1228, 1409, 2059, 2062, 2064, 2071; Physophthaga infestans 2064, 2066, 3317b; *Phytophthora infestans* on potato, 2393, 2704, 2729, 2994, 3124; on tomato, 877; *P. porri* on leek, 2464; *Plasmo*diophora brassicae on cabbage, 343; Plasmopara viticola, 1506, 1507, 3126, 3373, 3374; Polystigma rubrum on plum, 2341; Pseudoperonospora cubensis on watermelon, 882d; Pseudopeziza ribis on currant, 1085; Puccinia

pitteriana on potato, 822; P. psidii on pimen to, 351; storage disorders of cranberry, 2348; Tranzschelia pruni-spinosae var. discolor on peach, 507; Uncinula necator, 3373; Uromyces betae, 287e; Venturia inaequalis, 362, 785, 2315a; Xanthomonas vesicatoria on tomato, 2412; as seed treatment for maize, 1310; as soil treatment, 1437.

[Zineb] versus Bordeaux mixture, 1507; maneb,

3317c; nafun, 785.

- in combination, use of, against Botrytis cinerea on tomato, 1747; Cryptodiaporthe populea, 2185a; Monilia roreri, 2574; Mycosphaerella arachidicola and M. berkeleyii, 3072; M. melonis on watermelon, 882d; Peronospora tabacina, 1409, 1412; Phyto-phthora infestans on tomato, 1747; Plasmopara viticola, 3374; Puccinia arachidis, 3072; P. psidii on pimento, 351; Spilocaea eriobotryae on loquat, 525; Stagonospora curtisii on Narcissus, 1218c; tomato storage rots, 1747; watermelon diseases, 882b.

versus dithane-maneb, 360.

Zinebtan, use of, against Venturia inaequalis, 785.

Zingiber officinalis, see Ginger. Zinnia, citrus variegation virus [str. of citrus psorosis virus] can infect, 2798a.

, cucumber mosaic virus on, effect of, on multiplication rate of Myzus persicae, 413. -, Sphaerotheca fuliginea on, in Portugal, 2234.

, Xanthomonas nigromaculans f.sp. zinniae on, in N. Rhodesia, 1516.

elegans, radish ringspot virus on, reaction

to, 2119.

\*Xanthomonas nigromaculans on, in India, 1237.

Ziram, effect of, on tobacco seedlings, 833. -, factors affecting degradation of, 31.

- not causing defoliation when used against Cycloconium oleaginum on olive, 2690.

-, use of, against Alternaria solani on eggplant, potato, and tomato, 2071; eggplant diseases, 2174; Elsinoe veneta on raspberry, 2354; Erysiphe polygoni on bean, 1532; Glomerella cingulata on laurel, 3240; micro-organisms on fabrics, old books and manuscripts, 2510; Peronospora tabacina, 833; Pezicula on apple, 787; Pyricularia oryzae, 3211; Taphrina deformans on peach, 794; Uromyces appendiculatus, 1532; Venturia carpophila on peach, 1984.

- in combination, use of, against Armillaria mellea on vine, 1512v; cucumber leaf diseases, 1500; Mycena citricolor on coffee, 1333.

Zone electrophoresis, book on, 1568.

\*Zopfia albiziae on Albizzia lebbek, 2541.

Zygophiala jamaicensis, factors affecting spore discharge in, 2801.

Zygorhynchus in rhizosphere of Lepidium sativum, 44.

Zythia fragariae, imperfect state of Gnomonia fructicola, 1091.



## Also obtainable from the

## COMMONWEALTH MYCOLOGICAL INSTITUTE

REVIEW OF MEDICAL AND VETERINARY MYCOLOGY (quarterly) containing abstracts of world literature on human and animal mycoses.

40s. per annum

C.M.I. DESCRIPTIONS OF PATHOGENIC FUNGI AND BACTERIA (10 a quarter) 20s. per annum

DISTRIBUTION MAPS OF PLANT DISEASES (2 a month). 15s. per annum

COMMONWEALTH PHYTOPATHOLOGICAL NEWS (bimonthly), issued free of charge to subscribers to the Review of Applied Mycology.

PHYTOPATHOLOGICAL PAPERS (irregular) comprising monographic descriptions of crop diseases of economic importance.

Details on application

INDEX OF FUNGI (twice a year) listing new species and varieties of fungi. 20s. per annum

BIBLIOGRAPHY OF SYSTEMATIC MYCOLOGY (twice a year). 10s. per anum

MYCOLOGICAL PAPERS (irregular) containing taxonomic studies, lists of fungi and plant diseases in overseas countries, etc.

Details on application